

Screens and Space Division

GSA Price List – May 2026

Includes Belong Screens, Belong Plus Screens, Compose Echo Screens, Active Components Screens, Belong Gallery End Panels/Screens and Planes Information Display



This price list is based upon Haworth's December 2025 commercial pricing.

GENERAL SERVICES ADMINISTRATION FEDERAL SUPPLY SERVICE

Authorized Federal Supply Scheduled Price List (Catalog) Office Furniture, Wood Casegoods and Tables

(FSC Group 71, Part I, FSC Classes 7105, 7110, 7125 and 7195)

Contract No: GS-03F-057DA | Contract Period: February 28, 2026 – February 7, 2031 | Business: Large

Contractor: Haworth, Inc. | One Haworth Center | Holland, MI 49423-9576 | 1.616.393.3000





This Haworth North American price book contains US list prices.

Canadian customers can convert the US list price into their Canadian equivalent by going to www.Haworth.com/Canada to find the current Canadian multipliers. These multiplier factors allow you to convert the US list price into a Canadian list price.

HAWORTH, INC.

GENERAL SERVICES ADMINISTRATION

FEDERAL ACQUISITION SERVICES

Authorized Federal Supply Schedule Furniture (FSC Group 71, FSC Classes 7105, 7110, 7125 and 7195)

Contract Number:	GS-03F-057DA
Contract Start Date:	February 28, 2026
Contract End Date:	February 7, 2031
Contractor:	HAWORTH, INC. One Haworth Center Holland, MI 49423-9576 1-616-393-3000 http://www.haworth.com/government
Business Size:	Large

Information for Ordering Activities I-FSS-600

Online access to Haworth's Authorized Federal Supply Schedule contract ordering information, terms and conditions, and up-to-date product and discount listing can be found at GSA Advantage, eLibrary link [here](#).

This page intentionally left blank.

Screens and Space Division Price List

Includes pricing, catalog numbers, finish codes/availability, specification requirements, line art, dimensions, and specification tips for Screens and Space Division.

Back Screens

Center Screens

Corner Screens

Full Wrap Screens

End Screens

Territory Screens

Inner Accessory Screens

Modesty Panels

Screen Rails

Screen Alignment Clips

Universal Mount

Structural Screen Tiles

Information Display

Table of Contents

Price List

Statement of Line	7
--------------------------	---

Belong

Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces	13
Back Screen – Modesty — Height Adjustable Tables	17
Back Screen – No Modesty — Height Adjustable Tables and Benching	20
Center Screen – Markerboard — Gallery Panel Mount	23
Center Screen – Markerboard Topper Kit — For use with Gallery Panels	24
Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	25
Center Screen — Planes and Planes LT Benching	28
Center Screen — Upside Benching	30
Territory Screen — Adaptable Worksurfaces	31
Territory Screen — End-of-Run for Adaptable Worksurfaces	32
Territory Screen — Shared for Adaptable Worksurfaces	33
Territory Screen — L-Screen for Adaptable Worksurfaces	34

Belong Plus

Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables	35
Back Screen – No Modesty — Height Adjustable Tables and Benching	37
Center Screen — Rail Mount — Compose Work Rail Top Trim Mount	38
Center Screen — Rail Mount — Intuity Benching	39
Center Screen — Planes and Planes LT Benching	40
Center Screen — Upside Benching	41
End Screen – Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	42
End Screen – No Modesty — Height Adjustable Tables and Height Adjustable Benching	43
Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	44
Territory Screen — Intuity Benching with Access Hatch	46

Compose Echo

Accessory Frame – Open	47
Accessory Frame – Fabric	48
Accessory Frame – Fabric — For use with Gallery Panels	52
Back Screen – Modesty or No Modesty — Height Adjustable Tables or Adaptable Worksurfaces	54
Center Screen — Compose Top Trim Channel Mount	56
Center Screen — Gallery and Gallerie Panels	58
Center Screen — Upside Height Adjustable Benching	60
Corner Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces	61
Corner Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Tables	64
End Screen — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	66
Full Wrap Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables	67
Full Wrap Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Table	70
Territory Screen — Height Adjustable Benching and Tables, Intuity Benching, Adaptable WS, Private Office	72
Screen Accessories — Compose Echo Screen Alignment Clip	73
Screen Accessories — Compose Echo Screen Alignment Saddle	73

Active Components

Center Screen	74
Corner Screen – No Modesty — Corner Screen	75
Territory Screen — Adaptable Worksurfaces and Intuity Desking	76
Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching	77

Modesty Panel

Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns	78
--	----

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount — Universal Mount	80
Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount — Universal Mount	83

Belong Gallery Screens

Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return	86
Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return	87
Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return	88
Structural Screen Tile	89

Screen Rails

Belong Screen Rail	90
Belong Plus Screen Rail	90

Screen Alignment Clips

Belong Screen Alignment Clip	91
Belong Plus Screen Alignment Clip	91

Attachment Brackets

Gallery Panel Attachment Bracket	92
Gallery Panel Bracket	92
Tie Plate	93

Information Display

Planes Easels — Standard Easel	94
Planes Easels — Large Easel	95
Planes Boards and Accessories — Information Boards	96
Planes Boards and Accessories — Horizontal Wall Rail for Information Boards	96
Planes Boards and Accessories — Wall Cleat for Information Boards	96
Planes Boards and Accessories — Horizontal Wall Rail End Caps	97
Planes Boards and Accessories — Y-Leg Bumper	97
Finish/Color Legend	99

Resources

Surface Materials

Finish/Color Legend	99
Fabricsh/Color Legend	100

Index


Index	101
-------	-----

Lifetime Product Warranty	103
----------------------------------	-----


Statement of Line

Belong — Back Screen


Pages 13-22




Modesty — Adaptable Convergent and Intuity Return Worksurfaces




Modesty — Height Adjustable Tables



No Modesty — Height Adjustable Tables and Benching




Markerboard Gallery Panel Mount




Markerboard Topper Kit — For Use with Gallery Panels




Rail Mount — Compose Work Rail Top Trim and Intuity Benching (Center Screen shown on Compose Connection)



Rail Mount — Compose Work Rail Top Trim and Intuity Benching (Center Screen shown on Compose Beam)




Planes and Planes LT Benching




Upside Benching

Belong — Territory Screen


Pages 31-34




Adaptable Worksurfaces




End-of-Run for Adaptable Worksurfaces



Shared for Adaptable Worksurfaces




Left-hand




L-Screen for Adaptable Worksurfaces

Belong Plus — Back Screen

Pages 35-37



Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables




No Modesty — Height Adjustable Tables and Benching


Statement of Line

Belong Plus — Center Screen


Pages 38-41




Rail Mount — Compose Work Rail Top Trim Mount (Center Screen shown on Compose Connection)




Rail Mount — Compose Work Rail Top Trim Mount (Center Screen shown on Compose Beam)




Rail Mount — Intuity Benching




Planes and Planes LT Benching (Center Screen shown on Planes Single Sided)



Planes and Planes LT Benching (Center Screen shown on Planes Double Sided)




Planes and Planes LT Benching (Center Screen shown on Planes 120°)




Upside Benching

Belong Plus — End Screen

Pages 42-43




Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables




No Modesty — Height Adjustable Tables and Height Adjustable Benching

Belong Plus — Territory Screen


Pages 44-46




Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS



Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS



Intuity Benching with Access Hatch




Intuity Benching with Access Hatch

Statement of Line


Compose Echo Accessory Frame

Pages 47-53



Accessory Frame - Open


Accessory Frame - Fabric



Accessory Frame - Fabric - For use with Gallery Panels

Compose Echo — Back Screen — Modesty or No Modesty


Pages 54-55



Height Adjustable Tables, Intuity Return Surface or Adaptable Worksurfaces


Compose Echo — Center Screen

Pages 56-60



Compose Top Trim Channel Mount

Gallery and Gallerie Panels




Upside Height Adjustable Benching

Statement of Line

Compose Echo — Corner Screen – Modesty or No Modesty

Pages 61-65




**Rectangular Height Adjustable
Tables or Adaptable Convergent
Worksurfaces**

**Rectangular Radius Corner
Height Adjustable Tables**

Compose Echo — End Screen


Page 66



**Adaptable Worksurfaces, Height
Adjustable Benching and Height
Adjustable Tables**

Compose Echo — Full Wrap Screen – Modesty or No Modesty

Pages 67-71




**Rectangular Height Adjustable
Tables**

**Rectangular Radius Corner
Height Adjustable Table**

Compose Echo — Territory Screen


Page 72




**Height Adjustable Benching and Tables, Intuity Benching, Adaptable WS,
Private Office**

Compose Echo — Screen Accessories

Page 73



Compose Echo Screen Alignment Clip




Compose Echo Screen Alignment Saddle



Statement of Line

Active Components



Pages 74-77





Center Screen



Corner Screen - No Modesty




Territory Screen — Adaptable Worksurfaces and Intuity Desking



Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching

Modesty Panel



Page 78-79




Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns

Belong Gallery End Panel

Pages 80-85




Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount




Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Belong — Gallery Screens


Pages 86-89



Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return



Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return



Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return




Structural Screen Tile


Statement of Line

Screen Rails


Page 90




Double Sided



Single Sided



Single Sided




Double Sided

Belong Screen Rail


Belong Plus Screen Rail

Screen Alignment Clips

Page 91




Belong Screen Alignment Clip




Belong Plus Screen Alignment Clip

Attachment Brackets


Pages 92-93




Gallery Panel Attachment Bracket



Gallery Panel Attachment Bracket




Gallery Panel Bracket




Tie Plate

Information Display — Planes Easels

Pages 94-95




Standard Easel




Large Easel

Information Display — Planes Boards and Accessories


Pages 96-97



Information Boards




Horizontal Wall Rail for Information Boards



Wall Cleat for Information Boards



Horizontal Wall Rail End Caps




Y-Leg Bumper

Belong

Back Screen – Modesty

Adaptable Convergent and Intuity Return Worksurfaces



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

• Attaches to back of most Adaptable Convergent Worksurfaces and Intuity returns.

- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Screens can be specified to match width of any size component.
- Standard screens are not compatible with the following products due to interference from the understructure and mounting brackets.
 - Height Adjustable Tables/Benching
 - Fixed Height Tables
 - Intuity Benching (Starter or Add-on)
 - X Series Desks/Private Office
- Screen mounting:
 - 19"(483mm)H: 4.25"(108mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.25"(311mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.25"(514mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- Gap between screen and worksurface allows installation of back edge mounted accessories.
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.64 upcharge list for Grade B trim colors.

Belong

Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
19"(483mm)	24"(610mm)	SUFB-1924-FU	\$ 344.79	\$ 351.30	\$ 357.46	\$ 363.76	\$ 370.27	\$ 380.42	\$ 386.30
	30"(762mm)	SUFB-1930-FU	377.53	386.75	396.02	405.58	415.37	430.06	438.67
	36"(914mm)	SUFB-1936-FU	410.27	422.20	434.58	447.40	460.47	479.70	491.04
	42"(1067mm)	SUFB-1942-FU	443.01	457.65	473.14	489.22	505.57	529.34	543.41
	48"(1219mm)	SUFB-1948-FU	475.75	493.10	511.70	531.04	550.67	578.98	595.78
	54"(1372mm)	SUFB-1954-FU	508.49	528.55	550.26	572.86	595.77	628.62	648.15
	60"(1524mm)	SUFB-1960-FU	541.23	564.00	588.82	614.68	640.87	678.26	700.52
	66"(1676mm)	SUFB-1966-FU	573.97	599.45	627.38	656.50	685.97	727.90	752.89
	70"(1778mm)	SUFB-1970-FU	606.71	634.00	664.00	695.29	726.95	771.91	798.72
	72"(1829mm)	SUFB-1972-FU	622.76	650.95	681.99	714.37	747.12	793.59	821.31
27"(686mm)	24"(610mm)	SUFB-2724-FU	\$388.39	\$402.34	\$ 415.54	\$429.04	\$ 442.99	\$ 464.74	\$ 477.34
	30"(762mm)	SUFB-2730-FU	421.13	437.79	454.10	470.86	488.09	514.38	529.71
	36"(914mm)	SUFB-2736-FU	453.87	473.24	492.66	512.68	533.19	564.02	582.08
	42"(1067mm)	SUFB-2742-FU	486.61	508.69	531.22	554.50	578.29	613.66	634.45
	48"(1219mm)	SUFB-2748-FU	519.35	544.14	569.78	596.32	623.39	663.30	686.82
	54"(1372mm)	SUFB-2754-FU	552.09	579.59	608.34	638.14	668.49	712.94	739.19
	60"(1524mm)	SUFB-2760-FU	584.83	615.04	646.90	679.96	713.59	762.58	791.56
	66"(1676mm)	SUFB-2766-FU	617.57	650.49	685.46	721.78	758.69	812.22	843.93
	70"(1778mm)	SUFB-2770-FU	650.31	685.04	722.08	760.57	799.67	856.23	889.76
	72"(1829mm)	SUFB-2772-FU	666.36	701.99	740.07	779.65	819.84	877.91	912.35
35"(889mm)	24"(610mm)	SUFB-3524-FU	\$ 566.51	\$ 587.90	\$ 608.14	\$628.84	\$ 650.23	\$ 683.58	\$ 702.90
	30"(762mm)	SUFB-3530-FU	599.25	623.35	646.70	670.66	695.33	733.22	755.27
	36"(914mm)	SUFB-3536-FU	631.99	658.80	685.26	712.48	740.43	782.86	807.64
	42"(1067mm)	SUFB-3542-FU	664.73	694.25	723.82	754.30	785.53	832.50	860.01
	48"(1219mm)	SUFB-3548-FU	697.47	729.70	762.38	796.12	830.63	882.14	912.38
	54"(1372mm)	SUFB-3554-FU	730.21	765.15	800.94	837.94	875.73	931.78	964.75
	60"(1524mm)	SUFB-3560-FU	762.95	800.60	839.50	879.76	920.83	981.42	1017.12
	66"(1676mm)	SUFB-3566-FU	795.69	836.05	878.06	921.58	965.93	1031.06	1069.49
	70"(1778mm)	SUFB-3570-FU	828.43	870.60	914.68	960.37	1006.91	1075.07	1115.32
	72"(1829mm)	SUFB-3572-FU	844.48	887.55	932.67	979.45	1027.08	1096.75	1137.91

Belong

Back Screen – Modesty

			HPL	
Height	Width	Number	A	B
Laminate				
19"(483mm)	24"(610mm)	SUFB-1924-DU	\$ 296.79	\$ 310.79
	30"(762mm)	SUFB-1930-DU	311.34	326.53
	36"(914mm)	SUFB-1936-DU	325.89	342.27
	42"(1067mm)	SUFB-1942-DU	340.44	358.01
	48"(1219mm)	SUFB-1948-DU	354.99	373.75
	54"(1372mm)	SUFB-1954-DU	369.54	389.49
	60"(1524mm)	SUFB-1960-DU	384.09	405.23
	66"(1676mm)	SUFB-1966-DU	398.64	420.97
	70"(1778mm)	SUFB-1970-DU	413.19	436.31
	72"(1829mm)	SUFB-1972-DU	429.24	452.76
27"(686mm)	24"(610mm)	SUFB-2724-DU	\$340.39	\$ 357.91
	30"(762mm)	SUFB-2730-DU	354.94	373.65
	36"(914mm)	SUFB-2736-DU	369.49	389.39
	42"(1067mm)	SUFB-2742-DU	384.04	405.13
	48"(1219mm)	SUFB-2748-DU	398.59	420.87
	54"(1372mm)	SUFB-2754-DU	413.14	436.61
	60"(1524mm)	SUFB-2760-DU	427.69	452.35
	66"(1676mm)	SUFB-2766-DU	442.24	468.09
	70"(1778mm)	SUFB-2770-DU	456.79	483.43
	72"(1829mm)	SUFB-2772-DU	472.84	499.88
35"(889mm)	24"(610mm)	SUFB-3524-DU	\$ 518.51	\$ 539.55
	30"(762mm)	SUFB-3530-DU	533.06	555.29
	36"(914mm)	SUFB-3536-DU	547.61	571.03
	42"(1067mm)	SUFB-3542-DU	562.16	586.77
	48"(1219mm)	SUFB-3548-DU	576.71	602.51
	54"(1372mm)	SUFB-3554-DU	591.26	618.25
	60"(1524mm)	SUFB-3560-DU	605.81	633.99
	66"(1676mm)	SUFB-3566-DU	620.36	649.73
	70"(1778mm)	SUFB-3570-DU	634.91	665.07
	72"(1829mm)	SUFB-3572-DU	650.96	681.52

Height	Width	Number	Price
Markerboard			
27"(686mm)	24"(610mm)	SUFB-2724-MU	\$405.35
	30"(762mm)	SUFB-2730-MU	434.45
	36"(914mm)	SUFB-2736-MU	463.55
	42"(1067mm)	SUFB-2742-MU	492.65
	48"(1219mm)	SUFB-2748-MU	521.75
	54"(1372mm)	SUFB-2754-MU	550.85
	60"(1524mm)	SUFB-2760-MU	579.95
	66"(1676mm)	SUFB-2766-MU	609.05
	70"(1778mm)	SUFB-2770-MU	638.15
	72"(1829mm)	SUFB-2772-MU	654.20
35"(889mm)	24"(610mm)	SUFB-3524-MU	\$ 583.47
	30"(762mm)	SUFB-3530-MU	612.57
	36"(914mm)	SUFB-3536-MU	641.67
	42"(1067mm)	SUFB-3542-MU	670.77
	48"(1219mm)	SUFB-3548-MU	699.87
	54"(1372mm)	SUFB-3554-MU	728.97
	60"(1524mm)	SUFB-3560-MU	758.07
	66"(1676mm)	SUFB-3566-MU	787.17
	70"(1778mm)	SUFB-3570-MU	816.27
	72"(1829mm)	SUFB-3572-MU	832.32

Belong


Back Screen – Modesty

Height	Width	Number	Glass	
			A	C
Glass				
19"(483mm)	24"(610mm)	SUFB-1924-GU	\$ 571.29	\$ 636.20
	30"(762mm)	SUFB-1930-GU	622.85	690.22
	36"(914mm)	SUFB-1936-GU	674.41	744.24
	42"(1067mm)	SUFB-1942-GU	725.97	798.26
	48"(1219mm)	SUFB-1948-GU	792.75	867.50
	54"(1372mm)	SUFB-1954-GU	859.53	936.74
	60"(1524mm)	SUFB-1960-GU	926.31	1005.98
27"(686mm)	24"(610mm)	SUFB-2724-GU	\$ 702.81	\$ 782.60
	30"(762mm)	SUFB-2730-GU	754.37	836.62
	36"(914mm)	SUFB-2736-GU	805.93	890.64
	42"(1067mm)	SUFB-2742-GU	857.49	944.66
	48"(1219mm)	SUFB-2748-GU	924.27	1013.90
	54"(1372mm)	SUFB-2754-GU	991.05	1083.14
	60"(1524mm)	SUFB-2760-GU	1057.83	1152.38
35"(889mm)	24"(610mm)	SUFB-3524-GU	\$ 968.85	\$1063.52
	30"(762mm)	SUFB-3530-GU	1020.41	1117.54
	36"(914mm)	SUFB-3536-GU	1071.97	1171.56
	42"(1067mm)	SUFB-3542-GU	1123.53	1225.58
	48"(1219mm)	SUFB-3548-GU	1190.31	1294.82
	54"(1372mm)	SUFB-3554-GU	1257.09	1364.06
	60"(1524mm)	SUFB-3560-GU	1323.87	1433.30

Belong

Back Screen – Modesty

Height Adjustable Tables



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- For use on Height Adjustable Tables only.
- **Not for use on Height Adjustable Benching.**
- Cannot mount to knife edge.
- Screen and the table width cannot match. The screen width must be smaller than the table width.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Screens with clear glass specified are clear above and below the worksurface.
- Screen mounting:
 - 19"(483mm)H: 4.25"(108mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.25"(311mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Gap between screen and worksurface allows for back edge mounted accessories.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.64 upcharge list for Grade B trim colors.

Belong

Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
19"(483mm)	24"(610mm)	SUFB-1924-FA	\$ 344.79	\$ 351.30	\$ 357.46	\$ 363.76	\$ 370.27	\$ 380.42	\$ 386.30
	30"(762mm)	SUFB-1930-FA	377.53	386.75	396.02	405.58	415.37	430.06	438.67
	36"(914mm)	SUFB-1936-FA	410.27	422.20	434.58	447.40	460.47	479.70	491.04
	42"(1067mm)	SUFB-1942-FA	443.01	457.65	473.14	489.22	505.57	529.34	543.41
	48"(1219mm)	SUFB-1948-FA	475.75	493.10	511.70	531.04	550.67	578.98	595.78
	54"(1372mm)	SUFB-1954-FA	508.49	528.55	550.26	572.86	595.77	628.62	648.15
	60"(1524mm)	SUFB-1960-FA	541.23	564.00	588.82	614.68	640.87	678.26	700.52
27"(686mm)	24"(610mm)	SUFB-2724-FA	\$ 388.39	\$ 402.34	\$ 415.54	\$ 429.04	\$ 442.99	\$ 464.74	\$ 477.34
	30"(762mm)	SUFB-2730-FA	421.13	437.79	454.10	470.86	488.09	514.38	529.71
	36"(914mm)	SUFB-2736-FA	453.87	473.24	492.66	512.68	533.19	564.02	582.08
	42"(1067mm)	SUFB-2742-FA	486.61	508.69	531.22	554.50	578.29	613.66	634.45
	48"(1219mm)	SUFB-2748-FA	519.35	544.14	569.78	596.32	623.39	663.30	686.82
	54"(1372mm)	SUFB-2754-FA	552.09	579.59	608.34	638.14	668.49	712.94	739.19
	60"(1524mm)	SUFB-2760-FA	584.83	615.04	646.90	679.96	713.59	762.58	791.56

Height	Width	Number	HPL	
			A	B
Laminate				
19"(483mm)	24"(610mm)	SUFB-1924-DA	\$ 296.79	\$ 310.79
	30"(762mm)	SUFB-1930-DA	311.34	326.53
	36"(914mm)	SUFB-1936-DA	325.89	342.27
	42"(1067mm)	SUFB-1942-DA	340.44	358.01
	48"(1219mm)	SUFB-1948-DA	354.99	373.75
	54"(1372mm)	SUFB-1954-DA	369.54	389.49
	60"(1524mm)	SUFB-1960-DA	384.09	405.23
27"(686mm)	24"(610mm)	SUFB-2724-DA	\$340.39	\$ 357.91
	30"(762mm)	SUFB-2730-DA	354.94	373.65
	36"(914mm)	SUFB-2736-DA	369.49	389.39
	42"(1067mm)	SUFB-2742-DA	384.04	405.13
	48"(1219mm)	SUFB-2748-DA	398.59	420.87
	54"(1372mm)	SUFB-2754-DA	413.14	436.61
	60"(1524mm)	SUFB-2760-DA	427.69	452.35

Belong

Back Screen – Modesty


Height	Width	Number	Price
Markerboard			
19"(483mm)	24"(610mm)	SUFB-1924-MA	\$ 361.75
	30"(762mm)	SUFB-1930-MA	390.85
	36"(914mm)	SUFB-1936-MA	419.95
	42"(1067mm)	SUFB-1942-MA	449.05
	48"(1219mm)	SUFB-1948-MA	478.15
	54"(1372mm)	SUFB-1954-MA	507.25
	60"(1524mm)	SUFB-1960-MA	536.35
27"(686mm)	24"(610mm)	SUFB-2724-MA	\$405.35
	30"(762mm)	SUFB-2730-MA	434.45
	36"(914mm)	SUFB-2736-MA	463.55
	42"(1067mm)	SUFB-2742-MA	492.65
	48"(1219mm)	SUFB-2748-MA	521.75
	54"(1372mm)	SUFB-2754-MA	550.85
	60"(1524mm)	SUFB-2760-MA	579.95

Height	Width	Number	Glass	
			A	C
Glass				
19"(483mm)	24"(610mm)	SUFB-1924-GA	\$ 571.29	\$ 636.20
	30"(762mm)	SUFB-1930-GA	622.85	690.22
	36"(914mm)	SUFB-1936-GA	674.41	744.24
	42"(1067mm)	SUFB-1942-GA	725.97	798.26
	48"(1219mm)	SUFB-1948-GA	792.75	867.50
	54"(1372mm)	SUFB-1954-GA	859.53	936.74
	60"(1524mm)	SUFB-1960-GA	926.31	1005.98
27"(686mm)	24"(610mm)	SUFB-2724-GA	\$ 702.81	\$ 782.60
	30"(762mm)	SUFB-2730-GA	754.37	836.62
	36"(914mm)	SUFB-2736-GA	805.93	890.64
	42"(1067mm)	SUFB-2742-GA	857.49	944.66
	48"(1219mm)	SUFB-2748-GA	924.27	1013.90
	54"(1372mm)	SUFB-2754-GA	991.05	1083.14
	60"(1524mm)	SUFB-2760-GA	1057.83	1152.38

Belong

Back Screen – No Modesty

Height Adjustable Tables and Benching



SUFB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- For use on Height Adjustable Tables and Benching only.
- Not for use with 24"(610mm), 30"(762mm) and 36"(914mm)D Height Adjustable Benching due to pinch points. Use Belong Screens for Height Adjustable Benching Center Mount.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Screen Thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to produce specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
- 3) Trim color for bracket.

Note: \$3.64 upcharge list for Grade B trim colors.

Belong

Back Screen – No Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
15"(381mm)	24"(610mm)	SUFB-1524-FB	\$322.99	\$ 325.78	\$328.42	\$ 331.12	\$ 333.91	\$338.26	\$ 340.78
	30"(762mm)	SUFB-1530-FB	355.73	361.23	366.98	372.94	379.01	387.90	393.15
	36"(914mm)	SUFB-1536-FB	388.47	396.68	405.54	414.76	424.11	437.54	445.52
	42"(1067mm)	SUFB-1542-FB	421.21	432.13	444.10	456.58	469.21	487.18	497.89
	48"(1219mm)	SUFB-1548-FB	453.95	467.58	482.66	498.40	514.31	536.82	550.26
	54"(1372mm)	SUFB-1554-FB	486.69	503.03	521.22	540.22	559.41	586.46	602.63
	60"(1524mm)	SUFB-1560-FB	519.43	538.48	559.78	582.04	604.51	636.10	655.00
23"(584mm)	24"(610mm)	SUFB-2324-FB	\$366.59	\$ 376.82	\$386.50	\$396.40	\$406.63	\$422.58	\$ 431.82
	30"(762mm)	SUFB-2330-FB	399.33	412.27	425.06	438.22	451.73	472.22	484.19
	36"(914mm)	SUFB-2336-FB	432.07	447.72	463.62	480.04	496.83	521.86	536.56
	42"(1067mm)	SUFB-2342-FB	464.81	483.17	502.18	521.86	541.93	571.50	588.93
	48"(1219mm)	SUFB-2348-FB	497.55	518.62	540.74	563.68	587.03	621.14	641.30
	54"(1372mm)	SUFB-2354-FB	530.29	554.07	579.30	605.50	632.13	670.78	693.67
	60"(1524mm)	SUFB-2360-FB	563.03	589.52	617.86	647.32	677.23	720.42	746.04

Height	Width	Number	HPL	
			A	B
Laminate				
15"(381mm)	24"(610mm)	SUFB-1524-DB	\$ 274.99	\$ 287.23
	30"(762mm)	SUFB-1530-DB	289.54	302.97
	36"(914mm)	SUFB-1536-DB	304.09	318.71
	42"(1067mm)	SUFB-1542-DB	318.64	334.45
	48"(1219mm)	SUFB-1548-DB	333.19	350.19
	54"(1372mm)	SUFB-1554-DB	347.74	365.93
	60"(1524mm)	SUFB-1560-DB	362.29	381.67
23"(584mm)	24"(610mm)	SUFB-2324-DB	\$ 318.59	\$ 334.35
	30"(762mm)	SUFB-2330-DB	333.14	350.09
	36"(914mm)	SUFB-2336-DB	347.69	365.83
	42"(1067mm)	SUFB-2342-DB	362.24	381.57
	48"(1219mm)	SUFB-2348-DB	376.79	397.31
	54"(1372mm)	SUFB-2354-DB	391.34	413.05
	60"(1524mm)	SUFB-2360-DB	405.89	428.79

Belong

Back Screen – No Modesty


Height	Width	Number	Price
Markerboard			
15"(381mm)	24"(610mm)	SUFB-1524-MB	\$ 339.95
	30"(762mm)	SUFB-1530-MB	369.05
	36"(914mm)	SUFB-1536-MB	398.15
	42"(1067mm)	SUFB-1542-MB	427.25
	48"(1219mm)	SUFB-1548-MB	456.35
	54"(1372mm)	SUFB-1554-MB	485.45
	60"(1524mm)	SUFB-1560-MB	514.55
23"(584mm)	24"(610mm)	SUFB-2324-MB	\$ 383.55
	30"(762mm)	SUFB-2330-MB	412.65
	36"(914mm)	SUFB-2336-MB	441.75
	42"(1067mm)	SUFB-2342-MB	470.85
	48"(1219mm)	SUFB-2348-MB	499.95
	54"(1372mm)	SUFB-2354-MB	529.05
	60"(1524mm)	SUFB-2360-MB	558.15

Height	Width	Number	Glass	
			A	C
Glass				
15"(381mm)	24"(610mm)	SUFB-1524-GB	\$505.53	\$ 563.00
	30"(762mm)	SUFB-1530-GB	557.09	617.02
	36"(914mm)	SUFB-1536-GB	608.65	671.04
	42"(1067mm)	SUFB-1542-GB	660.21	725.06
	48"(1219mm)	SUFB-1548-GB	726.99	794.30
	54"(1372mm)	SUFB-1554-GB	793.77	863.54
	60"(1524mm)	SUFB-1560-GB	860.55	932.78
23"(584mm)	24"(610mm)	SUFB-2324-GB	\$ 637.05	\$ 709.40
	30"(762mm)	SUFB-2330-GB	688.61	763.42
	36"(914mm)	SUFB-2336-GB	740.17	817.44
	42"(1067mm)	SUFB-2342-GB	791.73	871.46
	48"(1219mm)	SUFB-2348-GB	858.51	940.70
	54"(1372mm)	SUFB-2354-GB	925.29	1009.94
	60"(1524mm)	SUFB-2360-GB	992.07	1079.18

Belong

Center Screen - Markerboard

Gallery Panel Mount



SUPC
Class YA1

Features

- Includes one markerboard screen with 1mm edgeband.
- Non-handed; usable on both sides of Gallery Panel.

Specification Tips

- Designed for use on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List) only.
- Topper Kit separately specified.**
- Screens non-load-bearing and non-structural elements designed to provide privacy and space division.
- Screen thickness is 0.6" (15mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part #7062-8001
 - Markerboard cleaner and conditioner, order part #7031-7001
 - Markerboard spray cleaner, order part #7031-7002

To Order, Specify:

1) Product number, including:

① Width Modifier

S	+0.00
G	+1.18
H	+1.50
Z	+3.00

(No finish specification required.)


For This Face Connection Type	And This Configuration	Then Choose This Width Modifier	
Belong Gallery End Panel	Freestanding Tables, WS's and Benching	Z	3.00"(76mm) Additional Width
Z Compose >= 50"(1270mm)H	C, L, R, X, T		
W Compose < 50"(1270mm)H, J	W, E, H	H	1.50"(38mm) Additional Width
A, B, C, D, E Gallery	C, L, R	G	1.18"(30mm) Additional Width
N Finished Face	I, S	S	0.00"(0mm) Additional Width

Height	Width	Number	①	Price
16"(406mm)	18"(457mm)	SUPC-1618-MBS		\$ 332.37
	24"(610mm)	SUPC-1624-MBS		347.15
	30"(762mm)	SUPC-1630-MBS		361.93
	36"(914mm)	SUPC-1636-MBS		376.71
	42"(1067mm)	SUPC-1642-MBS		391.49
	48"(1219mm)	SUPC-1648-MBS		406.27
	54"(1372mm)	SUPC-1654-MBS		421.05
	60"(1524mm)	SUPC-1660-MBS		435.83
	66"(1676mm)	SUPC-1666-MBS		450.61
	72"(1829mm)	SUPC-1672-MBS		465.39
	78"(1981mm)	SUPC-1678-MBS		480.17
	84"(2134mm)	SUPC-1684-MBS		494.95
	90"(2286mm)	SUPC-1690-MBS		509.73
	96"(2438mm)	SUPC-1696-MBS		524.51
	102"(2591mm)	SUPC-16A2-MBS		539.29
	108"(2743mm)	SUPC-16A8-MBS		554.07
	114"(2896mm)	SUPC-16B4-MBS		568.85
	120"(3048mm)	SUPC-16C0-MBSS		583.63

Belong

Center Screen – Markerboard Topper Kit

For use with Gallery Panels



VZST
Class BC

Features

- Includes brackets and attachment hardware for attaching one Belong Markerboard Center Screen to the top of a Belong or Compose Gallery Panel.
- Field assembled.

Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- Not for use with "Glass Ready" Compose Gallery Panel option.
- Refer to Specification Guide for application guidelines.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Description	Quantity of Clips	Number	Trim	
			A	B
For Markerboard 72"(1829mm)W or less	2	VZST-2-MB	\$ 191.35	\$196.35
For Markerboard greater than 72"(1829mm)W	3	VZST-3-MB	\$257.03	\$262.03


Belong

Center Screens

Rail Mount — Compose Work Rail Top Trim and Intuity Benching



SUPC

SUPC-FB
SUPC-MB
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- For use with Compose full panel, Connections or Beam with Work Rail Top Trim or Intuity Benching starter and add-on kit rails only.
- When used with Work Rail Top Trim on Compose, Connections, and Beam:
 - Screen width can be equal to or less than width of Work Rail.
 - Screen pressure-fits into rail inset channel.
 - Work Rail Top Trim cover can be used to fill open channel between screens.
- When used with Intuity Benching rail:
 - Not for use on end of worksurface or between in-line worksurfaces.
 - Not for use with benching end worksurface or return worksurface.
 - Screen width can be equal to or less than width of starter kit, add-on kit, or worksurface.
 - Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Installed screen is 12.36"(314mm) or 20.36"(517mm) above the worksurface or work rail.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
12"(305mm)	24"(610mm)	SUPC-1324-FB	\$ 267.52	\$ 275.27	\$ 284.05	\$ 293.34	\$ 302.68	\$ 315.60	\$ 323.38
	30"(762mm)	SUPC-1330-FB	286.75	297.45	309.19	322.88	335.21	352.54	363.31
	36"(914mm)	SUPC-1336-FB	305.98	319.63	334.33	352.42	367.74	389.48	403.24
	42"(1067mm)	SUPC-1342-FB	325.21	341.81	359.47	381.96	400.27	426.42	443.17
	48"(1219mm)	SUPC-1348-FB	344.44	363.99	384.61	411.50	432.80	463.36	483.10
	54"(1372mm)	SUPC-1354-FB	363.67	386.17	409.75	441.04	465.33	500.30	523.03
	60"(1524mm)	SUPC-1360-FB	382.90	408.35	434.89	470.58	497.86	537.24	562.96
	66"(1676mm)	SUPC-1366-FB	402.13	430.53	460.03	500.12	530.39	574.18	602.89
	72"(1829mm)	SUPC-1372-FB	421.36	452.71	485.17	529.66	562.92	611.12	642.82
	78"(1981mm)	SUPC-1378-FB	440.59	474.89	510.31	559.20	595.45	648.06	682.75
84"(2134mm)	SUPC-1384-FB	459.82	497.07	535.45	588.74	627.98	685.00	722.68	
21"(533mm)	24"(610mm)	SUPC-2124-FB	\$ 433.68	\$ 466.39	\$ 503.41	\$ 542.78	\$ 581.88	\$ 636.16	\$ 669.22
	30"(762mm)	SUPC-2130-FB	452.91	488.57	528.55	572.32	614.41	673.10	709.15
	36"(914mm)	SUPC-2136-FB	472.14	510.75	553.69	601.86	646.94	710.04	749.08
	42"(1067mm)	SUPC-2142-FB	491.37	532.93	578.83	631.40	679.47	746.98	789.01
	48"(1219mm)	SUPC-2148-FB	510.60	555.11	603.97	660.94	712.00	783.92	828.94
	54"(1372mm)	SUPC-2154-FB	529.83	577.29	629.11	690.48	744.53	820.86	868.87
	60"(1524mm)	SUPC-2160-FB	549.06	599.47	654.25	720.02	777.06	857.80	908.80
	66"(1676mm)	SUPC-2166-FB	568.29	621.65	679.39	749.56	809.59	894.74	948.73
	72"(1829mm)	SUPC-2172-FB	587.52	643.83	704.53	779.10	842.12	931.68	988.66
	78"(1981mm)	SUPC-2178-FB	606.75	666.01	729.67	808.64	874.65	968.62	1028.59
84"(2134mm)	SUPC-2184-FB	625.98	688.19	754.81	838.18	907.18	1005.56	1068.52	

Belong

Center Screens

Height	Width	Number	HPL	
			A	B
Laminate				
12"(305mm)	24"(610mm)	SUPC-1324-DB	\$ 199.41	\$202.40
	30"(762mm)	SUPC-1330-DB	214.19	218.36
	36"(914mm)	SUPC-1336-DB	228.97	234.32
	42"(1067mm)	SUPC-1342-DB	243.75	250.28
	48"(1219mm)	SUPC-1348-DB	258.53	266.24
	54"(1372mm)	SUPC-1354-DB	273.31	282.20
	60"(1524mm)	SUPC-1360-DB	288.09	298.16
	66"(1676mm)	SUPC-1366-DB	302.87	314.12
	72"(1829mm)	SUPC-1372-DB	317.65	330.08
	78"(1981mm)	SUPC-1378-DB	332.43	346.04
	84"(2134mm)	SUPC-1384-DB	347.21	362.00
21"(533mm)	24"(610mm)	SUPC-2124-DB	\$ 347.25	\$ 361.92
	30"(762mm)	SUPC-2130-DB	362.03	377.88
	36"(914mm)	SUPC-2136-DB	376.81	393.84
	42"(1067mm)	SUPC-2142-DB	391.59	409.80
	48"(1219mm)	SUPC-2148-DB	406.37	425.76
	54"(1372mm)	SUPC-2154-DB	421.15	441.72
	60"(1524mm)	SUPC-2160-DB	435.93	457.68
	66"(1676mm)	SUPC-2166-DB	450.71	473.64
	72"(1829mm)	SUPC-2172-DB	465.49	489.60
	78"(1981mm)	SUPC-2178-DB	480.27	505.56
	84"(2134mm)	SUPC-2184-DB	495.05	521.52

Height	Width	Number	Price
Markerboard			
12"(305mm)	24"(610mm)	SUPC-1324-MB	\$ 291.71
	30"(762mm)	SUPC-1330-MB	306.49
	36"(914mm)	SUPC-1336-MB	321.27
	42"(1067mm)	SUPC-1342-MB	336.05
	48"(1219mm)	SUPC-1348-MB	350.83
	54"(1372mm)	SUPC-1354-MB	365.61
	60"(1524mm)	SUPC-1360-MB	380.39
	66"(1676mm)	SUPC-1366-MB	395.17
	72"(1829mm)	SUPC-1372-MB	409.95
	78"(1981mm)	SUPC-1378-MB	424.73
84"(2134mm)	SUPC-1384-MB	439.51	
21"(533mm)	24"(610mm)	SUPC-2124-MB	\$439.55
	30"(762mm)	SUPC-2130-MB	454.33
	36"(914mm)	SUPC-2136-MB	469.11
	42"(1067mm)	SUPC-2142-MB	483.89
	48"(1219mm)	SUPC-2148-MB	498.67
	54"(1372mm)	SUPC-2154-MB	513.45
	60"(1524mm)	SUPC-2160-MB	528.23
	66"(1676mm)	SUPC-2166-MB	543.01
	72"(1829mm)	SUPC-2172-MB	557.79
	78"(1981mm)	SUPC-2178-MB	572.57
84"(2134mm)	SUPC-2184-MB	587.35	

Belong


Center Screens

Height	Width	Number	Glass	
			A	C
Glass				
12"(305mm)	24"(610mm)	SUPC-1324-GB	\$ 315.30	\$ 439.22
	30"(762mm)	SUPC-1330-GB	337.02	467.69
	36"(914mm)	SUPC-1336-GB	358.74	496.16
	42"(1067mm)	SUPC-1342-GB	380.46	524.63
	48"(1219mm)	SUPC-1348-GB	429.26	580.18
	54"(1372mm)	SUPC-1354-GB	478.06	635.73
	60"(1524mm)	SUPC-1360-GB	526.86	691.28
	66"(1676mm)	SUPC-1366-GB	575.66	746.83
	72"(1829mm)	SUPC-1372-GB	624.46	802.38
	78"(1981mm)	SUPC-1378-GB	673.26	857.93
	84"(2134mm)	SUPC-1384-GB	722.06	913.48
21"(533mm)	24"(610mm)	SUPC-2124-GB	\$ 557.30	\$ 756.34
	30"(762mm)	SUPC-2130-GB	579.02	784.81
	36"(914mm)	SUPC-2136-GB	600.74	813.28
	42"(1067mm)	SUPC-2142-GB	622.46	841.75
	48"(1219mm)	SUPC-2148-GB	671.26	897.30
	54"(1372mm)	SUPC-2154-GB	720.06	952.85
	60"(1524mm)	SUPC-2160-GB	768.86	1008.40
	66"(1676mm)	SUPC-2166-GB	817.66	1063.95
	72"(1829mm)	SUPC-2172-GB	866.46	1119.50
	78"(1981mm)	SUPC-2178-GB	915.26	1175.05
	84"(2134mm)	SUPC-2184-GB	964.06	1230.60

Belong

Center Screen

Planes and Planes LT Benching



TASC
Class TA

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate and markerboard screens have 1mm edgeband.
- Screen and brackets are field installed.

Specification Tips

- Designed for use with Planes or Planes LT Height Adjustable Benching only.
- Not for use on Planes Height Adjustable Tables.
- Specify screen width to match benching width.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- 18"(457mm)H for use with the Planes single-stage
- 23"(584mm)H for use with:
 - Planes Dual Stage
 - Planes LT Single Stage
 - Planes LT Dual Stage
- Screen thickness:
 - Fabric and Laminate – 0.56"(14mm)
 - Markerboard – 0.6"(15mm)
 - Glass – 0.24"(6mm)
- Fabric application:
 - Screens 46"(1168mm)-58"(1473mm)W fabric will be applied right way.
 - Screens 64"(1626mm) and 70"(1778mm)W fabric will be applied railroaded.
- Laminate wood grain direction is vertical for widths 60"(1524mm) and less. Grain direction is horizontal for widths greater than 60"(1524mm).
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- Product number.
 - Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
 - Trim color for bracket.
- Note: \$8.96** upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
18"(457mm)	46"(1168mm)	TASC-1846-F	\$ 520.17	\$ 571.67	\$630.03	\$ 691.80	\$ 753.55	\$ 839.37	\$ 890.83
	52"(1321mm)	TASC-1852-F	563.13	621.05	686.67	756.18	825.73	921.99	979.99
	58"(1473mm)	TASC-1858-F	606.09	670.43	743.31	820.56	897.91	1004.61	1069.15
	64"(1626mm)	TASC-1864-F	649.05	719.81	799.95	884.94	970.09	1087.23	1158.31
	70"(1778mm)	TASC-1870-F	692.01	769.19	856.59	949.32	1042.27	1169.85	1247.47
23"(584mm)	46"(1168mm)	TASC-2346-F	\$ 576.12	\$635.87	\$ 703.73	\$ 775.75	\$ 847.45	\$ 947.12	\$1007.03
	52"(1321mm)	TASC-2352-F	619.08	685.25	760.37	840.13	919.63	1029.74	1096.19
	58"(1473mm)	TASC-2358-F	662.04	734.63	817.01	904.51	991.81	1112.36	1185.35
	64"(1626mm)	TASC-2364-F	705.00	784.01	873.65	968.89	1063.99	1194.98	1274.51
	70"(1778mm)	TASC-2370-F	747.96	833.39	930.29	1033.27	1136.17	1277.60	1363.67

Height	Width	Number	HPL	
			A	B
Laminate				
18"(457mm)	46"(1168mm)	TASC-1846-L	\$260.97	\$ 267.73
	52"(1321mm)	TASC-1852-L	271.71	279.31
	58"(1473mm)	TASC-1858-L	282.45	290.89
	64"(1626mm)	TASC-1864-L	293.19	302.47
	70"(1778mm)	TASC-1870-L	303.93	314.05
23"(584mm)	46"(1168mm)	TASC-2346-L	\$305.77	\$ 315.98
	52"(1321mm)	TASC-2352-L	316.51	327.56
	58"(1473mm)	TASC-2358-L	327.25	339.14
	64"(1626mm)	TASC-2364-L	337.99	350.72
	70"(1778mm)	TASC-2370-L	348.73	362.30

Belong

Center Screen


Height	Width	Number	Price
Markerboard			
18"(457mm)	46"(1168mm)	TASC-1846-M	\$ 328.91
	52"(1321mm)	TASC-1852-M	339.65
	58"(1473mm)	TASC-1858-M	350.39
	64"(1626mm)	TASC-1864-M	361.13
	70"(1778mm)	TASC-1870-M	371.87
23"(584mm)	46"(1168mm)	TASC-2346-M	\$ 373.71
	52"(1321mm)	TASC-2352-M	384.45
	58"(1473mm)	TASC-2358-M	395.19
	64"(1626mm)	TASC-2364-M	405.93
	70"(1778mm)	TASC-2370-M	416.67

Height	Width	Number	Glass	
			A	C
Glass				
18"(457mm)	46"(1168mm)	TASC-1846-G	\$1045.53	\$ 1315.30
	52"(1321mm)	TASC-1852-G	1094.07	1378.96
	58"(1473mm)	TASC-1858-G	1142.61	1442.62
	64"(1626mm)	TASC-1864-G	1191.15	1506.28
	70"(1778mm)	TASC-1870-G	1239.69	1569.94
23"(584mm)	46"(1168mm)	TASC-2346-G	\$ 1058.78	\$1332.90
	52"(1321mm)	TASC-2352-G	1107.32	1396.56
	58"(1473mm)	TASC-2358-G	1155.86	1460.22
	64"(1626mm)	TASC-2364-G	1204.40	1523.88
	70"(1778mm)	TASC-2370-G	1252.94	1587.54

Belong

Center Screen

Upside Benching



SUPC
Class YA1

Features

- Includes: Fabric or High-pressure laminate (HPL) screen and attachment hardware.
- Fabric screen is non-tackable.
- Laminate screens have 1mm edgeband.
- Screens and brackets are field installed.
- Heights and widths shown in nominal dimensions.

Specification Tips

- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Designed for use with Upside benching ONLY.
- Specify screen width to match benching worksurface width.
- Not for use on Height Adjustable Tables.
- Center screens for Three-Sided 120° configurations are not for use with single and two-sided applications.
- Center screen height aligns with 42"(1067mm) height Belong Gallery End Panel.
- Can be used in combination with Privacy In-fill Panels.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:

Fabric:

–Fabric Color

Laminate:

–Laminate Surface Color

–Edgeband Trim Color

- 3) Trim color for bracket.

Note: \$3.64 upcharge list for Grade B trim colors.


Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
Upside Two-Sided and Single Sided Benching									
21"(533mm)	46"(1168mm)	SUPC-2146-FJH	\$ 524.81	\$550.99	\$ 578.24	\$ 613.97	\$642.57	\$683.33	\$ 709.18
	52"(1321mm)	SUPC-2152-FJH	544.07	573.89	604.77	645.96	678.20	724.44	753.91
	58"(1473mm)	SUPC-2158-FJH	563.33	596.79	631.30	677.95	713.83	765.55	798.64
	64"(1626mm)	SUPC-2164-FJH	582.59	619.69	657.83	709.94	749.46	806.66	843.37
	70"(1778mm)	SUPC-2170-FJH	601.85	642.59	684.36	741.93	785.09	847.77	888.10
Upside Three-Sided 120° Benching									
21"(533mm)	46"(1168mm)	SUPC-2146-FJZ	\$ 524.81	\$550.99	\$ 578.24	\$ 613.97	\$642.57	\$683.33	\$ 709.18
	52"(1321mm)	SUPC-2152-FJZ	544.07	573.89	604.77	645.96	678.20	724.44	753.91
	58"(1473mm)	SUPC-2158-FJZ	563.33	596.79	631.30	677.95	713.83	765.55	798.64

Height	Width	Number	HPL	
			A	B
Laminate				
Upside 2-Sided and Single Sided Benching				
21"(533mm)	46"(1168mm)	SUPC-2146-LJH	\$ 446.72	\$ 457.73
	52"(1321mm)	SUPC-2152-LJH	460.52	473.34
	58"(1473mm)	SUPC-2158-LJH	474.32	488.95
	64"(1626mm)	SUPC-2164-LJH	488.12	504.56
	70"(1778mm)	SUPC-2170-LJH	501.92	520.17
Upside Three-Sided 120° Benching				
21"(533mm)	46"(1168mm)	SUPC-2146-LJZ	\$ 446.72	\$ 457.73
	52"(1321mm)	SUPC-2152-LJZ	460.52	473.34
	58"(1473mm)	SUPC-2158-LJZ	474.32	488.95

Belong

Territory Screen

Adaptable Worksurfaces



SUTM
Class YA1

Features

- Includes fabric, high-pressure laminate (HPL), markerboard or glass screen with drop-in base and double sided attachment material.
- High-pressure laminate (HPL) and markerboard have 1mm edge.
- Base dimensions: 2.25"(57mm)W x 0.71"(18mm)H x 14"(356mm) long.
- Field assembled.

Specification Tips

- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Screen Thickness:
 - Fabric and laminate - 0.56"(14mm)
 - Markerboard - 0.6"(15mm)
 - Glass - 0.24"(6mm)
- Screen is 12.25"(311mm) above horizontal top.
- Laminate wood grain direction is vertical.
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- Product number.
 - Surface Color Options:
 - Fabric:
 - Fabric Color
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color
 - Markerboard:
 - No specification
 - Glass:
 - Glass Finish
 - 1G-1C Clear (Grade A)
 - 1G-E21 Satin Etched (Grade C)
 - Trim color for base.
- Note:** \$3.64 upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Fabric									
12"(305mm)	24"(610mm)	SUTM-1224-FU	\$ 617.55	\$629.02	\$ 641.66	\$655.44	\$669.24	\$687.62	\$699.07
	30"(762mm)	SUTM-1230-FU	648.82	665.05	682.92	702.41	721.92	747.89	764.14

Height	Width	Number	HPL	
			A	B
Laminate				
12"(305mm)	24"(610mm)	SUTM-1224-DU	\$507.94	\$ 513.39
	30"(762mm)	SUTM-1230-DU	519.01	525.38



Height	Width	Number	Price
Markerboard			
12"(305mm)	24"(610mm)	SUTM-1224-MU	\$ 581.76
	30"(762mm)	SUTM-1230-MU	592.83

Height	Width	Number	Glass	
			A	C
Glass				
12"(305mm)	24"(610mm)	SUTM-1224-GU	\$691.61	\$723.43
	30"(762mm)	SUTM-1230-GU	720.11	775.87

Belong

Territory Screen

End-of-Run for Adaptable Worksurfaces



KUTS-E
Class YA1

Features

- Includes one freestanding steel End-of-Run Territory Screen with double sided attachment material.
- End-of-Run Territory Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm)
 - Middle Row: 10.28"(261mm) and 10.28"(261mm)
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm)
- Slot Widths for 29.75"(756mm):
 - Top Row: 19.73"(501mm) and 6.83"(173mm)
 - Middle Row: 13.28"(337mm) and 13.28"(337mm)
 - Bottom Row: 6.83"(173mm) and 19.73"(501mm)
- Supports maximum weight of 5 pounds (2.3kg) on side with ledge.
- Non-writable, magnetic surface.

Specification Tips

- End-of-Run Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Accessory Kit is designed to sit on ledge of End-of-Run Territory Screen.
- Hanging accessories should be mounted in ledge side of End-of-Run Territory Screen with slots.

To Order, Specify:

1) Product number, including:

1 Accessory Kit Option:

A Accessory Kit (add **\$66.83** list)

N No Accessory Kit


2) Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
11.78"(299mm)	3"(76mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-ESN		\$252.13	\$ 263.57
			8.7 (3.9kg)	Without Slots	KUTS-1224-ENN		191.01	202.45
11.78"(299mm)	3"(76mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-ESN		\$279.31	\$ 311.09
			8.7 (3.9kg)	Without Slots	KUTS-1230-ENN		218.19	249.97

Belong

Territory Screen

Shared for Adaptable Worksurfaces



KUTS-S
Class YA1

Features

- Includes one freestanding steel Shared Territory Screen with double sided attachment material.
- Shared Territory Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory Screen includes three rows of two slots; 2"(51mm) between rows (centerline-to-centerline):
- Slot Widths for 23.75"(603mm):
 - Top Row: 15.31"(389mm) and 5.25"(133mm)
 - Middle Row: 10.28"(261mm) and 10.28"(261mm)
 - Bottom Row: 5.25"(133mm) and 15.31"(389mm)
- Slot Widths for 29.75"(756mm):
 - Top Row: 19.73"(501mm) and 6.83"(173mm)
 - Middle Row: 13.28"(337mm) and 13.28"(337mm)
 - Bottom Row: 6.83"(173mm) and 19.73"(501mm)
- Supports maximum weight of 5 pounds (2.3kg).
- Non-writable, magnetic surface.

Specification Tips

- Shared Territory Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Accessory Kit is designed to sit on 11.8"(300mm)W ledges of Shared Territory Screen.
- Hanging accessories may be mounted from either side of Shared Territory Screen with slots.

To Order, Specify:

1) Product number, including:

1 Accessory Kit Option:

A Accessory Kit (add **\$66.83** list)

N No Accessory Kit


2) Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
11.78"(299mm)	6"(152mm)	23.75"(603mm)	8.0 (3.6kg)	With Slots	KUTS-1224-SSN		\$ 271.20	\$282.64
			8.7 (3.9kg)	Without Slots	KUTS-1224-SNN		210.08	221.52
11.78"(299mm)	6"(152mm)	29.75"(756mm)	8.0 (3.6kg)	With Slots	KUTS-1230-SSN		\$298.38	\$ 330.16
			8.7 (3.9kg)	Without Slots	KUTS-1230-SNN		237.26	269.04


Belong

Territory Screen



L-Screen for Adaptable Worksurfaces



Left-hand



Right-hand



KUTS-L

Class YA1

Features

- Includes one freestanding steel Territory L-Screen with double sided attachment material.
- Territory L-Screen Options:
 - With Slots (S); without Slots (N)
 - With Accessory Kit (A) (square and rectangular trays with bud base)
 - Without Accessory Kit (N)
- Optional Slotted Territory L-Screen includes three rows of two slots; 2" (51mm) between rows (centerline-to-centerline):
- Slot Widths on 23.75" (603mm):
 - Top Row: 15.31" (389mm) and 5.25" (133mm)
 - Middle Row: 10.28" (261mm) and 10.28" (261mm)
 - Bottom Row: 5.25" (133mm) and 15.31" (389mm)
 - Slot widths on 10" (254mm) portion: three rows of 8.25" (210mm)
- Slot Widths for 29.75" (756mm):
 - Top Row: 19.73" (501mm) and 6.83" (173mm)
 - Middle Row: 13.28" (337mm) and 13.28" (337mm)
 - Bottom Row: 6.83" (173mm) and 19.73" (501mm)
- Supports maximum weight of 5 pounds (2.3kg) on inside of Territory L-Screen.
- Non-writable, magnetic surface.

Specification Tips

- Territory L-Screen is not designed for use with Base Tray.
- For use with separately specified Belong or Jump Stuff work tools.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Accessory Kit is designed to sit on ledge of Territory L-Screen.
- Hanging accessories should be mounted on inside of Territory L-Screen with slots.

To Order, Specify:

- Product number, including:

1 Accessory Kit Option:

A Accessory Kit (add \$66.83 list)

N No Accessory Kit




- Trim color.

Actual Height	Actual Depth	Actual Width	Weight Pounds	Description	Number	1	Trim A	B
Right-hand								
11.78" (299mm)	10" (254mm)	23.75" (603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSR		\$309.45	\$320.89
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNR		248.33	259.77
11.78" (299mm)	10" (254mm)	29.75" (756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSR		\$336.63	\$ 368.41
			11.9 (5.0kg)	Without Slots	KUTS-1230-LNR		275.51	307.29
Left-hand								
11.78" (299mm)	10" (254mm)	23.75" (603mm)	11.0 (5.4kg)	With Slots	KUTS-1224-LSL		\$309.45	\$320.89
			11.9 (5.0kg)	Without Slots	KUTS-1224-LNL		248.33	259.77
11.78" (299mm)	10" (254mm)	29.75" (756mm)	11.0 (5.4kg)	With Slots	KUTS-1230-LSL		\$336.63	\$ 368.41
			11.9 (5.0kg)	Without Slots	KUTS-1230-LNL		275.51	307.29

Belong Plus

Back Screen – Modesty

Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables



SUSB-FNUUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Standard screens are not compatible with the following products due to interference from the understructure and mounting brackets.
 - Height Adjustable Benching
 - Fixed Height Tables
 - X Series Desks/Private Office
- Cannot mount to knife edge.
- Adaptable Worksurface applications:
 - Designed to mount to Adaptable Convergent Worksurfaces.
- Intuity applications:
 - Designed to mount to Intuity Return worksurface applications.
 - Not for use with benching end worksurface or as a center screen.
- Not for use on end of worksurface or between in-line worksurfaces.
- 1/25" (29mm) gap between screen and worksurface allows for back edge mounted accessories.
- Screen mounting:
 - 19" (483mm)H: 4.3125" (110mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 27" (686mm)H: 12.3125" (313mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 35" (889mm)H: 20.3125" (516mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
- Fabric application guidelines:
 - 54" (1372mm)W rolls require railroad on screens >52" (1321mm)
 - 60" (1524mm) and 66" (1676mm)W rolls require railroad on screens >60" (1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$7.72 upcharge list for Grade B trim colors.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using service parts tool #4470-4001.

Belong Plus


Back Screen – Modesty

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
27"(686mm)	24"(610mm)	SUSB-2724-FNUUNNN	\$ 556.26	\$ 631.42	\$ 714.40	\$ 804.66	\$ 894.51	\$ 1015.08	\$1090.03
	30"(762mm)	SUSB-2730-FNUUNNN	607.26	690.10	781.66	881.04	980.25	1113.18	1195.87
	34"(864mm)	SUSB-2734-FNUUNNN	641.26	729.22	826.50	931.96	1037.41	1178.58	1266.43
	36"(914mm)	SUSB-2736-FNUUNNN	658.26	748.78	848.92	957.42	1065.99	1211.28	1301.71
	40"(1016mm)	SUSB-2740-FNUUNNN	692.26	787.90	893.76	1008.34	1123.15	1276.68	1372.27
	42"(1067mm)	SUSB-2742-FNUUNNN	709.26	807.46	916.18	1033.80	1151.73	1309.38	1407.55
	46"(1168mm)	SUSB-2746-FNUUNNN	760.98	864.30	978.74	1102.44	1226.61	1392.50	1495.83
	48"(1219mm)	SUSB-2748-FNUUNNN	777.98	883.86	1001.16	1127.90	1255.19	1425.20	1531.11
	52"(1321mm)	SUSB-2752-FNUUNNN	811.98	922.98	1046.00	1178.82	1312.35	1490.60	1601.67
	54"(1372mm)	SUSB-2754-FNUUNNN	828.98	942.54	1068.42	1204.28	1340.93	1523.30	1636.95
	58"(1473mm)	SUSB-2758-FNUUNNN	862.98	981.66	1113.26	1255.20	1398.09	1588.70	1707.51
	60"(1524mm)	SUSB-2760-FNUUNNN	879.98	1001.22	1135.68	1280.66	1426.67	1621.40	1742.79
	64"(1626mm)	SUSB-2764-FNUUNNN	913.98	1040.34	1180.52	1331.58	1483.83	1686.80	1813.35
	66"(1676mm)	SUSB-2766-FNUUNNN	930.98	1059.90	1202.94	1357.04	1512.41	1719.50	1848.63
35"(889mm)	70"(1778mm)	SUSB-2770-FNUUNNN	964.98	1099.02	1247.78	1407.96	1569.57	1784.90	1919.19
	72"(1829mm)	SUSB-2772-FNUUNNN	981.98	1118.58	1270.20	1433.42	1598.15	1817.60	1954.47
	24"(610mm)	SUSB-3524-FNUUNNN	\$ 695.58	\$ 787.22	\$ 888.60	\$ 998.70	\$ 1108.07	\$ 1255.28	\$ 1346.55
	30"(762mm)	SUSB-3530-FNUUNNN	746.58	845.90	955.86	1075.08	1193.81	1353.38	1452.39
	34"(864mm)	SUSB-3534-FNUUNNN	780.58	885.02	1000.70	1126.00	1250.97	1418.78	1522.95
	36"(914mm)	SUSB-3536-FNUUNNN	797.58	904.58	1023.12	1151.46	1279.55	1451.48	1558.23
	40"(1016mm)	SUSB-3540-FNUUNNN	831.58	943.70	1067.96	1202.38	1336.71	1516.88	1628.79
	42"(1067mm)	SUSB-3542-FNUUNNN	848.58	963.26	1090.38	1227.84	1365.29	1549.58	1664.07
	46"(1168mm)	SUSB-3546-FNUUNNN	900.30	1020.10	1152.94	1296.48	1440.17	1632.70	1752.35
	48"(1219mm)	SUSB-3548-FNUUNNN	917.30	1039.66	1175.36	1321.94	1468.75	1665.40	1787.63
	52"(1321mm)	SUSB-3552-FNUUNNN	951.30	1078.78	1220.20	1372.86	1525.91	1730.80	1858.19
	54"(1372mm)	SUSB-3554-FNUUNNN	968.30	1098.34	1242.62	1398.32	1554.49	1763.50	1893.47
	58"(1473mm)	SUSB-3558-FNUUNNN	1002.30	1137.46	1287.46	1449.24	1611.65	1828.90	1964.03
	60"(1524mm)	SUSB-3560-FNUUNNN	1019.30	1157.02	1309.88	1474.70	1640.23	1861.60	1999.31
	64"(1626mm)	SUSB-3564-FNUUNNN	1053.30	1196.14	1354.72	1525.62	1697.39	1927.00	2069.87
	66"(1676mm)	SUSB-3566-FNUUNNN	1070.30	1215.70	1377.14	1551.08	1725.97	1959.70	2105.15
	70"(1778mm)	SUSB-3570-FNUUNNN	1104.30	1254.82	1421.98	1602.00	1783.13	2025.10	2175.71
	72"(1829mm)	SUSB-3572-FNUUNNN	1121.30	1274.38	1444.40	1627.46	1811.71	2057.80	2210.99

Belong Plus

Back Screen – No Modesty

Height Adjustable Tables and Benching



SUSB-FNUHNNN
Class YA1

Features

- Includes screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Cannot mount to knife edge.
- Designed to mount to Height Adjustable Tables or Height Adjustable Benching only.
- Designed for Planes Height Adjustable Benching depths of 23"(584mm), 29"(737mm) or 35"(889mm) to accommodate pinch point clearance.
- For use on Height Adjustable Tables when using below worksurface power.
- Screen width can be specified to match width of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1/25"(29mm) gap between screen and horizontal surface allows for back edge mounted accessories.
- Screen thickness:
 - Fabric – 0.56"(14mm)
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$7.72 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using service parts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
17"(432mm)	46"(1168mm)	SUSB-1746-FNUHNNN	\$ 563.31	\$646.03	\$ 737.47	\$ 836.37	\$ 936.14	\$1068.73	\$ 1151.66
	52"(1321mm)	SUSB-1752-FNUHNNN	614.31	704.71	804.73	912.75	1021.88	1166.83	1257.50
	58"(1473mm)	SUSB-1758-FNUHNNN	665.31	763.39	871.99	989.13	1107.62	1264.93	1363.34
	64"(1626mm)	SUSB-1764-FNUHNNN	716.31	822.07	939.25	1065.51	1193.36	1363.03	1469.18
	70"(1778mm)	SUSB-1770-FNUHNNN	767.31	880.75	1006.51	1141.89	1279.10	1461.13	1575.02
25"(635mm)	46"(1168mm)	SUSB-2546-FNUHNNN	\$ 671.79	\$ 770.99	\$ 880.83	\$ 999.57	\$ 1118.86	\$1278.09	\$ 1377.34
	52"(1321mm)	SUSB-2552-FNUHNNN	722.79	829.67	948.09	1075.95	1204.60	1376.19	1483.18
	58"(1473mm)	SUSB-2558-FNUHNNN	773.79	888.35	1015.35	1152.33	1290.34	1474.29	1589.02
	64"(1626mm)	SUSB-2564-FNUHNNN	824.79	947.03	1082.61	1228.71	1376.08	1572.39	1694.86
	70"(1778mm)	SUSB-2570-FNUHNNN	875.79	1005.71	1149.87	1305.09	1461.82	1670.49	1800.70


Belong Plus

Center Screen

Rail Mount — Compose Work Rail Top Trim Mount



(Center Screen shown on Compose Connection)

(Center Screen shown on Compose Beam)
SUSC-FNGUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Only for use on:
 - 26"(660mm), 34"(864mm), 42"(1067mm) and 50"(1270mm)H Compose Frame
 - Compose Connections
 - Compose Beam
- Requires separately specified Work Rail Top Trim for attachment.
- Screen width can span up to two in-line sections.
- Screen width must be reduced for Top Feed applications.
- Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- **Separately specified alignment clips (SUSF-0000) are required when positioning multiple screens in an inline condition and have 0.5"(13mm) or less spacing between screens.**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
16"(406mm)	48"(1219mm)	SUSC-1648-FNGUNNN	\$ 620.71	\$ 712.21	\$ 812.88	\$ 921.95	\$ 1031.76	\$ 1178.42	\$ 1269.91
	60"(1524mm)	SUSC-1660-FNGUNNN	699.43	802.93	916.80	1039.91	1164.12	1330.10	1433.59
	72"(1829mm)	SUSC-1672-FNGUNNN	778.15	893.65	1020.72	1157.87	1296.48	1481.78	1597.27
24"(610mm)	48"(1219mm)	SUSC-2448-FNGUNNN	\$ 730.31	\$ 838.45	\$ 957.44	\$1086.43	\$ 1216.32	\$1389.62	\$ 1497.75
	60"(1524mm)	SUSC-2460-FNGUNNN	809.03	929.17	1061.36	1204.39	1348.68	1541.30	1661.43
	72"(1829mm)	SUSC-2472-FNGUNNN	887.75	1019.89	1165.28	1322.35	1481.04	1692.98	1825.11

Belong Plus

Center Screen

Rail Mount — Intuity Benching



SUSC-FNBUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Only for use on Intuity Benching Rail Mount.
- Not for use on end of worksurface or between in-line worksurfaces.
- Not for use with benching end worksurface or return worksurface.
- Screen width can span multiple sections, be equal to or less than width of starter kit, add-on kit, or worksurface.
- Screen width must be reduced for Top Feed applications.
- Screen pressure-fits into rail inset channel; the 1.5"(38mm) open channel will be visible if screens are not specified.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- **Separately specified alignment clips (SUSF-0000) are required when positioning multiple screens in an inline condition and have 0.5"(13mm) or less spacing between screens.**
- Refer to Specification Guide for screen and bracket dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
14"(356mm)	48"(1219mm)	SUSC-1448-FNBUNNN	\$ 593.31	\$680.65	\$ 776.74	\$ 880.83	\$ 985.62	\$ 1125.62	\$ 1212.95
	54"(1372mm)	SUSC-1454-FNBUNNN	632.67	726.01	828.70	939.81	1051.80	1201.46	1294.79
	60"(1524mm)	SUSC-1460-FNBUNNN	672.03	771.37	880.66	998.79	1117.98	1277.30	1376.63
	66"(1676mm)	SUSC-1466-FNBUNNN	711.39	816.73	932.62	1057.77	1184.16	1353.14	1458.47
	72"(1829mm)	SUSC-1472-FNBUNNN	750.75	862.09	984.58	1116.75	1250.34	1428.98	1540.31
22"(559mm)	48"(1219mm)	SUSC-2248-FNBUNNN	\$ 702.91	\$806.89	\$ 921.30	\$1045.31	\$ 1170.18	\$1336.82	\$1440.79
	54"(1372mm)	SUSC-2254-FNBUNNN	742.27	852.25	973.26	1104.29	1236.36	1412.66	1522.63
	60"(1524mm)	SUSC-2260-FNBUNNN	781.63	897.61	1025.22	1163.27	1302.54	1488.50	1604.47
	66"(1676mm)	SUSC-2266-FNBUNNN	820.99	942.97	1077.18	1222.25	1368.72	1564.34	1686.31
	72"(1829mm)	SUSC-2272-FNBUNNN	860.35	988.33	1129.14	1281.23	1434.90	1640.18	1768.15


Belong Plus

Center Screen

Planes and Planes LT Benching



(Center Screen shown on Planes Single Sided)
SUSC-FNAHNNS



(Center Screen shown on Planes Double Sided)



(Center Screen shown on Planes 120°)
SUSC-FNAHNND
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Designed for use with Planes and Planes LT Height Adjustable Benching only.
- **Not for use on Height Adjustable Tables.**
- Not for use on end of worksurface or between in-line worksurfaces.
- Specify screen width to match benching width.
- Screen mounting:
 - 18"(457mm) and 26"(660mm)H for use with Planes and Planes LT single-stage electric.
 - 23"(584mm) and 31"(787mm)H for use with dual-stage Planes and Planes LT.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Dimensions shown are nominal. Refer to Specification Guide/Product Details for actual screen dimensions.
- Refer to product specific Specification Guide for fit, stability and load guidelines.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$7.72 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Single Stage									
26"(660mm)	46"(1168mm)	SUSC-2646-FNAHNNS	\$ 834.04	\$ 944.34	\$ 1065.71	\$ 1197.34	\$ 1329.85	\$ 1506.59	\$ 1616.88
	52"(1321mm)	SUSC-2652-FNAHNNS	873.40	989.70	1117.67	1256.32	1396.03	1582.43	1698.72
	58"(1473mm)	SUSC-2658-FNAHNNS	912.76	1035.06	1169.63	1315.30	1462.21	1658.27	1780.56
	64"(1626mm)	SUSC-2664-FNAHNNS	952.12	1080.42	1221.59	1374.28	1528.39	1734.11	1862.40
	70"(1778mm)	SUSC-2670-FNAHNNS	991.48	1125.78	1273.55	1433.26	1594.57	1809.95	1944.24
Dual Stage									
23"(584mm)	46"(1168mm)	SUSC-2346-FNAHNND	\$ 792.94	\$ 897.00	\$ 1011.50	\$ 1135.66	\$ 1260.64	\$ 1427.39	\$ 1531.44
	52"(1321mm)	SUSC-2352-FNAHNND	832.30	942.36	1063.46	1194.64	1326.82	1503.23	1613.28
	58"(1473mm)	SUSC-2358-FNAHNND	871.66	987.72	1115.42	1253.62	1393.00	1579.07	1695.12
	64"(1626mm)	SUSC-2364-FNAHNND	911.02	1033.08	1167.38	1312.60	1459.18	1654.91	1776.96
	70"(1778mm)	SUSC-2370-FNAHNND	950.38	1078.44	1219.34	1371.58	1525.36	1730.75	1858.80
31"(787mm)	46"(1168mm)	SUSC-3146-FNAHNND	\$1002.79	\$ 1123.49	\$ 1256.31	\$1400.39	\$ 1545.45	\$ 1738.84	\$ 1859.53
	52"(1321mm)	SUSC-3152-FNAHNND	1042.15	1168.85	1308.27	1459.37	1611.63	1814.68	1941.37
	58"(1473mm)	SUSC-3158-FNAHNND	1081.51	1214.21	1360.23	1518.35	1677.81	1890.52	2023.21
	64"(1626mm)	SUSC-3164-FNAHNND	1120.87	1259.57	1412.19	1577.33	1743.99	1966.36	2105.05
	70"(1778mm)	SUSC-3170-FNAHNND	1160.23	1304.93	1464.15	1636.31	1810.17	2042.20	2186.89

Belong Plus

Center Screen

Upside Benching



SUSC
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.
- Heights and widths shown in nominal dimensions.

Specification Tips

- Designed for use with Upside Height Adjustable Benching only.
- Not for use on Height Adjustable Tables.
- Specify screen width to match benching width.
- Not for use on end of worksurface or between in-line worksurfaces.
- Center screens for Three-Sided 120° configurations are not for use with single and two-sided applications.
- 21"(533mm) and 29"(737mm)H for use with both standard and extended range Upside benching.
- Center Screen heights align with 42"(1067mm) and 50"(1270mm) Belong Gallery End Panel heights.
- Can be used in combination with Privacy In-fill Panels.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Dimensions shown are nominal. Refer to Specification Guide/Product Details for actual screen dimensions.

To Order, Specify:

- 1) Product number.
- 2) Fabric colors.
- 3) Bracket trim color.


Note: \$7.72 upcharge list for Grade B trim colors.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Upside Two-Sided and Single-Sided Benching									
21"(533mm)	46"(1168mm)	SUSC-2146-FNJHNN	\$ 793.54	\$ 893.44	\$1003.36	\$ 1122.54	\$1242.50	\$1402.59	\$ 1502.48
	52"(1321mm)	SUSC-2152-FNJHNN	832.90	938.80	1055.32	1181.52	1308.68	1478.43	1584.32
	58"(1473mm)	SUSC-2158-FNJHNN	872.26	984.16	1107.28	1240.50	1374.86	1554.27	1666.16
	64"(1626mm)	SUSC-2164-FNJHNN	911.62	1029.52	1159.24	1299.48	1441.04	1630.11	1748.00
	70"(1778mm)	SUSC-2170-FNJHNN	950.98	1074.88	1211.20	1358.46	1507.22	1705.95	1829.84
29"(737mm)	46"(1168mm)	SUSC-2946-FNJHNN	\$1003.39	\$ 1119.93	\$ 1248.17	\$ 1387.27	\$ 1527.31	\$ 1714.04	\$ 1830.57
	52"(1321mm)	SUSC-2952-FNJHNN	1042.75	1165.29	1300.13	1446.25	1593.49	1789.88	1912.41
	58"(1473mm)	SUSC-2958-FNJHNN	1082.11	1210.65	1352.09	1505.23	1659.67	1865.72	1994.25
	64"(1626mm)	SUSC-2964-FNJHNN	1121.47	1256.01	1404.05	1564.21	1725.85	1941.56	2076.09
	70"(1778mm)	SUSC-2970-FNJHNN	1160.83	1301.37	1456.01	1623.19	1792.03	2017.40	2157.93
Upside Three-Sided 120° Benching									
21"(533mm)	46"(1168mm)	SUSC-2146-FNJZNN	\$ 793.54	\$ 893.44	\$1003.36	\$ 1122.54	\$1242.50	\$1402.59	\$ 1502.48
	52"(1321mm)	SUSC-2152-FNJZNN	832.90	938.80	1055.32	1181.52	1308.68	1478.43	1584.32
	58"(1473mm)	SUSC-2158-FNJZNN	872.26	984.16	1107.28	1240.50	1374.86	1554.27	1666.16
29"(737mm)	46"(1168mm)	SUSC-2946-FNJZNN	\$1003.39	\$ 1119.93	\$ 1248.17	\$ 1387.27	\$ 1527.31	\$ 1714.04	\$ 1830.57
	52"(1321mm)	SUSC-2952-FNJZNN	1042.75	1165.29	1300.13	1446.25	1593.49	1789.88	1912.41
	58"(1473mm)	SUSC-2958-FNJZNN	1082.11	1210.65	1352.09	1505.23	1659.67	1865.72	1994.25

Belong Plus

End Screen – Modesty

Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables



SUSE-FNUUNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Standard screens are not compatible with the following products due to interference from the understructure and mounting brackets.
 - Height Adjustable Tables/Benching
 - Fixed Height Tables
 - X Series Desks/Private Office
- Not for use on knife edge.
- Designed to mount to worksurfaces along 24"(610mm), 30"(762mm) and 36"(914mm) depths.
- Not for use on back of worksurface or between in-line worksurfaces.
- Screen width can be specified to match depth of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1.125"(29mm) gap between screen and horizontal surface allows installation of work tools.
- Screen mounting:
 - 19"(483mm)H: 4.3125"(110mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 27"(686mm)H: 12.3125"(313mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
 - 35"(889mm)H: 20.3125"(516mm) above worksurface; 13"(330mm) from bottom of worksurface to bottom of screen
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224- _).**
- **Not designed to work with Belong Screen Rail (KUSR-0224- _).**
- Refer to Specification Guide for bracket and screen dimensions.
- Check worksurface support for feasibility with screen.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$7.72 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using service parts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
Adaptable Worksurfaces / Height Adjustable Benching									
27"(686mm)	24"(610mm)	SUSE-2724-FNUUNNN	\$585.20	\$ 669.77	\$ 763.29	\$ 864.77	\$ 966.11	\$ 1101.84	\$ 1186.31
	30"(762mm)	SUSE-2730-FNUUNNN	636.20	728.45	830.55	941.15	1051.85	1199.94	1292.15
35"(889mm)	24"(610mm)	SUSE-3524-FNUUNNN	\$ 724.52	\$ 825.57	\$ 937.49	\$ 1058.81	\$ 1179.67	\$1342.04	\$1442.83
	30"(762mm)	SUSE-3530-FNUUNNN	775.52	884.25	1004.75	1135.19	1265.41	1440.14	1548.67
Height Adjustable Tables / Height Adjustable Benching									
27"(686mm)	23"(584mm)	SUSE-2723-FNUUNNN	\$ 576.70	\$659.99	\$ 752.08	\$ 852.04	\$ 951.82	\$1085.49	\$ 1168.67
	29"(737mm)	SUSE-2729-FNUUNNN	627.70	718.67	819.34	928.42	1037.56	1183.59	1274.51
35"(889mm)	23"(584mm)	SUSE-3523-FNUUNNN	\$ 716.02	\$ 815.79	\$ 926.28	\$1046.08	\$ 1165.38	\$1325.69	\$ 1425.19
	29"(737mm)	SUSE-3529-FNUUNNN	767.02	874.47	993.54	1122.46	1251.12	1423.79	1531.03

Belong Plus

End Screen – No Modesty

Height Adjustable Tables and Height Adjustable Benching



SUSE-FNUHNNN
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- Designed to mount to Height Adjustable Tables or Benching only.
- **Cannot be located between two benches, must be located at the end.**
- Screen width can be specified to match depth of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- 1125"(29mm) gap between screen and horizontal surface allows installation of work tools.
- Screen mounting:
 - 17"(432mm)H: 12.3125"(313mm) above worksurface
 - 25"(635mm)H: 20.3125"(516mm) above worksurface
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- **Designed to work with separately specified Belong Plus Screen Rail (SURS-0224-).**
- **Not designed to work with Belong Screen Rail (KUSR-0224-).**
- See Specification Guide for bracket and screen dimensions.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Bracket trim color.

Note: \$7.72 upcharge list for Grade B trim colors.


Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified. To achieve proper alignment, installation must be performed using service parts tool #4470-4001.

Height	Width	Number	Fabric						
			A	B	C	D	E	F	G
17"(432mm)	23"(584mm)	SUSE-1723-FNUHNNN	\$ 441.10	\$503.79	\$ 572.88	\$648.04	\$ 723.42	\$ 823.79	\$ 886.57
	24"(610mm)	SUSE-1724-FNUHNNN	449.60	513.57	584.09	660.77	737.71	840.14	904.21
	29"(737mm)	SUSE-1729-FNUHNNN	492.10	562.47	640.14	724.42	809.16	921.89	992.41
	30"(762mm)	SUSE-1730-FNUHNNN	500.60	572.25	651.35	737.15	823.45	938.24	1010.05
25"(635mm)	23"(584mm)	SUSE-2523-FNUHNNN	\$ 549.58	\$ 628.75	\$ 716.24	\$ 811.24	\$ 906.14	\$ 1033.15	\$ 1112.25
	24"(610mm)	SUSE-2524-FNUHNNN	558.08	638.53	727.45	823.97	920.43	1049.50	1129.89
	29"(737mm)	SUSE-2529-FNUHNNN	600.58	687.43	783.50	887.62	991.88	1131.25	1218.09
	30"(762mm)	SUSE-2530-FNUHNNN	609.08	697.21	794.71	900.35	1006.17	1147.60	1235.73


Belong Plus

Territory Screen

Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS



SUST-FNO



SUST-FN6
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Edge Option Edgeband (J) works with laminate and wood veneer.
- Screen is available with or without 6"(152mm) overhang.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- **Screen must match worksurface depth and user edge profile. Attaches to front and back with bracket.**
- Must be offset from supports flush to user edge and back of the worksurface.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- See Specification Guide for screen dimensions.
- See product specific Specification Guide for additional applications.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Base tray or bracket trim color.

Note: \$11.02 upcharge list for Grade B trim colors.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Belong Plus


Territory Screen

Height	Worksurface		Fabric						
	Depth	Number	A	B	C	D	E	F	G
No Overhang									
13"(330mm)	23"(584mm)	SUST-1323-FNOJNNN	\$654.48	\$660.28	\$666.43	\$673.33	\$680.18	\$689.18	\$694.88
	24"(610mm)	SUST-1324-FNOJNNN	661.97	668.93	676.31	684.59	692.81	703.61	710.45
	29"(737mm)	SUST-1329-FNOJNNN	699.42	712.18	725.71	740.89	755.96	775.76	788.30
	30"(762mm)	SUST-1330-FNOJNNN	706.91	720.83	735.59	752.15	768.59	790.19	803.87
6" Overhang									
13"(330mm)	23"(584mm)	SUST-1323-FN6JNNN	\$699.42	\$712.18	\$725.71	\$740.89	\$755.96	\$775.76	\$788.30
	24"(610mm)	SUST-1324-FN6JNNN	706.91	720.83	735.59	752.15	768.59	790.19	803.87
	29"(737mm)	SUST-1329-FN6JNNN	744.36	764.08	784.99	808.45	831.74	862.34	881.72
	30"(762mm)	SUST-1330-FN6JNNN	751.85	772.73	794.87	819.71	844.37	876.77	897.29


Belong Plus

Territory Screen

Intuity Benching with Access Hatch



SUST-FN0



SUST-FN6
Class YA1

Features

- Includes fabric screen and attachment hardware.
- Edge Option Edgeband (J) works with laminate and wood veneer.
- Screen is available with or without 6”(152mm) overhang.
- Fabric surface is tackable.
- Screen and brackets are field installed.

Specification Tips

- **Screen must match worksurface depth. Attaches to front and back of worksurface with brackets.**
- **Not for use with Intuity Benching without Access Hatch.**
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Must be offset from Straight Legs.
- See Specification Guide for screen dimensions.
- See Intuity Benching Specification Guide for additional applications.

To Order, Specify:

- 1) Product number.
- 2) Fabric color.
- 3) Base tray or bracket trim color.


Note: \$11.02 upcharge list for Grade B trim colors.

Note: Screen will be visibly marked where attachment hardware is to be installed. Screen supports cannot be field modified.

Height	Actual Worksurface Depth	Nominal Worksurface Depth	Number	Fabric						
				A	B	C	D	E	F	G
No Overhang										
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FNOJNNN	\$624.52	\$625.68	\$626.91	\$628.29	\$629.66	\$631.46	\$632.60
	25"(635mm)	30"(762mm)	SUST-1325-FNOJNNN	669.46	677.58	686.19	695.85	705.44	718.04	726.02
6" Overhang										
13"(330mm)	19"(483mm)	24"(610mm)	SUST-1319-FN6JNNN	\$669.46	\$677.58	\$686.19	\$695.85	\$705.44	\$718.04	\$726.02
	25"(635mm)	30"(762mm)	SUST-1325-FN6JNNN	714.40	729.48	745.47	763.41	781.22	804.62	819.44

Compose Echo

Accessory Frame – Open



STUC-P
Class TR0

Features

- Includes painted frame and attachment hardware.
- Frame is field installed.
- 2.5"(64mm) horizontal depth at the bottom of the frame.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to support Tablet Markerboard (22"(559mm) X 30"(762mm)) and hang Belong Worktools. Not for use with the medium Tablet Markerboard (30"(762mm) x 48"(1219mm)).
- Will not align to Integrated Palette height dimensional logic.
- Panel Top Trim Mounted:
 - Connects Compose Panels 50"(1270mm)H or less, Compose Connections or Compose Beam with steel or aluminum top trim.
 - Separately specified panel top trim must be field drilled.
 - 36"(914mm)-84"(2134mm)W Accessory Frame - Open mount to the panel top trim. 24"(610mm) and 30"(762mm)W will not work with panel top trim mount.
 - May span up to two panels. Spanning Top trim is recommended.
 - **Not for use with with workrail top trim.**
- Surface Mounted:
 - Uses double sided attachment material.
 - 24"(610mm)-84"(2134mm)W Accessory Frame - Open mounted to worksurfaces.
 - Not designed to span multiple worksurfaces.
- Non-handed, usable on both sides of panel or worksurface.
- Accessory Frame - Open cannot be converted to Accessory Frame - Fabric.
- Each side of the Accessory Frame - Open can support 5lbs.
- Separately specify:
 - Tablet Markerboard (22"(559mm) x 30"(762mm)
 - 24"(610mm)-42"(1067mm) Accessory Frame - Open 1 Tablet Markerboard per side
 - 48"(1219mm)-84"(2134mm) Accessory Frame - Open 2 Tablet Markerboards per side
 - Belong Mini Tray
 - Belong Tool Cup
 - Belong Hanging Sorter
- Refer to the Specification Guide for mounting application guidelines.

To Order, Specify:

- 1) Product number, including:

1 Panel Top Trim or Worksurface Option:


- Z** Compose Aluminum or Steel Top Cap, add **\$10.90** list
- U** Surface Mount

- 2) Bottom rail color.
- 3) Frame color.

Height	Width	Number ①	Trim A	B
13"(330mm)	24"(610mm)	STUC-1324-PNU	\$234.53	\$239.98
	30"(762mm)	STUC-1330-PNU	269.87	275.48
	36"(914mm)	STUC-1336-PN ■	305.21	310.82
	42"(1067mm)	STUC-1342-PN ■	340.55	346.16
	48"(1219mm)	STUC-1348-PN ■	375.89	381.50
	54"(1372mm)	STUC-1354-PN ■	411.23	416.84
	60"(1524mm)	STUC-1360-PN ■	446.57	452.18
	66"(1676mm)	STUC-1366-PN ■	481.91	487.52
	72"(1829mm)	STUC-1372-PN ■	517.25	522.86
	78"(1981mm)	STUC-1378-PN ■	552.59	558.20
	84"(2134mm)	STUC-1384-PN ■	587.93	593.54

Compose Echo

Accessory Frame – Fabric



Features

- Includes frame with fabric screen and attachment material.
- Fabric surface is tackable.
- Frame is field installed.
- 2.5"(64mm) horizontal depth at the bottom of the frame.
- 12"(305mm)H Screen does not allow for accessory rail.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to support Tablet Markerboard (22"(559mm) x 30"(762mm)) and hang Belong Worktools. Not for use with the medium Tablet Markerboard (30"(762mm) x 48"(1219mm)).
- Small Tablet Markerboard requires Accessory Rail option.
- Panel Top Trim Mounted:
 - Connects Compose Panels 50"(1270mm)H or less, Compose Connections or Compose Beam with steel or aluminum top trim.
 - Separately specified panel top trim must be field drilled.
 - 36"(914mm)-84"(2134mm)W Accessory Frame - Fabric mount to the panel top trim.
 - May span up to two panels. Spanning Top trim is recommended.
 - **Not for use with workrail top trim.**
- Surface Mounted:
 - Uses double sided attachment material.
 - 24"(610mm)-84"(2134mm)W Accessory Frame - Fabric mounted to worksurfaces.
 - Not designed to span multiple worksurfaces.
- Non-handed, usable on both sides of panel or worksurface.
- Accessory Frame - Fabric cannot be converted to Accessory Frame - Open.
- Accessory Rail cannot be modified in the field.
- Each side of the Accessory Frame - Fabric with rail can support 5lbs.
- Separately specify with Accessory Rail option:
 - Tablet Markerboard (22"(559mm) x 30"(762mm)
 - 24"(610mm)-42"(1067mm) Accessory Frame - Fabric - 1 Tablet Markerboard per side
 - 48"(1219mm)-84"(2134mm) Accessory Frame - Fabric - 2 Tablet Markerboards per side
 - Belong Mini Tray
 - Belong Tool Cup
 - Belong Hanging Sorter
- Refer to the Specification Guide for mounting application guidelines.

To Order, Specify:

1) Product number, including:

1 Rail Option:

- N** No Rail
- R** Accessory Rail, add **\$228.90** list

2) Trim color for frame.

3) Fabric color.

4) Accessory rail color (if needed).

Note: \$5.45 upcharge list for Metallic and Accent trim colors.

Compose Echo

Accessory Frame – Fabric

Height	Width	Number ①	Fabric						
			A	B	C	D	E	F	G
For use with Worksurfaces									
12"(305mm)	24"(610mm)	STUC-1224-FNU	\$ 391.05	\$ 414.76	\$ 441.63	\$ 470.08	\$ 498.52	\$ 538.04	\$ 561.74
	30"(762mm)	STUC-1230-FNU	436.83	462.16	490.77	521.14	551.44	593.60	618.86
	36"(914mm)	STUC-1236-FNU	482.61	509.56	539.91	572.20	604.36	649.16	675.98
	42"(1067mm)	STUC-1242-FNU	528.39	556.96	589.05	623.26	657.28	704.72	733.10
	48"(1219mm)	STUC-1248-FNU	574.17	604.36	638.19	674.32	710.20	760.28	790.22
	54"(1372mm)	STUC-1254-FNU	619.95	651.76	687.33	725.38	763.12	815.84	847.34
	60"(1524mm)	STUC-1260-FNU	665.73	699.16	736.47	776.44	816.04	871.40	904.46
	66"(1676mm)	STUC-1266-FNU	820.51	855.56	894.61	936.50	977.96	1035.96	1070.58
	72"(1829mm)	STUC-1272-FNU	866.29	902.96	943.75	987.56	1030.88	1091.52	1127.70
	78"(1981mm)	STUC-1278-FNU	912.07	950.36	992.89	1038.62	1083.80	1147.08	1184.82
	84"(2134mm)	STUC-1284-FNU	957.85	997.76	1042.03	1089.68	1136.72	1202.64	1241.94
20"(508mm)	24"(610mm)	STUC-1924-F U	\$ 403.29	\$ 428.75	\$ 455.89	\$ 484.61	\$ 513.32	\$ 553.22	\$ 577.15
	30"(762mm)	STUC-1930-F U	449.07	476.15	505.03	535.67	566.24	608.78	634.27
	36"(914mm)	STUC-1936-F U	494.85	523.55	554.17	586.73	619.16	664.34	691.39
	42"(1067mm)	STUC-1942-F U	540.63	570.95	603.31	637.79	672.08	719.90	748.51
	48"(1219mm)	STUC-1948-F U	586.41	618.35	652.45	688.85	725.00	775.46	805.63
	54"(1372mm)	STUC-1954-F U	632.19	665.75	701.59	739.91	777.92	831.02	862.75
	60"(1524mm)	STUC-1960-F U	677.97	713.15	750.73	790.97	830.84	886.58	919.87
	66"(1676mm)	STUC-1966-F U	832.75	869.55	908.87	951.03	992.76	1051.14	1085.99
	72"(1829mm)	STUC-1972-F U	878.53	916.95	958.01	1002.09	1045.68	1106.70	1143.11
	78"(1981mm)	STUC-1978-F U	924.31	964.35	1007.15	1053.15	1098.60	1162.26	1200.23
	84"(2134mm)	STUC-1984-F U	970.09	1011.75	1056.29	1104.21	1151.52	1217.82	1257.35
For use with 1.5"(38mm) Be_Hold Storage with .75"(19mm) Tops									
19"(483mm)	24"(610mm)	STUC-2024-F U	\$ 403.29	\$ 428.75	\$ 455.89	\$ 484.61	\$ 513.32	\$ 553.22	\$ 577.15
	30"(762mm)	STUC-2030-F U	449.07	476.15	505.03	535.67	566.24	608.78	634.27
	36"(914mm)	STUC-2036-F U	494.85	523.55	554.17	586.73	619.16	664.34	691.39
	42"(1067mm)	STUC-2042-F U	540.63	570.95	603.31	637.79	672.08	719.90	748.51
	48"(1219mm)	STUC-2048-F U	586.41	618.35	652.45	688.85	725.00	775.46	805.63
	54"(1372mm)	STUC-2054-F U	632.19	665.75	701.59	739.91	777.92	831.02	862.75
	60"(1524mm)	STUC-2060-F U	677.97	713.15	750.73	790.97	830.84	886.58	919.87
	66"(1676mm)	STUC-2066-F U	832.75	869.55	908.87	951.03	992.76	1051.14	1085.99
	72"(1829mm)	STUC-2072-F U	878.53	916.95	958.01	1002.09	1045.68	1106.70	1143.11
	78"(1981mm)	STUC-2078-F U	924.31	964.35	1007.15	1053.15	1098.60	1162.26	1200.23
	84"(2134mm)	STUC-2084-F U	970.09	1011.75	1056.29	1104.21	1151.52	1217.82	1257.35
27"(686mm)	24"(610mm)	STUC-2724-F U	\$ 566.60	\$ 592.06	\$ 619.20	\$ 647.92	\$ 676.63	\$ 716.53	\$ 740.46
	30"(762mm)	STUC-2730-F U	612.38	639.46	668.34	698.98	729.55	772.09	797.58
	36"(914mm)	STUC-2736-F U	658.16	686.86	717.48	750.04	782.47	827.65	854.70
	42"(1067mm)	STUC-2742-F U	703.94	734.26	766.62	801.10	835.39	883.21	911.82
	48"(1219mm)	STUC-2748-F U	749.72	781.66	815.76	852.16	888.31	938.77	968.94
	54"(1372mm)	STUC-2754-F U	795.50	829.06	864.90	903.22	941.23	994.33	1026.06
	60"(1524mm)	STUC-2760-F U	841.28	876.46	914.04	954.28	994.15	1049.89	1083.18
	66"(1676mm)	STUC-2766-F U	996.06	1032.86	1072.18	1114.34	1156.07	1214.45	1249.30
	72"(1829mm)	STUC-2772-F U	1041.84	1080.26	1121.32	1165.40	1208.99	1270.01	1306.42
	78"(1981mm)	STUC-2778-F U	1087.62	1127.66	1170.46	1216.46	1261.91	1325.57	1363.54
	84"(2134mm)	STUC-2784-F U	1133.40	1175.06	1219.60	1267.52	1314.83	1381.13	1420.66

Compose Echo

Accessory Frame – Fabric

Height	Width	Number ❶	Fabric						
			A	B	C	D	E	F	G
For use with Be_Hold on 9"(229mm) Legs									
16"(406mm)	24"(610mm)	STUC-1624-F  U	\$ 397.17	\$ 422.63	\$ 449.77	\$ 478.49	\$ 507.20	\$ 547.10	\$ 571.03
	30"(762mm)	STUC-1630-F  U	442.95	470.03	498.91	529.55	560.12	602.66	628.15
	36"(914mm)	STUC-1636-F  U	488.73	517.43	548.05	580.61	613.04	658.22	685.27
	42"(1067mm)	STUC-1642-F  U	534.51	564.83	597.19	631.67	665.96	713.78	742.39
	48"(1219mm)	STUC-1648-F  U	580.29	612.23	646.33	682.73	718.88	769.34	799.51
	54"(1372mm)	STUC-1654-F  U	626.07	659.63	695.47	733.79	771.80	824.90	856.63
	60"(1524mm)	STUC-1660-F  U	671.85	707.03	744.61	784.85	824.72	880.46	913.75
	66"(1676mm)	STUC-1666-F  U	826.63	863.43	902.75	944.91	986.64	1045.02	1079.87
	72"(1829mm)	STUC-1672-F  U	872.41	910.83	951.89	995.97	1039.56	1100.58	1136.99
	78"(1981mm)	STUC-1678-F  U	918.19	958.23	1001.03	1047.03	1092.48	1156.14	1194.11
	84"(2134mm)	STUC-1684-F  U	963.97	1005.63	1050.17	1098.09	1145.40	1211.70	1251.23
24"(610mm)	24"(610mm)	STUC-2424-F  U	\$ 410.94	\$ 436.40	\$ 463.54	\$ 492.26	\$ 520.97	\$ 560.87	\$ 584.80
	30"(762mm)	STUC-2430-F  U	456.72	483.80	512.68	543.32	573.89	616.43	641.92
	36"(914mm)	STUC-2436-F  U	502.50	531.20	561.82	594.38	626.81	671.99	699.04
	42"(1067mm)	STUC-2442-F  U	548.28	578.60	610.96	645.44	679.73	727.55	756.16
	48"(1219mm)	STUC-2448-F  U	594.06	626.00	660.10	696.50	732.65	783.11	813.28
	54"(1372mm)	STUC-2454-F  U	639.84	673.40	709.24	747.56	785.57	838.67	870.40
	60"(1524mm)	STUC-2460-F  U	685.62	720.80	758.38	798.62	838.49	894.23	927.52
	66"(1676mm)	STUC-2466-F  U	840.40	877.20	916.52	958.68	1000.41	1058.79	1093.64
	72"(1829mm)	STUC-2472-F  U	886.18	924.60	965.66	1009.74	1053.33	1114.35	1150.76
	78"(1981mm)	STUC-2478-F  U	931.96	972.00	1014.80	1060.80	1106.25	1169.91	1207.88
	84"(2134mm)	STUC-2484-F  U	977.74	1019.40	1063.94	1111.86	1159.17	1225.47	1265.00

Compose Echo


Accessory Frame – Fabric

Height	Width	Number ❶	Grade						
			A	B	C	D	E	F	G
For use with Compose, Compose Connections and Compose Beam									
12"(305mm)	36"(914mm)	STUC-1236-FNZ	\$ 493.51	\$ 520.46	\$ 550.81	\$ 583.10	\$ 615.26	\$ 660.06	\$ 686.88
	42"(1067mm)	STUC-1242-FNZ	539.29	567.86	599.95	634.16	668.18	715.62	744.00
	48"(1219mm)	STUC-1248-FNZ	585.07	615.26	649.09	685.22	721.10	771.18	801.12
	54"(1372mm)	STUC-1254-FNZ	630.85	662.66	698.23	736.28	774.02	826.74	858.24
	60"(1524mm)	STUC-1260-FNZ	676.63	710.06	747.37	787.34	826.94	882.30	915.36
	66"(1676mm)	STUC-1266-FNZ	831.41	866.46	905.51	947.40	988.86	1046.86	1081.48
	72"(1829mm)	STUC-1272-FNZ	877.19	913.86	954.65	998.46	1041.78	1102.42	1138.60
	78"(1981mm)	STUC-1278-FNZ	922.97	961.26	1003.79	1049.52	1094.70	1157.98	1195.72
	84"(2134mm)	STUC-1284-FNZ	968.75	1008.66	1052.93	1100.58	1147.62	1213.54	1252.84
16"(406mm)	36"(914mm)	STUC-1636-F ❷ Z	\$ 499.63	\$ 528.33	\$ 558.95	\$ 591.51	\$ 623.94	\$ 669.12	\$ 696.17
	42"(1067mm)	STUC-1642-F ❷ Z	545.41	575.73	608.09	642.57	676.86	724.68	753.29
	48"(1219mm)	STUC-1648-F ❷ Z	591.19	623.13	657.23	693.63	729.78	780.24	810.41
	54"(1372mm)	STUC-1654-F ❷ Z	636.97	670.53	706.37	744.69	782.70	835.80	867.53
	60"(1524mm)	STUC-1660-F ❷ Z	682.75	717.93	755.51	795.75	835.62	891.36	924.65
	66"(1676mm)	STUC-1666-F ❷ Z	837.53	874.33	913.65	955.81	997.54	1055.92	1090.77
	72"(1829mm)	STUC-1672-F ❷ Z	883.31	921.73	962.79	1006.87	1050.46	1111.48	1147.89
	78"(1981mm)	STUC-1678-F ❷ Z	929.09	969.13	1011.93	1057.93	1103.38	1167.04	1205.01
	84"(2134mm)	STUC-1684-F ❷ Z	974.87	1016.53	1061.07	1108.99	1156.30	1222.60	1262.13
24"(610mm)	36"(914mm)	STUC-2436-F ❷ Z	\$ 513.40	\$ 542.10	\$ 572.72	\$ 605.28	\$ 637.71	\$ 682.89	\$ 709.94
	42"(1067mm)	STUC-2442-F ❷ Z	559.18	589.50	621.86	656.34	690.63	738.45	767.06
	48"(1219mm)	STUC-2448-F ❷ Z	604.96	636.90	671.00	707.40	743.55	794.01	824.18
	54"(1372mm)	STUC-2454-F ❷ Z	650.74	684.30	720.14	758.46	796.47	849.57	881.30
	60"(1524mm)	STUC-2460-F ❷ Z	696.52	731.70	769.28	809.52	849.39	905.13	938.42
	66"(1676mm)	STUC-2466-F ❷ Z	851.30	888.10	927.42	969.58	1011.31	1069.69	1104.54
	72"(1829mm)	STUC-2472-F ❷ Z	897.08	935.50	976.56	1020.64	1064.23	1125.25	1161.66
	78"(1981mm)	STUC-2478-F ❷ Z	942.86	982.90	1025.70	1071.70	1117.15	1180.81	1218.78
	84"(2134mm)	STUC-2484-F ❷ Z	988.64	1030.30	1074.84	1122.76	1170.07	1236.37	1275.90

Compose Echo

Accessory Frame – Fabric

For use with Gallery Panels



STUC
Class TR

Features

- Includes frame with fabric screen and attachment material.
- Fabric surface is tackable.
- Frame is field installed.
- Height and width shown in nominal dimensions.

Specification Tips

- Designed to mount on Compose Gallery Panels (Compose Price List) and Belong Gallery End Panels (Screens and Space Division Price List).
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Accessory Frame may span multiple Gallery Panels, may be smaller than the Gallery Panel, or may be located off-modular. See application guide.
- Requires finished top Gallery Panel.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad application on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad application on screens >60"(1524mm)

To Order, Specify:

1) Product number, including:

1 Width Modifier

S +0.00

G +1.18

H +1.50

Z +3.00

2) Trim color.

3) Fabric color.

Note: \$5.50 upcharge list for Metallic and Accent trim colors.

For This Face Connection Type	And This Configuration	Then Choose This Width Modifier	
Belong Gallery End Panel	Freestanding Tables, WS's and Benching	Z	3.00"(76mm) Additional Width
Z Compose >= 50"(1270mm)H	C, L, R, X, T		
W Compose < 50"(1270mm)H, J	W, E, H	H	1.50"(38mm) Additional Width
A, B, C, D, E Gallery	C, L, R	G	1.18"(30mm) Additional Width
N Finished Face	I, S	S	0.00"(0mm) Additional Width

Compose Echo


Accessory Frame – Fabric

Height	Width	Number	①	Fabric						
				A	B	C	D	E	F	G
12"(305mm)	24"(610mm)	STUC-1224-FNG		\$ 425.65	\$ 452.09	\$ 481.18	\$ 512.92	\$ 544.65	\$ 586.96	\$ 613.40
	30"(762mm)	STUC-1230-FNG		475.99	504.17	535.24	569.02	602.85	647.98	676.16
	36"(914mm)	STUC-1236-FNG		526.33	556.25	589.30	625.12	661.05	709.00	738.92
	42"(1067mm)	STUC-1242-FNG		576.67	608.33	643.36	681.22	719.25	770.02	801.68
	48"(1219mm)	STUC-1248-FNG		627.01	660.41	697.42	737.32	777.45	831.04	864.44
	54"(1372mm)	STUC-1254-FNG		677.35	712.49	751.48	793.42	835.65	892.06	927.20
	60"(1524mm)	STUC-1260-FNG		727.69	764.57	805.54	849.52	893.85	953.08	989.96
	66"(1676mm)	STUC-1266-FNG		897.93	936.55	979.50	1025.52	1071.95	1134.00	1172.62
	72"(1829mm)	STUC-1272-FNG		948.27	988.63	1033.56	1081.62	1130.15	1195.02	1235.38
	78"(1981mm)	STUC-1278-FNG		998.61	1040.71	1087.62	1137.72	1188.35	1256.04	1298.14
	84"(2134mm)	STUC-1284-FNG		1048.95	1092.79	1141.68	1193.82	1246.55	1317.06	1360.90
16"(406mm)	24"(610mm)	STUC-1624-FNG		\$ 432.37	\$ 459.85	\$ 490.06	\$ 523.04	\$ 556.01	\$ 599.96	\$ 627.40
	30"(762mm)	STUC-1630-FNG		482.71	511.93	544.12	579.14	614.21	660.98	690.16
	36"(914mm)	STUC-1636-FNG		533.05	564.01	598.18	635.24	672.41	722.00	752.92
	42"(1067mm)	STUC-1642-FNG		583.39	616.09	652.24	691.34	730.61	783.02	815.68
	48"(1219mm)	STUC-1648-FNG		633.73	668.17	706.30	747.44	788.81	844.04	878.44
	54"(1372mm)	STUC-1654-FNG		684.07	720.25	760.36	803.54	847.01	905.06	941.20
	60"(1524mm)	STUC-1660-FNG		734.41	772.33	814.42	859.64	905.21	966.08	1003.96
	66"(1676mm)	STUC-1666-FNG		904.65	944.31	988.38	1035.64	1083.31	1147.00	1186.62
	72"(1829mm)	STUC-1672-FNG		954.99	996.39	1042.44	1091.74	1141.51	1208.02	1249.38
	78"(1981mm)	STUC-1678-FNG		1005.33	1048.47	1096.50	1147.84	1199.71	1269.04	1312.14
	84"(2134mm)	STUC-1684-FNG		1055.67	1100.55	1150.56	1203.94	1257.91	1330.06	1374.90
24"(610mm)	24"(610mm)	STUC-2424-FNG		\$ 445.81	\$ 475.37	\$ 507.82	\$ 543.28	\$ 578.73	\$ 625.96	\$ 655.40
	30"(762mm)	STUC-2430-FNG		496.15	527.45	561.88	599.38	636.93	686.98	718.16
	36"(914mm)	STUC-2436-FNG		546.49	579.53	615.94	655.48	695.13	748.00	780.92
	42"(1067mm)	STUC-2442-FNG		596.83	631.61	670.00	711.58	753.33	809.02	843.68
	48"(1219mm)	STUC-2448-FNG		647.17	683.69	724.06	767.68	811.53	870.04	906.44
	54"(1372mm)	STUC-2454-FNG		697.51	735.77	778.12	823.78	869.73	931.06	969.20
	60"(1524mm)	STUC-2460-FNG		747.85	787.85	832.18	879.88	927.93	992.08	1031.96
	66"(1676mm)	STUC-2466-FNG		918.09	959.83	1006.14	1055.88	1106.03	1173.00	1214.62
	72"(1829mm)	STUC-2472-FNG		968.43	1011.91	1060.20	1111.98	1164.23	1234.02	1277.38
	78"(1981mm)	STUC-2478-FNG		1018.77	1063.99	1114.26	1168.08	1222.43	1295.04	1340.14
	84"(2134mm)	STUC-2484-FNG		1069.11	1116.07	1168.32	1224.18	1280.63	1356.06	1402.90

Compose Echo

Back Screen – Modesty or No Modesty

Height Adjustable Tables, Intuity Return Surface or Adaptable Worksurfaces



STUB
Class TR01

Features

- Includes fabric screen L bracket and attachment hardware.
- Fabric surface is tackable.
- Available with modesty or no modesty.
- Square or rounded corner edge surface available on screen.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Height Adjustable Tables and Adaptable Worksurfaces.
 - Back Screens with no modesty can be used with Planes and Planes LT Benching Single Stage only.
 - Height Adjustable Tables (Planes, Planes LT and Upside) are mounted with a 0.5" (13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46" (1168mm) and 54" (1372mm)W are mounted with a 0.5" (13mm) gap.
 - Compose Echo Height Adjustable Tables 58" (1473mm), 64" (1626mm) and 70" (1778mm)W are mounted with a 0.5" (13mm) gap or flush.
- **– L bracket locations on the screen cannot be field modified.**
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, Planes LT Height Adjustable Dual Stage Low Benching, Fixed Height Tables or X Series Desks and Private Office.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Not for use with screen rails.
- Cannot mount to worksurface knife edge.
- Back Screen may be used with worksurface guard rail.
- Back Screen with modesty mounted on Compose Echo Height Adjustable Table cannot be used with onboard storage.
- Screen specification:
 - Screen width can be specified to match width of worksurface or be less than worksurface size. **Screen cannot overhang component.**
 - For Compose Echo Height Adjustable Table – Rectangular Radius Corner order nominal screen size to match table width.
 - For Compose Echo Height Adjustable Table – Rectangular and other Height Adjustable Tables order nominal screen width 12" (305mm) greater than table width.
 - Screens are designed to stop at the tangent on the radius corner. This results in the screen being undersized to the worksurface by 12" (305mm).
 - **Ensure perimeter of height adjustable table and attached components when operated are at least 1" (25mm) from adjacent objects.**
 - **See product specific Specification Guide/Product Application for guidelines on pinch points when Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19" (483mm)H: 12.31" (313mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
 - 27" (686mm)H: 20.31" (516mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27" (686mm)H: 12.31" (313mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 35" (889mm)H: 20.31" (516mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric - 0.56" (14mm)
- Fabric application guidelines:
 - 54" (1372mm)W rolls require railroad on screens > 52" (1321mm)
 - 60" (1524mm) and 66" (1676mm)W rolls require railroad on screens > 60" (1524mm)
- Refer to Specification Guide for screen and bracket dimensions.

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
S Square

2) Fabric color.

3) Trim color for bracket.

Note: \$10.90 upcharge list for Grade B trim colors.

Compose Echo



Back Screen – Modesty or No Modesty

Height	Nominal Width	Actual Width	Number	Fabric	A	B	C	D	E	F	G
No Modesty											
19"(483mm)	34"(864mm)	22"(559mm)	S UB-1934-FNNNUN		\$ 312.05	\$328.40	\$346.93	\$366.55	\$ 386.17	\$ 413.42	\$ 429.77
	40"(1016mm)	28"(711mm)	S UB-1940-FNNNUN		338.21	358.46	381.49	405.79	430.09	463.88	484.19
	46"(1168mm)	34"(864mm)	S UB-1946-FNNNUN		364.37	388.52	416.05	445.03	474.01	514.34	538.61
	48"(1219mm)	36"(914mm)	S UB-1948-FNNNUN		373.09	398.54	427.57	458.11	488.65	531.16	556.75
	52"(1321mm)	40"(1016mm)	S UB-1952-FNNNUN		390.53	418.58	450.61	484.27	517.93	564.80	593.03
	54"(1372mm)	42"(1067mm)	S UB-1954-FNNNUN		399.25	428.60	462.13	497.35	532.57	581.62	611.17
	58"(1473mm)	46"(1168mm)	S UB-1958-FNNNUN		416.69	448.64	485.17	523.51	561.85	615.26	647.45
	60"(1524mm)	48"(1219mm)	S UB-1960-FNNNUN		425.41	458.66	496.69	536.59	576.49	632.08	665.59
	64"(1626mm)	52"(1321mm)	S UB-1964-FNNNUN		470.10	505.95	546.98	590.00	633.02	692.97	729.12
	66"(1676mm)	54"(1372mm)	S UB-1966-FNNNUN		478.82	515.97	558.50	603.08	647.66	709.79	747.26
	70"(1778mm)	58"(1473mm)	S UB-1970-FNNNUN		496.26	536.01	581.54	629.24	676.94	743.43	783.54
	72"(1829mm)	60"(1524mm)	S UB-1972-FNNNUN		504.98	546.03	593.06	642.32	691.58	760.25	801.68
27"(686mm)	34"(864mm)	22"(559mm)	S UB-2734-FNNNUN		\$ 437.40	\$ 460.31	\$486.20	\$ 513.74	\$ 541.20	\$ 579.33	\$ 602.24
	40"(1016mm)	28"(711mm)	S UB-2740-FNNNUN		463.56	490.37	520.76	552.98	585.12	629.79	656.66
	46"(1168mm)	34"(864mm)	S UB-2746-FNNNUN		489.72	520.43	555.32	592.22	629.04	680.25	711.08
	48"(1219mm)	36"(914mm)	S UB-2748-FNNNUN		498.44	530.45	566.84	605.30	643.68	697.07	729.22
	52"(1321mm)	40"(1016mm)	S UB-2752-FNNNUN		515.88	550.49	589.88	631.46	672.96	730.71	765.50
	54"(1372mm)	42"(1067mm)	S UB-2754-FNNNUN		524.60	560.51	601.40	644.54	687.60	747.53	783.64
	58"(1473mm)	46"(1168mm)	S UB-2758-FNNNUN		542.04	580.55	624.44	670.70	716.88	781.17	819.92
	60"(1524mm)	48"(1219mm)	S UB-2760-FNNNUN		550.76	590.57	635.96	683.78	731.52	797.99	838.06
	64"(1626mm)	52"(1321mm)	S UB-2764-FNNNUN		595.45	637.86	686.25	737.19	788.05	858.88	901.59
	66"(1676mm)	54"(1372mm)	S UB-2766-FNNNUN		604.17	647.88	697.77	750.27	802.69	875.70	919.73
	70"(1778mm)	58"(1473mm)	S UB-2770-FNNNUN		621.61	667.92	720.81	776.43	831.97	909.34	956.01
	72"(1829mm)	60"(1524mm)	S UB-2772-FNNNUN		630.33	677.94	732.33	789.51	846.61	926.16	974.15
Modesty											
27"(686mm)	34"(864mm)	22"(559mm)	S UB-2734-FNNMUN		\$ 437.40	\$ 460.31	\$486.20	\$ 513.74	\$ 541.20	\$ 579.33	\$ 602.24
	40"(1016mm)	28"(711mm)	S UB-2740-FNNMUN		463.56	490.37	520.76	552.98	585.12	629.79	656.66
	46"(1168mm)	34"(864mm)	S UB-2746-FNNMUN		489.72	520.43	555.32	592.22	629.04	680.25	711.08
	48"(1219mm)	36"(914mm)	S UB-2748-FNNMUN		498.44	530.45	566.84	605.30	643.68	697.07	729.22
	52"(1321mm)	40"(1016mm)	S UB-2752-FNNMUN		515.88	550.49	589.88	631.46	672.96	730.71	765.50
	54"(1372mm)	42"(1067mm)	S UB-2754-FNNMUN		524.60	560.51	601.40	644.54	687.60	747.53	783.64
	58"(1473mm)	46"(1168mm)	S UB-2758-FNNMUN		542.04	580.55	624.44	670.70	716.88	781.17	819.92
	60"(1524mm)	48"(1219mm)	S UB-2760-FNNMUN		550.76	590.57	635.96	683.78	731.52	797.99	838.06
	64"(1626mm)	52"(1321mm)	S UB-2764-FNNMUN		595.45	637.86	686.25	737.19	788.05	858.88	901.59
	66"(1676mm)	54"(1372mm)	S UB-2766-FNNMUN		604.17	647.88	697.77	750.27	802.69	875.70	919.73
	70"(1778mm)	58"(1473mm)	S UB-2770-FNNMUN		621.61	667.92	720.81	776.43	831.97	909.34	956.01
	72"(1829mm)	60"(1524mm)	S UB-2772-FNNMUN		630.33	677.94	732.33	789.51	846.61	926.16	974.15
35"(889mm)	34"(864mm)	22"(559mm)	S UB-3534-FNNMUN		\$ 481.00	\$ 510.47	\$ 543.72	\$ 579.18	\$ 614.48	\$ 663.49	\$ 692.96
	40"(1016mm)	28"(711mm)	S UB-3540-FNNMUN		507.16	540.53	578.28	618.42	658.40	713.95	747.38
	46"(1168mm)	34"(864mm)	S UB-3546-FNNMUN		533.32	570.59	612.84	657.66	702.32	764.41	801.80
	48"(1219mm)	36"(914mm)	S UB-3548-FNNMUN		542.04	580.61	624.36	670.74	716.96	781.23	819.94
	52"(1321mm)	40"(1016mm)	S UB-3552-FNNMUN		559.48	600.65	647.40	696.90	746.24	814.87	856.22
	54"(1372mm)	42"(1067mm)	S UB-3554-FNNMUN		568.20	610.67	658.92	709.98	760.88	831.69	874.36
	58"(1473mm)	46"(1168mm)	S UB-3558-FNNMUN		585.64	630.71	681.96	736.14	790.16	865.33	910.64
	60"(1524mm)	48"(1219mm)	S UB-3560-FNNMUN		594.36	640.73	693.48	749.22	804.80	882.15	928.78
	64"(1626mm)	52"(1321mm)	S UB-3564-FNNMUN		639.05	688.02	743.77	802.63	861.33	943.04	992.31
	66"(1676mm)	54"(1372mm)	S UB-3566-FNNMUN		647.77	698.04	755.29	815.71	875.97	959.86	1010.45
	70"(1778mm)	58"(1473mm)	S UB-3570-FNNMUN		665.21	718.08	778.33	841.87	905.25	993.50	1046.73
	72"(1829mm)	60"(1524mm)	S UB-3572-FNNMUN		673.93	728.10	789.85	854.95	919.89	1010.32	1064.87

Compose Echo

Center Screen

Compose Top Trim Channel Mount



STUC
SSUC
Class TR01

Features

- Includes fabric screen, screen channel, channel supports, end caps, Compose top trim and all necessary hardware.
- Fabric surface is tackable.
- Square or rounded corner edge detail available on screen.
- Channel is inset 2.125" (54mm) on each side of screen.
- Screen and components are field installed.

Specification Tips

- Screens are non-load bearing and non-structural elements designed to provide privacy and space division.
- Recommended for use on:
 - 26" (660mm), 34" (864mm), 42" (1067mm) and 50" (1270mm) H Compose Frame
 - Compose Connections
 - Compose Beam
- Screen width can span up to two in-line sections.
- For use with End-of-Run Top Feed Module only. Will not work with other Top Feed Modules due to interference with screen.
- Screens slides over vertical supports on the channel rail.
- Use width modifier (Z) +3.00 when using on Compose panel with a connector.
- **Separately specified alignment clips (SZAC-0000-P) are required when positioning multiple screens in an inline condition and have 0.25" (6mm) spacing between screens.**
- Not for use with:
 - Compose 18" (457mm) W panels.
 - Work rail top trim.
 - Belong work rail or work tools.
- Fabric application guidelines:
 - 54" (1372mm) W rolls require railroad on screens >52" (1321mm)
 - 60" (1524mm) and 66" (1676mm) W rolls require railroad on screens >60" (1524mm)
- Refer to Specification Guide for additional details and application guidelines.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
- S** Square

2 Top Trim Connection:

- A** Aluminum
- H** Steel

3 Width Modifier:

- S** +0.00
- Z** +3.00

2) Fabric color.

3) Trim color.

Note: \$10.90 list upcharge for Grade B trim colors.

Compose Echo



Center Screen

Height	Width	Number		Fabric							
		①	②③	A	B	C	D	E	F	G	
12"(305mm)	24"(610mm)	S	UC-1224-FS	S	\$ 517.69	\$ 559.77	\$ 605.01	\$ 666.57	\$ 728.13	\$ 810.31	\$ 861.64
	30"(762mm)	S	UC-1230-FS	S	543.85	593.31	646.53	718.89	791.25	887.89	948.22
	36"(914mm)	S	UC-1236-FS	S	570.01	626.85	688.05	771.21	854.37	965.47	1034.80
	42"(1067mm)	S	UC-1242-FS	S	596.17	660.39	729.57	823.53	917.49	1043.05	1121.38
	48"(1219mm)	S	UC-1248-FS		632.33	703.93	781.09	885.85	990.61	1130.63	1217.96
	54"(1372mm)	S	UC-1254-FS		658.49	737.47	822.61	938.17	1053.73	1208.21	1304.54
	60"(1524mm)	S	UC-1260-FS		694.65	781.01	874.13	1000.49	1126.85	1295.79	1401.12
	66"(1676mm)	S	UC-1266-FS		720.81	814.55	915.65	1052.81	1189.97	1373.37	1487.70
	72"(1829mm)	S	UC-1272-FS		746.97	848.09	957.17	1105.13	1253.09	1450.95	1574.28
	78"(1981mm)	S	UC-1278-FS		773.13	881.63	998.69	1157.45	1316.21	1528.53	1660.86
	84"(2134mm)	S	UC-1284-FS		799.29	915.17	1040.21	1209.77	1379.33	1606.11	1747.44
16"(406mm)	24"(610mm)	S	UC-1624-FS	S	\$ 527.69	\$ 572.61	\$ 620.89	\$ 686.57	\$ 752.25	\$ 839.95	\$ 894.76
	30"(762mm)	S	UC-1630-FS	S	553.85	606.15	662.41	738.89	815.37	917.53	981.34
	36"(914mm)	S	UC-1636-FS	S	580.01	639.69	703.93	791.21	878.49	995.11	1067.92
	42"(1067mm)	S	UC-1642-FS	S	606.17	673.23	745.45	843.53	941.61	1072.69	1154.50
	48"(1219mm)	S	UC-1648-FS		642.33	716.77	796.97	905.85	1014.73	1160.27	1251.08
	54"(1372mm)	S	UC-1654-FS		668.49	750.31	838.49	958.17	1077.85	1237.85	1337.66
	60"(1524mm)	S	UC-1660-FS		704.65	793.85	890.01	1020.49	1150.97	1325.43	1434.24
	66"(1676mm)	S	UC-1666-FS		730.81	827.39	931.53	1072.81	1214.09	1403.01	1520.82
	72"(1829mm)	S	UC-1672-FS		756.97	860.93	973.05	1125.13	1277.21	1480.59	1607.40
	78"(1981mm)	S	UC-1678-FS		783.13	894.47	1014.57	1177.45	1340.33	1558.17	1693.98
	84"(2134mm)	S	UC-1684-FS		809.29	928.01	1056.09	1229.77	1403.45	1635.75	1780.56
24"(610mm)	24"(610mm)	S	UC-2424-FS	S	\$ 547.69	\$ 598.29	\$ 652.65	\$ 726.57	\$ 800.49	\$ 899.23	\$ 961.00
	30"(762mm)	S	UC-2430-FS	S	573.85	631.83	694.17	778.89	863.61	976.81	1047.58
	36"(914mm)	S	UC-2436-FS	S	600.01	665.37	735.69	831.21	926.73	1054.39	1134.16
	42"(1067mm)	S	UC-2442-FS	S	626.17	698.91	777.21	883.53	989.85	1131.97	1220.74
	48"(1219mm)	S	UC-2448-FS		662.33	742.45	828.73	945.85	1062.97	1219.55	1317.32
	54"(1372mm)	S	UC-2454-FS		688.49	775.99	870.25	998.17	1126.09	1297.13	1403.90
	60"(1524mm)	S	UC-2460-FS		724.65	819.53	921.77	1060.49	1199.21	1384.71	1500.48
	66"(1676mm)	S	UC-2466-FS		750.81	853.07	963.29	1112.81	1262.33	1462.29	1587.06
	72"(1829mm)	S	UC-2472-FS		776.97	886.61	1004.81	1165.13	1325.45	1539.87	1673.64
	78"(1981mm)	S	UC-2478-FS		803.13	920.15	1046.33	1217.45	1388.57	1617.45	1760.22
	84"(2134mm)	S	UC-2484-FS		829.29	953.69	1087.85	1269.77	1451.69	1695.03	1846.80

Compose Echo

Center Screen

Gallery and Gallerie Panels



STUC
SSUC
Class TR01

Features

- Includes fabric screen, screen channel, channel supports, end caps, and all necessary hardware.
- Fabric surface is tackable.
- Square or rounded corner edge detail available on screen.
- Channel is inset 2.125"(54mm) on each side of screen.
- Screen and components are field installed.

Specification Tips

- Screens are non-load bearing and non-structural elements designed to provide privacy and space division.
- Designed for use on Compose Gallery Panels (Compose Price List), Belong Gallery Panels (Screens and Space Division Price List) and Gallerie Panels (Gallerie Price List)
- Not for use with:
 - Frameless glass.
 - Belong work rail and work tools.
- Screens slides over vertical supports on the channel rail.
- Screen may span multiple Gallery Panels, may be smaller than Gallery Panel or may be located off-modular. See Application Guide.
- Separately specified Alignment Clips recommended for multiple screens in an in-line condition.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Refer to Specification Guide for additional details and application guidelines.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
- S** Square

2 Width Modifier:

- S** +0.00
- 1** +0.59
- G** +1.18
- H** +1.50
- 3** +1.77
- 4** +2.36
- Z** +3.00

2) Fabric color.

3) Trim color.

Note: \$10.90 list upcharge for Grade B trim colors.

For This Face Connection Type	And This Configuration	Then Choose This Width Modifier	
Belong Gallery End Panel	Freestanding Tables, WS's and Benching	Z	3.00"(76mm) Additional Width
Z Compose >= 50"(1270mm)H	C, L, R, X, T		
W Compose < 50"(1270mm)H, J	W, E, H	H	1.50"(38mm) Additional Width
A, B, C, D, E Gallery	C, L, R	G	1.18"(30mm) Additional Width
N Finished Face	I, S, M	S	0.00"(0mm) Additional Width
Gallerie	L, R, C, D, P, X, T	G	1.18"(25mm) Additional Width
	W, E, H	1	0.59"(15mm) Additional Width
	K, J	3	1.77"(45mm) Additional Width
	U	4	2.36"(60mm) Additional Width

Compose Echo


Center Screen

Height	Width	Number		Fabric						
		①	②	A	B	C	D	E	F	G
12"(305mm)	18"(457mm)	S	UC-1218-FSG	\$ 431.53	\$466.23	\$ 503.49	\$ 554.25	\$ 605.01	\$ 672.73	\$ 715.06
	24"(610mm)	S	UC-1224-FSG	457.69	499.77	545.01	606.57	668.13	750.31	801.64
	30"(762mm)	S	UC-1230-FSG	483.85	533.31	586.53	658.89	731.25	827.89	888.22
	36"(914mm)	S	UC-1236-FSG	510.01	566.85	628.05	711.21	794.37	905.47	974.80
	42"(1067mm)	S	UC-1242-FSG	536.17	600.39	669.57	763.53	857.49	983.05	1061.38
	48"(1219mm)	S	UC-1248-FSG	572.33	643.93	721.09	825.85	930.61	1070.63	1157.96
	54"(1372mm)	S	UC-1254-FSG	598.49	677.47	762.61	878.17	993.73	1148.21	1244.54
	60"(1524mm)	S	UC-1260-FSG	634.65	721.01	814.13	940.49	1066.85	1235.79	1341.12
	66"(1676mm)	S	UC-1266-FSG	660.81	754.55	855.65	992.81	1129.97	1313.37	1427.70
	72"(1829mm)	S	UC-1272-FSG	686.97	788.09	897.17	1045.13	1193.09	1390.95	1514.28
	78"(1981mm)	S	UC-1278-FSG	713.13	821.63	938.69	1097.45	1256.21	1468.53	1600.86
	84"(2134mm)	S	UC-1284-FSG	739.29	855.17	980.21	1149.77	1319.33	1546.11	1687.44
16"(406mm)	18"(457mm)	S	UC-1618-FSG	\$ 441.53	\$ 479.07	\$ 519.37	\$ 574.25	\$ 629.13	\$ 702.37	\$ 748.18
	24"(610mm)	S	UC-1624-FSG	467.69	512.61	560.89	626.57	692.25	779.95	834.76
	30"(762mm)	S	UC-1630-FSG	493.85	546.15	602.41	678.89	755.37	857.53	921.34
	36"(914mm)	S	UC-1636-FSG	520.01	579.69	643.93	731.21	818.49	935.11	1007.92
	42"(1067mm)	S	UC-1642-FSG	546.17	613.23	685.45	783.53	881.61	1012.69	1094.50
	48"(1219mm)	S	UC-1648-FSG	582.33	656.77	736.97	845.85	954.73	1100.27	1191.08
	54"(1372mm)	S	UC-1654-FSG	608.49	690.31	778.49	898.17	1017.85	1177.85	1277.66
	60"(1524mm)	S	UC-1660-FSG	644.65	733.85	830.01	960.49	1090.97	1265.43	1374.24
	66"(1676mm)	S	UC-1666-FSG	670.81	767.39	871.53	1012.81	1154.09	1343.01	1460.82
	72"(1829mm)	S	UC-1672-FSG	696.97	800.93	913.05	1065.13	1217.21	1420.59	1547.40
	78"(1981mm)	S	UC-1678-FSG	723.13	834.47	954.57	1117.45	1280.33	1498.17	1633.98
	84"(2134mm)	S	UC-1684-FSG	749.29	868.01	996.09	1169.77	1343.45	1575.75	1720.56
24"(610mm)	18"(457mm)	S	UC-2418-FSG	\$ 461.53	\$ 504.75	\$ 551.13	\$ 614.25	\$ 677.37	\$ 761.65	\$ 814.42
	24"(610mm)	S	UC-2424-FSG	487.69	538.29	592.65	666.57	740.49	839.23	901.00
	30"(762mm)	S	UC-2430-FSG	513.85	571.83	634.17	718.89	803.61	916.81	987.58
	36"(914mm)	S	UC-2436-FSG	540.01	605.37	675.69	771.21	866.73	994.39	1074.16
	42"(1067mm)	S	UC-2442-FSG	566.17	638.91	717.21	823.53	929.85	1071.97	1160.74
	48"(1219mm)	S	UC-2448-FSG	602.33	682.45	768.73	885.85	1002.97	1159.55	1257.32
	54"(1372mm)	S	UC-2454-FSG	628.49	715.99	810.25	938.17	1066.09	1237.13	1343.90
	60"(1524mm)	S	UC-2460-FSG	664.65	759.53	861.77	1000.49	1139.21	1324.71	1440.48
	66"(1676mm)	S	UC-2466-FSG	690.81	793.07	903.29	1052.81	1202.33	1402.29	1527.06
	72"(1829mm)	S	UC-2472-FSG	716.97	826.61	944.81	1105.13	1265.45	1479.87	1613.64
	78"(1981mm)	S	UC-2478-FSG	743.13	860.15	986.33	1157.45	1328.57	1557.45	1700.22
	84"(2134mm)	S	UC-2484-FSG	769.29	893.69	1027.85	1209.77	1391.69	1635.03	1786.80

Compose Echo

Center Screen

Upside Height Adjustable Benching



STUC
SSUC
Class TR01

Features

- Includes fabric screen, screen channel, channel supports, end caps, stanchions and all necessary hardware for mounting above HAB trough.
- Fabric surface is tackable.
- Square or rounded corner edge detail available on screen.
- Stanchions sit 6"(152mm)H allowing for trough lid to be opened fully.
- Channel is inset 2.125"(54mm) on each side of screen.
- Screen and components are field installed.

Specification Tips

- Screens are non-load bearing and non-structural elements designed to provide privacy and space division.
- Designed for use on Upside Height Adjustable Benching only.
- Specify screen width to match benching width.
- Screens slides over vertical supports on the channel rail.
- Not for use with:
 - Height Adjustable Tables
 - Worksurfaces or between in-line worksurfaces
 - Center Screen Rail on Compose
 - Intuity Benching
 - Belong work rail or work tools.
- Fabric application guidelines:
 - 54"(1372mm)W rolls require railroad on screens >52"(1321mm)
 - 60"(1524mm) and 66"(1676mm)W rolls require railroad on screens >60"(1524mm)
- Refer to Specification Guide for additional details and application guidelines.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
S Square

2) Fabric color.

3) Trim color.


Note: \$10.90 list upcharge for Grade B trim colors.

Height	Nominal Width	Actual Width	Number	Fabric						
			①	A	B	C	D	E	F	G
21"(533mm)	46"(1168mm)	45.5"(1156mm)	S UC-2146-FSJH	\$ 615.35	\$690.88	\$ 772.22	\$ 882.65	\$ 993.08	\$ 1140.70	\$1232.86
	52"(1321mm)	51.5"(1308mm)	S UC-2152-FSJH	651.51	734.42	823.74	944.97	1066.20	1228.28	1329.44
	58"(1473mm)	57.5"(1461mm)	S UC-2158-FSJH	687.67	777.96	875.26	1007.29	1139.32	1315.86	1426.02
	64"(1626mm)	63.5"(1613mm)	S UC-2164-FSJH	713.83	811.50	916.78	1059.61	1202.44	1393.44	1512.60
	70"(1778mm)	69.5"(1765mm)	S UC-2170-FSJH	739.99	845.04	958.30	1111.93	1265.56	1471.02	1599.18
29"(737mm)	46"(1168mm)	45.5"(1156mm)	S UC-2946-FSJH	\$635.35	\$ 716.56	\$803.98	\$ 922.65	\$ 1041.32	\$ 1199.98	\$ 1299.10
	52"(1321mm)	51.5"(1308mm)	S UC-2952-FSJH	671.51	760.10	855.50	984.97	1114.44	1287.56	1395.68
	58"(1473mm)	57.5"(1461mm)	S UC-2958-FSJH	707.67	803.64	907.02	1047.29	1187.56	1375.14	1492.26
	64"(1626mm)	63.5"(1613mm)	S UC-2964-FSJH	733.83	837.18	948.54	1099.61	1250.68	1452.72	1578.84
	70"(1778mm)	69.5"(1765mm)	S UC-2970-FSJH	759.99	870.72	990.06	1151.93	1313.80	1530.30	1665.42

Compose Echo

Corner Screen – Modesty or No Modesty

Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces



STUP
Class TR01

Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Square or rounded corner edge detail available on screen.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.

Specification Tips

- Designed to be used with Height Adjustable Tables and Adaptable Convergent Worksurfaces.
 - Height Adjustable Tables (Planes, Planes LT and Upside) and Adaptable Convergent Worksurfaces can be mounted with a 0.5\"(13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46\"(1168mm) and 54\"(1372mm)W are mounted with a 0.5\"(13mm) gap.
 - Compose Echo Height Adjustable Tables 58\"(1473mm), 64\"(1626mm) and 70\"(1778mm)W. Can be mounted flush or with 0.5\"(13mm) gap.
 - L bracket locations on the screen cannot be field modified.** Refer to Specification Guide for bracket and screen dimensions.
- Not for use with screen rails.
- Standard screens are not compatible with the following products due to interference from the understructure and mounting brackets.
 - Fixed Height Tables
 - X Series Desks/Private Office
- Cannot mount to the knife edge of a worksurface.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Corner Screen for Rectangular is designed for use with worksurface guard rail.
- Corner Screen with modesty cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap one side (depth and width) of a rectangular worksurface. Screen stops 6\"(152mm) from the corner. Attaches to two sides. **Screen cannot overhang component.**
 - Screen depth will not match worksurface depth:**
23\"(584mm)/24\"(610mm) is 16\"(406mm)
29\"(737mm)/30\"(762mm) is 22\"(559mm)
 - Ensure perimeter of the height adjustable table and attached components when operated are at least 1\"(25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when a Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, or Planes LT Height Adjustable Dual Stage Low Benching.
- Screen mounting for screens without modesty:
 - 19\"(483mm)H: 12.31\"(313mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen
 - 27\"(686mm)H: 20.31\"(516mm) above worksurface; 5\"(127mm) from bottom of worksurface to bottom of screen L
- Screen mounting for screens with modesty:
 - 27\"(686mm)H: 12.31\"(313mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
 - 35\"(889mm)H: 20.31\"(516mm) above worksurface; 13\"(330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56\"(14mm)
- Fabric application guidelines:
 - 54\"(1372mm)W rolls require railroad on screens >52\"(1321mm)
 - 60\"(1524mm) and 66\"(1676mm)W rolls require railroad on screens >60\"(1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
- S** Square

2 Orientation:

- L** Left-hand
- R** Right-hand

2) Fabric color.

3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo

Corner Screen – Modesty or No Modesty

Height	Nominal Width	Actual Width	Number		Fabric							
			①	②	A	B	C	D	E	F	G	
No Modesty for use with 23" (584mm) or 24" (610mm) Table Depth												
19" (483mm)	34" (864mm)	28" (711mm)	S	UP-1934-FR NUB	\$ 524.60	\$ 540.95	\$ 559.48	\$ 579.10	\$ 598.72	\$ 625.97	\$ 642.32	
	40" (1016mm)	34" (864mm)	S	UP-1940-FR NUB	550.76	571.01	594.04	618.34	642.64	676.43	696.74	
	46" (1168mm)	40" (1016mm)	S	UP-1946-FR NUB	576.92	601.07	628.60	657.58	686.56	726.89	751.16	
	48" (1219mm)	42" (1067mm)	S	UP-1948-FR NUB	585.64	611.09	640.12	670.66	701.20	743.71	769.30	
	52" (1321mm)	46" (1168mm)	S	UP-1952-FR NUB	603.08	631.13	663.16	696.82	730.48	777.35	805.58	
	54" (1372mm)	48" (1219mm)	S	UP-1954-FR NUB	611.80	641.15	674.68	709.90	745.12	794.17	823.72	
	58" (1473mm)	52" (1321mm)	S	UP-1958-FR NUB	629.24	661.19	697.72	736.06	774.40	827.81	860.00	
	60" (1524mm)	54" (1372mm)	S	UP-1960-FR NUB	637.96	671.21	709.24	749.14	789.04	844.63	878.14	
	64" (1626mm)	58" (1473mm)	S	UP-1964-FR NUB	682.65	718.50	759.53	802.55	845.57	905.52	941.67	
	66" (1676mm)	60" (1524mm)	S	UP-1966-FR NUB	691.37	728.52	771.05	815.63	860.21	922.34	959.81	
	70" (1778mm)	64" (1626mm)	S	UP-1970-FR NUB	708.81	748.56	794.09	841.79	889.49	955.98	996.09	
	72" (1829mm)	66" (1676mm)	S	UP-1972-FR NUB	717.53	758.58	805.61	854.87	904.13	972.80	1014.23	
	76" (1930mm)	70" (1778mm)	S	UP-1976-FR NUB	734.97	778.62	828.65	881.03	933.41	1006.44	1050.51	
	82" (2083mm)	76" (1930mm)	S	UP-1982-FR NUB	761.13	808.68	863.21	920.27	977.33	1056.90	1104.93	
27" (686mm)	34" (864mm)	28" (711mm)	S	UP-2734-FR NUB	\$ 649.95	\$ 672.86	\$ 698.75	\$ 726.29	\$ 753.75	\$ 791.88	\$ 814.79	
	40" (1016mm)	34" (864mm)	S	UP-2740-FR NUB	676.11	702.92	733.31	765.53	797.67	842.34	869.21	
	46" (1168mm)	40" (1016mm)	S	UP-2746-FR NUB	702.27	732.98	767.87	804.77	841.59	892.80	923.63	
	48" (1219mm)	42" (1067mm)	S	UP-2748-FR NUB	710.99	743.00	779.39	817.85	856.23	909.62	941.77	
	52" (1321mm)	46" (1168mm)	S	UP-2752-FR NUB	728.43	763.04	802.43	844.01	885.51	943.26	978.05	
	54" (1372mm)	48" (1219mm)	S	UP-2754-FR NUB	737.15	773.06	813.95	857.09	900.15	960.08	996.19	
	58" (1473mm)	52" (1321mm)	S	UP-2758-FR NUB	754.59	793.10	836.99	883.25	929.43	993.72	1032.47	
	60" (1524mm)	54" (1372mm)	S	UP-2760-FR NUB	763.31	803.12	848.51	896.33	944.07	1010.54	1050.61	
	64" (1626mm)	58" (1473mm)	S	UP-2764-FR NUB	808.00	850.41	898.80	949.74	1000.60	1071.43	1114.14	
	66" (1676mm)	60" (1524mm)	S	UP-2766-FR NUB	816.72	860.43	910.32	962.82	1015.24	1088.25	1132.28	
	70" (1778mm)	64" (1626mm)	S	UP-2770-FR NUB	834.16	880.47	933.36	988.98	1044.52	1121.89	1168.56	
	72" (1829mm)	66" (1676mm)	S	UP-2772-FR NUB	842.88	890.49	944.88	1002.06	1059.16	1138.71	1186.70	
	76" (1930mm)	70" (1778mm)	S	UP-2776-FR NUB	860.32	910.53	967.92	1028.22	1088.44	1172.35	1222.98	
	82" (2083mm)	76" (1930mm)	S	UP-2782-FR NUB	886.48	940.59	1002.48	1067.46	1132.36	1222.81	1277.40	
No Modesty for use with 29" (737mm) or 30" (762mm) Table Depth												
19" (483mm)	34" (864mm)	28" (711mm)	S	UP-1934-FR NUC	\$ 544.22	\$ 562.55	\$ 583.30	\$ 605.26	\$ 627.22	\$ 657.77	\$ 676.04	
	40" (1016mm)	34" (864mm)	S	UP-1940-FR NUC	570.38	592.61	617.86	644.50	671.14	708.23	730.46	
	46" (1168mm)	40" (1016mm)	S	UP-1946-FR NUC	596.54	622.67	652.42	683.74	715.06	758.69	784.88	
	48" (1219mm)	42" (1067mm)	S	UP-1948-FR NUC	605.26	632.69	663.94	696.82	729.70	775.51	803.02	
	52" (1321mm)	46" (1168mm)	S	UP-1952-FR NUC	622.70	652.73	686.98	722.98	758.98	809.15	839.30	
	54" (1372mm)	48" (1219mm)	S	UP-1954-FR NUC	631.42	662.75	698.50	736.06	773.62	825.97	857.44	
	58" (1473mm)	52" (1321mm)	S	UP-1958-FR NUC	648.86	682.79	721.54	762.22	802.90	859.61	893.72	
	60" (1524mm)	54" (1372mm)	S	UP-1960-FR NUC	657.58	692.81	733.06	775.30	817.54	876.43	911.86	
	64" (1626mm)	58" (1473mm)	S	UP-1964-FR NUC	702.27	740.10	783.35	828.71	874.07	937.32	975.39	
	66" (1676mm)	60" (1524mm)	S	UP-1966-FR NUC	710.99	750.12	794.87	841.79	888.71	954.14	993.53	
	70" (1778mm)	64" (1626mm)	S	UP-1970-FR NUC	728.43	770.16	817.91	867.95	917.99	987.78	1029.81	
	72" (1829mm)	66" (1676mm)	S	UP-1972-FR NUC	737.15	780.18	829.43	881.03	932.63	1004.60	1047.95	
	76" (1930mm)	70" (1778mm)	S	UP-1976-FR NUC	754.59	800.22	852.47	907.19	961.91	1038.24	1084.23	
	82" (2083mm)	76" (1930mm)	S	UP-1982-FR NUC	780.75	830.28	887.03	946.43	1005.83	1088.70	1138.65	
27" (686mm)	34" (864mm)	28" (711mm)	S	UP-2734-FR NUC	\$ 669.57	\$ 694.46	\$ 722.57	\$ 752.45	\$ 782.25	\$ 823.68	\$ 848.51	
	40" (1016mm)	34" (864mm)	S	UP-2740-FR NUC	695.73	724.52	757.13	791.69	826.17	874.14	902.93	
	46" (1168mm)	40" (1016mm)	S	UP-2746-FR NUC	721.89	754.58	791.69	830.93	870.09	924.60	957.35	
	48" (1219mm)	42" (1067mm)	S	UP-2748-FR NUC	730.61	764.60	803.21	844.01	884.73	941.42	975.49	
	52" (1321mm)	46" (1168mm)	S	UP-2752-FR NUC	748.05	784.64	826.25	870.17	914.01	975.06	1011.77	
	54" (1372mm)	48" (1219mm)	S	UP-2754-FR NUC	756.77	794.66	837.77	883.25	928.65	991.88	1029.91	
	58" (1473mm)	52" (1321mm)	S	UP-2758-FR NUC	774.21	814.70	860.81	909.41	957.93	1025.52	1066.19	
	60" (1524mm)	54" (1372mm)	S	UP-2760-FR NUC	782.93	824.72	872.33	922.49	972.57	1042.34	1084.33	
	64" (1626mm)	58" (1473mm)	S	UP-2764-FR NUC	827.62	872.01	922.62	975.90	1029.10	1103.23	1147.86	
	66" (1676mm)	60" (1524mm)	S	UP-2766-FR NUC	836.34	882.03	934.14	988.98	1043.74	1120.05	1166.00	
	70" (1778mm)	64" (1626mm)	S	UP-2770-FR NUC	853.78	902.07	957.18	1015.14	1073.02	1153.69	1202.28	
	72" (1829mm)	66" (1676mm)	S	UP-2772-FR NUC	862.50	912.09	968.70	1028.22	1087.66	1170.51	1220.42	
	76" (1930mm)	70" (1778mm)	S	UP-2776-FR NUC	879.94	932.13	991.74	1054.38	1116.94	1204.15	1256.70	
	82" (2083mm)	76" (1930mm)	S	UP-2782-FR NUC	906.10	962.19	1026.30	1093.62	1160.86	1254.61	1311.12	

Compose Echo


Corner Screen – Modesty or No Modesty

Height	Nominal Width	Actual Width	Number		Fabric						
			①	②	A	B	C	D	E	F	G
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth											
27"(686mm)	34"(864mm)	28"(711mm)	S	UP-2734-FR MUB	\$ 649.95	\$ 672.86	\$ 698.75	\$ 726.29	\$ 753.75	\$ 791.88	\$ 814.79
	40"(1016mm)	34"(864mm)	S	UP-2740-FR MUB	676.11	702.92	733.31	765.53	797.67	842.34	869.21
	46"(1168mm)	40"(1016mm)	S	UP-2746-FR MUB	702.27	732.98	767.87	804.77	841.59	892.80	923.63
	48"(1219mm)	42"(1067mm)	S	UP-2748-FR MUB	710.99	743.00	779.39	817.85	856.23	909.62	941.77
	52"(1321mm)	46"(1168mm)	S	UP-2752-FR MUB	728.43	763.04	802.43	844.01	885.51	943.26	978.05
	54"(1372mm)	48"(1219mm)	S	UP-2754-FR MUB	737.15	773.06	813.95	857.09	900.15	960.08	996.19
	58"(1473mm)	52"(1321mm)	S	UP-2758-FR MUB	754.59	793.10	836.99	883.25	929.43	993.72	1032.47
	60"(1524mm)	54"(1372mm)	S	UP-2760-FR MUB	763.31	803.12	848.51	896.33	944.07	1010.54	1050.61
	64"(1626mm)	58"(1473mm)	S	UP-2764-FR MUB	808.00	850.41	898.80	949.74	1000.60	1071.43	1114.14
	66"(1676mm)	60"(1524mm)	S	UP-2766-FR MUB	816.72	860.43	910.32	962.82	1015.24	1088.25	1132.28
	70"(1778mm)	64"(1626mm)	S	UP-2770-FR MUB	834.16	880.47	933.36	988.98	1044.52	1121.89	1168.56
	72"(1829mm)	66"(1676mm)	S	UP-2772-FR MUB	842.88	890.49	944.88	1002.06	1059.16	1138.71	1186.70
	76"(1930mm)	70"(1778mm)	S	UP-2776-FR MUB	860.32	910.53	967.92	1028.22	1088.44	1172.35	1222.98
	82"(2083mm)	76"(1930mm)	S	UP-2782-FR MUB	886.48	940.59	1002.48	1067.46	1132.36	1222.81	1277.40
35"(889mm)	34"(864mm)	28"(711mm)	S	UP-3534-FR MUB	\$ 693.55	\$ 723.02	\$ 756.27	\$ 791.73	\$ 827.03	\$ 876.04	\$ 905.51
	40"(1016mm)	34"(864mm)	S	UP-3540-FR MUB	719.71	753.08	790.83	830.97	870.95	926.50	959.93
	46"(1168mm)	40"(1016mm)	S	UP-3546-FR MUB	745.87	783.14	825.39	870.21	914.87	976.96	1014.35
	48"(1219mm)	42"(1067mm)	S	UP-3548-FR MUB	754.59	793.16	836.91	883.29	929.51	993.78	1032.49
	52"(1321mm)	46"(1168mm)	S	UP-3552-FR MUB	772.03	813.20	859.95	909.45	958.79	1027.42	1068.77
	54"(1372mm)	48"(1219mm)	S	UP-3554-FR MUB	780.75	823.22	871.47	922.53	973.43	1044.24	1086.91
	58"(1473mm)	52"(1321mm)	S	UP-3558-FR MUB	798.19	843.26	894.51	948.69	1002.71	1077.88	1123.19
	60"(1524mm)	54"(1372mm)	S	UP-3560-FR MUB	806.91	853.28	906.03	961.77	1017.35	1094.70	1141.33
	64"(1626mm)	58"(1473mm)	S	UP-3564-FR MUB	851.60	900.57	956.32	1015.18	1073.88	1155.59	1204.86
	66"(1676mm)	60"(1524mm)	S	UP-3566-FR MUB	860.32	910.59	967.84	1028.26	1088.52	1172.41	1223.00
	70"(1778mm)	64"(1626mm)	S	UP-3570-FR MUB	877.76	930.63	990.88	1054.42	1117.80	1206.05	1259.28
	72"(1829mm)	66"(1676mm)	S	UP-3572-FR MUB	886.48	940.65	1002.40	1067.50	1132.44	1222.87	1277.42
	76"(1930mm)	70"(1778mm)	S	UP-3576-FR MUB	903.92	960.69	1025.44	1093.66	1161.72	1256.51	1313.70
	82"(2083mm)	76"(1930mm)	S	UP-3582-FR MUB	930.08	990.75	1060.00	1132.90	1205.64	1306.97	1368.12
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth											
27"(686mm)	34"(864mm)	28"(711mm)	S	UP-2734-FR MUC	\$ 669.57	\$ 694.46	\$ 722.57	\$ 752.45	\$ 782.25	\$ 823.68	\$ 848.51
	40"(1016mm)	34"(864mm)	S	UP-2740-FR MUC	695.73	724.52	757.13	791.69	826.17	874.14	902.93
	46"(1168mm)	40"(1016mm)	S	UP-2746-FR MUC	721.89	754.58	791.69	830.93	870.09	924.60	957.35
	48"(1219mm)	42"(1067mm)	S	UP-2748-FR MUC	730.61	764.60	803.21	844.01	884.73	941.42	975.49
	52"(1321mm)	46"(1168mm)	S	UP-2752-FR MUC	748.05	784.64	826.25	870.17	914.01	975.06	1011.77
	54"(1372mm)	48"(1219mm)	S	UP-2754-FR MUC	756.77	794.66	837.77	883.25	928.65	991.88	1029.91
	58"(1473mm)	52"(1321mm)	S	UP-2758-FR MUC	774.21	814.70	860.81	909.41	957.93	1025.52	1066.19
	60"(1524mm)	54"(1372mm)	S	UP-2760-FR MUC	782.93	824.72	872.33	922.49	972.57	1042.34	1084.33
	64"(1626mm)	58"(1473mm)	S	UP-2764-FR MUC	827.62	872.01	922.62	975.90	1029.10	1103.23	1147.86
	66"(1676mm)	60"(1524mm)	S	UP-2766-FR MUC	836.34	882.03	934.14	988.98	1043.74	1120.05	1166.00
	70"(1778mm)	64"(1626mm)	S	UP-2770-FR MUC	853.78	902.07	957.18	1015.14	1073.02	1153.69	1202.28
	72"(1829mm)	66"(1676mm)	S	UP-2772-FR MUC	862.50	912.09	968.70	1028.22	1087.66	1170.51	1220.42
	76"(1930mm)	70"(1778mm)	S	UP-2776-FR MUC	879.94	932.13	991.74	1054.38	1116.94	1204.15	1256.70
	82"(2083mm)	76"(1930mm)	S	UP-2782-FR MUC	906.10	962.19	1026.30	1093.62	1160.86	1254.61	1311.12
35"(889mm)	34"(864mm)	28"(711mm)	S	UP-3534-FR MUC	\$ 713.17	\$ 744.62	\$ 780.09	\$ 817.89	\$ 855.53	\$ 907.84	\$ 939.23
	40"(1016mm)	34"(864mm)	S	UP-3540-FR MUC	739.33	774.68	814.65	857.13	899.45	958.30	993.65
	46"(1168mm)	40"(1016mm)	S	UP-3546-FR MUC	765.49	804.74	849.21	896.37	943.37	1008.76	1048.07
	48"(1219mm)	42"(1067mm)	S	UP-3548-FR MUC	774.21	814.76	860.73	909.45	958.01	1025.58	1066.21
	52"(1321mm)	46"(1168mm)	S	UP-3552-FR MUC	791.65	834.80	883.77	935.61	987.29	1059.22	1102.49
	54"(1372mm)	48"(1219mm)	S	UP-3554-FR MUC	800.37	844.82	895.29	948.69	1001.93	1076.04	1120.63
	58"(1473mm)	52"(1321mm)	S	UP-3558-FR MUC	817.81	864.86	918.33	974.85	1031.21	1109.68	1156.91
	60"(1524mm)	54"(1372mm)	S	UP-3560-FR MUC	826.53	874.88	929.85	987.93	1045.85	1126.50	1175.05
	64"(1626mm)	58"(1473mm)	S	UP-3564-FR MUC	871.22	922.17	980.14	1041.34	1102.38	1187.39	1238.58
	66"(1676mm)	60"(1524mm)	S	UP-3566-FR MUC	879.94	932.19	991.66	1054.42	1117.02	1204.21	1256.72
	70"(1778mm)	64"(1626mm)	S	UP-3570-FR MUC	897.38	952.23	1014.70	1080.58	1146.30	1237.85	1293.00
	72"(1829mm)	66"(1676mm)	S	UP-3572-FR MUC	906.10	962.25	1026.22	1093.66	1160.94	1254.67	1311.14
	76"(1930mm)	70"(1778mm)	S	UP-3576-FR MUC	923.54	982.29	1049.26	1119.82	1190.22	1288.31	1347.42
	82"(2083mm)	76"(1930mm)	S	UP-3582-FR MUC	949.70	1012.35	1083.82	1159.06	1234.14	1338.77	1401.84

Compose Echo

Corner Screen – Modesty or No Modesty

Rectangular Radius Corner Height Adjustable Tables



Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Square or rounded edge detail available on screen.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.

Specification Tips

- Designed to be used with Compose Echo Height Adjustable Table - Rectangular Radius Corner or Worksurfaces with 6\"/>
- Compose Echo Height Adjustable Tables 46\"/>
- Compose Echo Height Adjustable Tables 58\"/>
- L bracket locations on the screen cannot be field modified.
- Refer to Specification Guide for bracket and screen dimensions.
- Not for use with screen rails, Fixed Height Adjustable Tables, X Series Desks and Private Office.
- **Cannot mount to the knife edge of a worksurface.**
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Corner Screen for Rectangular Radius Corner is designed for use with worksurface guard rail.
- Corner Screen with modesty cannot be used with onboard storage.
- Not for use with Planes Dual Stage Low, Planes Dual Stage High, or Planes LT Height Adjustable Dual Stage Low Benching.
- Screen specification:
 - Screen is designed to wrap one side (depth and width) of a rectangular worksurface. Screen stops 6\"/>
 - **Screen depth will not match worksurface depth:**
 23\"/>
 - **Ensure perimeter of the height adjustable table and attached components when operated are at least 1\"/>
 - See product specific Specification Guide/Product Application pages for guidelines on pinch points when a Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19\"/>
 - 27\"/>
- Screen mounting for screens with modesty:
 - 27\"/>
 - 35\"/>
- Screen Thickness:
 - Fabric – 0.56\"/>
- Fabric application guidelines:
 - 54\"/>
 - 60\"/>
 - 66\"/>

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
- S** Square

2 Orientation:

- L** Left-hand
- R** Right-hand

2) Fabric color.

3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo


Corner Screen – Modesty or No Modesty

Height	Nominal Width	Actual Width	Number		Fabric							
			①	②	A	B	C	D	E	F	G	
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth												
19"(483mm)	46"(1168mm)	40"(1016mm)	S	UP-1946-FP	NUB	\$ 604.17	\$ 628.32	\$ 655.85	\$ 684.83	\$ 713.81	\$ 754.14	\$ 778.41
	54"(1372mm)	48"(1219mm)	S	UP-1954-FP	NUB	639.05	668.40	701.93	737.15	772.37	821.42	850.97
	58"(1473mm)	52"(1321mm)	S	UP-1958-FP	NUB	656.49	688.44	724.97	763.31	801.65	855.06	887.25
	64"(1626mm)	58"(1473mm)	S	UP-1964-FP	NUB	709.90	745.75	786.78	829.80	872.82	932.77	968.92
	70"(1778mm)	64"(1626mm)	S	UP-1970-FP	NUB	736.06	775.81	821.34	869.04	916.74	983.23	1023.34
27"(686mm)	46"(1168mm)	40"(1016mm)	S	UP-2746-FP	NUB	\$ 729.52	\$ 760.23	\$ 795.12	\$ 832.02	\$ 868.84	\$ 920.05	\$ 950.88
	54"(1372mm)	48"(1219mm)	S	UP-2754-FP	NUB	764.40	800.31	841.20	884.34	927.40	987.33	1023.44
	58"(1473mm)	52"(1321mm)	S	UP-2758-FP	NUB	781.84	820.35	864.24	910.50	956.68	1020.97	1059.72
	64"(1626mm)	58"(1473mm)	S	UP-2764-FP	NUB	835.25	877.66	926.05	976.99	1027.85	1098.68	1141.39
	70"(1778mm)	64"(1626mm)	S	UP-2770-FP	NUB	861.41	907.72	960.61	1016.23	1071.77	1149.14	1195.81
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth												
19"(483mm)	46"(1168mm)	40"(1016mm)	S	UP-1946-FP	NUC	\$ 623.79	\$ 649.92	\$ 679.67	\$ 710.99	\$ 742.31	\$ 785.94	\$ 812.13
	54"(1372mm)	48"(1219mm)	S	UP-1954-FP	NUC	658.67	690.00	725.75	763.31	800.87	853.22	884.69
	58"(1473mm)	52"(1321mm)	S	UP-1958-FP	NUC	676.11	710.04	748.79	789.47	830.15	886.86	920.97
	64"(1626mm)	58"(1473mm)	S	UP-1964-FP	NUC	729.52	767.35	810.60	855.96	901.32	964.57	1002.64
	70"(1778mm)	64"(1626mm)	S	UP-1970-FP	NUC	755.68	797.41	845.16	895.20	945.24	1015.03	1057.06
27"(686mm)	46"(1168mm)	40"(1016mm)	S	UP-2746-FP	NUC	\$ 749.14	\$ 781.83	\$ 818.94	\$ 858.18	\$ 897.34	\$ 951.85	\$ 984.60
	54"(1372mm)	48"(1219mm)	S	UP-2754-FP	NUC	784.02	821.91	865.02	910.50	955.90	1019.13	1057.16
	58"(1473mm)	52"(1321mm)	S	UP-2758-FP	NUC	801.46	841.95	888.06	936.66	985.18	1052.77	1093.44
	64"(1626mm)	58"(1473mm)	S	UP-2764-FP	NUC	854.87	899.26	949.87	1003.15	1056.35	1130.48	1175.11
	70"(1778mm)	64"(1626mm)	S	UP-2770-FP	NUC	881.03	929.32	984.43	1042.39	1100.27	1180.94	1229.53
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth												
27"(686mm)	46"(1168mm)	40"(1016mm)	S	UP-2746-FP	MUB	\$ 729.52	\$ 760.23	\$ 795.12	\$ 832.02	\$ 868.84	\$ 920.05	\$ 950.88
	54"(1372mm)	48"(1219mm)	S	UP-2754-FP	MUB	764.40	800.31	841.20	884.34	927.40	987.33	1023.44
	58"(1473mm)	52"(1321mm)	S	UP-2758-FP	MUB	781.84	820.35	864.24	910.50	956.68	1020.97	1059.72
	64"(1626mm)	58"(1473mm)	S	UP-2764-FP	MUB	835.25	877.66	926.05	976.99	1027.85	1098.68	1141.39
	70"(1778mm)	64"(1626mm)	S	UP-2770-FP	MUB	861.41	907.72	960.61	1016.23	1071.77	1149.14	1195.81
35"(889mm)	46"(1168mm)	40"(1016mm)	S	UP-3546-FP	MUB	\$ 773.12	\$ 810.39	\$ 852.64	\$ 897.46	\$ 942.12	\$ 1004.21	\$ 1041.60
	54"(1372mm)	48"(1219mm)	S	UP-3554-FP	MUB	808.00	850.47	898.72	949.78	1000.68	1071.49	1114.16
	58"(1473mm)	52"(1321mm)	S	UP-3558-FP	MUB	825.44	870.51	921.76	975.94	1029.96	1105.13	1150.44
	64"(1626mm)	58"(1473mm)	S	UP-3564-FP	MUB	878.85	927.82	983.57	1042.43	1101.13	1182.84	1232.11
	70"(1778mm)	64"(1626mm)	S	UP-3570-FP	MUB	905.01	957.88	1018.13	1081.67	1145.05	1233.30	1286.53
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth												
27"(686mm)	46"(1168mm)	40"(1016mm)	S	UP-2746-FP	MUC	\$ 749.14	\$ 781.83	\$ 818.94	\$ 858.18	\$ 897.34	\$ 951.85	\$ 984.60
	54"(1372mm)	48"(1219mm)	S	UP-2754-FP	MUC	784.02	821.91	865.02	910.50	955.90	1019.13	1057.16
	58"(1473mm)	52"(1321mm)	S	UP-2758-FP	MUC	801.46	841.95	888.06	936.66	985.18	1052.77	1093.44
	64"(1626mm)	58"(1473mm)	S	UP-2764-FP	MUC	854.87	899.26	949.87	1003.15	1056.35	1130.48	1175.11
	70"(1778mm)	64"(1626mm)	S	UP-2770-FP	MUC	881.03	929.32	984.43	1042.39	1100.27	1180.94	1229.53
35"(889mm)	46"(1168mm)	40"(1016mm)	S	UP-3546-FP	MUC	\$ 792.74	\$ 831.99	\$ 876.46	\$ 923.62	\$ 970.62	\$ 1036.01	\$ 1075.32
	54"(1372mm)	48"(1219mm)	S	UP-3554-FP	MUC	827.62	872.07	922.54	975.94	1029.18	1103.29	1147.88
	58"(1473mm)	52"(1321mm)	S	UP-3558-FP	MUC	845.06	892.11	945.58	1002.10	1058.46	1136.93	1184.16
	64"(1626mm)	58"(1473mm)	S	UP-3564-FP	MUC	898.47	949.42	1007.39	1068.59	1129.63	1214.64	1265.83
	70"(1778mm)	64"(1626mm)	S	UP-3570-FP	MUC	924.63	979.48	1041.95	1107.83	1173.55	1265.10	1320.25

Compose Echo

End Screen

Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables



STUE-FRNNUN
Class TR01

Features

- Includes fabric screen and attachment hardware.
- Fabric surface is tackable.
- Square or rounded edge detail available on screen.
- Screen and brackets are field installed.

Specification Tips

- Screens are non-load bearing and non-structural elements designed to provide privacy and space division.
- Designed to mount to worksurfaces along 24\"(610mm), 30\"(762mm) and 36\"(914mm) depths.
- **L bracket locations on screen cannot be field modified.**
- Screen width can be specified to match depth of worksurface or be less than worksurface size. **Screen cannot overhang component.**
- Not for use on:
 - Screen rails
 - Back of worksurface
 - Between in-line worksurfaces.
- Screen thickness is 0.56\"(14mm).
- 19\"(483mm)H screen :
 - Available with no modesty only.
 - Mounts 12.3\"(312mm) above WS and 5\"(127mm) from bottom of WS to bottom of screen.
- 27\"(686mm)H screen:
 - Available with or without modesty.
 - With modesty mounts 12.3\"(312mm) above WS and 13\"(330mm) from bottom of WS to bottom of screen.
 - No modesty mounts 20.3\"(516mm) above WS and 5\"(127mm) from bottom of WS to bottom of screen.
- 35\"(889mm)H screen:
 - Available with modesty only.
 - Mounts 20.3\"(508mm) above WS and 13\"(330mm) below WS.
- Refer to Specification Guide for bracket and screen dimensions.
- Check worksurface support for feasibility with screen.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

T Round

S Square

2 Modesty Option (27\"(686mm)H only):

N No Modesty

M Modesty

2) Fabric color.

3) Trim color for bracket.


Note: \$10.90 upcharge list for Grade B trim colors.

Height	Width	Number		Fabric						
		①	②	A	B	C	D	E	F	G
Adaptable Worksurfaces / Height Adjustable Benching										
19"(483mm)	24"(610mm)	S	UE-1924-FRNNUN	\$283.05	\$305.67	\$329.92	\$363.05	\$ 396.18	\$440.28	\$ 467.87
	30"(762mm)	S	UE-1930-FRNNUN	307.05	336.45	367.96	411.05	454.14	511.44	547.31
27"(686mm)	24"(610mm)	S	UE-2724-FRN UN	\$343.05	\$382.62	\$425.02	\$483.05	\$ 541.08	\$ 618.18	\$666.47
	30"(762mm)	S	UE-2730-FRN UN	367.05	413.40	463.06	513.05	599.04	689.34	745.91
35"(889mm)	24"(610mm)	S	UE-3524-FRNMUN	\$ 401.05	\$ 455.61	\$ 514.06	\$594.05	\$674.04	\$780.36	\$846.90
	30"(762mm)	S	UE-3530-FRNMUN	425.05	486.39	552.10	642.05	732.00	851.52	926.34
Height Adjustable Tables / Height Adjustable Benching										
19"(483mm)	23"(584mm)	S	UE-1923-FRNNUN	\$279.05	\$300.54	\$323.58	\$355.05	\$386.52	\$428.42	\$454.63
	29"(737mm)	S	UE-1929-FRNNUN	303.05	331.32	361.62	403.05	444.48	499.58	534.07
27"(686mm)	23"(584mm)	S	UE-2723-FRN UN	\$339.05	\$377.49	\$ 418.68	\$475.05	\$ 531.42	\$606.32	\$653.23
	29"(737mm)	S	UE-2729-FRN UN	363.05	408.27	456.72	523.05	589.38	677.48	732.67
35"(889mm)	23"(584mm)	S	UE-3523-FRNMUN	\$397.05	\$450.48	\$ 507.72	\$586.05	\$664.38	\$768.50	\$833.66
	29"(737mm)	S	UE-3529-FRNMUN	421.05	481.26	545.76	634.05	722.34	839.66	913.10

Compose Echo

Full Wrap Screen – Modesty or No Modesty

Rectangular Height Adjustable Tables



STUF
Class TR01

Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Square or rounded edge detail available on screen.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Height Adjustable Tables only.
 - **Not for use on Height Adjustable Benching.**
 - Height Adjustable Tables (Planes, Planes LT and Upside) can be mounted with a 0.5" (13mm) gap or flush.
 - Compose Echo Height Adjustable Tables 46" (1168mm) and 54" (1372mm)W are mounted with a 0.5" (13mm) gap.
 - Compose Echo Height Adjustable Tables 58" (1473mm), 64" (1626mm) and 70" (1778mm)W are mounted flush or with a 0.5" (13mm) gap.
 - **L bracket locations on the screen cannot be field modified.**
- Refer to Specification Guide for bracket and screen dimensions.
- Not for use with screen rails.
- Cannot mount to the knife edge of a worksurface.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Full Wrap Screen for Rectangular Worksurface is not designed for use with worksurface guard rail.
- Full Wrap Screen with modesty mounted on Compose Echo Height Adjustable Table cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap fully around the depth and width of a rectangular worksurface. **Screen width must match table width. Screen cannot overhang component.**
 - **Screen depth will not match worksurface depth:**
 23" (584mm)/24" (610mm) is 16" (406mm)
 29" (737mm)/30" (762mm) is 22" (559mm)
 - **Ensure perimeter of the height adjustable table and attached components when operated are at least 1" (25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when a Height Adjustable Table is surrounded by walls, panels and/or other workspaces.**
- Screen mounting for screens without modesty:
 - 19" (483mm)H: 12.31" (305mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
 - 27" (686mm)H: 20.31" (508mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27" (686mm)H: 12.31" (313mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 35" (889mm)H: 20.31" (516mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56" (14mm)
- Fabric application guidelines:
 - 54" (1372mm)W rolls require railroad on screens >52" (1321mm)
 - 60" (1524mm) and 66" (1676mm)W rolls require railroad on screens >60" (1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

T Round

S Square

2) Fabric color.

3) Trim color for bracket.

Note: \$10.90 upcharge list for Grade B trim colors.

Compose Echo

Full Wrap Screen – Modesty or No Modesty

Height	Width	Number ①	Fabric A	B	C	D	E	F	G
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
19"(483mm)	34"(864mm)	S UF-1934-FRNNUB	\$ 813.45	\$ 829.80	\$ 848.33	\$ 867.95	\$ 887.57	\$ 914.82	\$ 931.17
	40"(1016mm)	S UF-1940-FRNNUB	839.61	859.86	882.89	907.19	931.49	965.28	985.59
	46"(1168mm)	S UF-1946-FRNNUB	865.77	889.92	917.45	946.43	975.41	1015.74	1040.01
	48"(1219mm)	S UF-1948-FRNNUB	874.49	899.94	928.97	959.51	990.05	1032.56	1058.15
	52"(1321mm)	S UF-1952-FRNNUB	891.93	919.98	952.01	985.67	1019.33	1066.20	1094.43
	54"(1372mm)	S UF-1954-FRNNUB	900.65	930.00	963.53	998.75	1033.97	1083.02	1112.57
	58"(1473mm)	S UF-1958-FRNNUB	918.09	950.04	986.57	1024.91	1063.25	1116.66	1148.85
	60"(1524mm)	S UF-1960-FRNNUB	926.81	960.06	998.09	1037.99	1077.89	1133.48	1166.99
	64"(1626mm)	S UF-1964-FRNNUB	971.50	1007.35	1048.38	1091.40	1134.42	1194.37	1230.52
	66"(1676mm)	S UF-1966-FRNNUB	980.22	1017.37	1059.90	1104.48	1149.06	1211.19	1248.66
	70"(1778mm)	S UF-1970-FRNNUB	997.66	1037.41	1082.94	1130.64	1178.34	1244.83	1284.94
	72"(1829mm)	S UF-1972-FRNNUB	1006.38	1047.43	1094.46	1143.72	1192.98	1261.65	1303.08
	76"(1930mm)	S UF-1976-FRNNUB	1307.22	1350.87	1400.90	1453.28	1505.66	1578.69	1622.76
	82"(2083mm)	S UF-1982-FRNNUB	1333.38	1380.93	1435.46	1492.52	1549.58	1629.15	1677.18
27"(686mm)	34"(864mm)	S UF-2734-FRNNUB	\$ 993.30	\$ 1016.21	\$ 1042.10	\$1069.64	\$ 1097.10	\$ 1135.23	\$ 1158.14
	40"(1016mm)	S UF-2740-FRNNUB	1019.46	1046.27	1076.66	1108.88	1141.02	1185.69	1212.56
	46"(1168mm)	S UF-2746-FRNNUB	1045.62	1076.33	1111.22	1148.12	1184.94	1236.15	1266.98
	48"(1219mm)	S UF-2748-FRNNUB	1054.34	1086.35	1122.74	1161.20	1199.58	1252.97	1285.12
	52"(1321mm)	S UF-2752-FRNNUB	1071.78	1106.39	1145.78	1187.36	1228.86	1286.61	1321.40
	54"(1372mm)	S UF-2754-FRNNUB	1080.50	1116.41	1157.30	1200.44	1243.50	1303.43	1339.54
	58"(1473mm)	S UF-2758-FRNNUB	1097.94	1136.45	1180.34	1226.60	1272.78	1337.07	1375.82
	60"(1524mm)	S UF-2760-FRNNUB	1106.66	1146.47	1191.86	1239.68	1287.42	1353.89	1393.96
	64"(1626mm)	S UF-2764-FRNNUB	1151.35	1193.76	1242.15	1293.09	1343.95	1414.78	1457.49
	66"(1676mm)	S UF-2766-FRNNUB	1160.07	1203.78	1253.67	1306.17	1358.59	1431.60	1475.63
	70"(1778mm)	S UF-2770-FRNNUB	1177.51	1223.82	1276.71	1332.33	1387.87	1465.24	1511.91
	72"(1829mm)	S UF-2772-FRNNUB	1186.23	1233.84	1288.23	1345.41	1402.51	1482.06	1530.05
	76"(1930mm)	S UF-2776-FRNNUB	1487.07	1537.28	1594.67	1654.97	1715.19	1799.10	1849.73
	82"(2083mm)	S UF-2782-FRNNUB	1513.23	1567.34	1629.23	1694.21	1759.11	1849.56	1904.15
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
19"(483mm)	34"(864mm)	S UF-1934-FRNNUC	\$ 833.07	\$ 851.40	\$ 872.15	\$ 894.11	\$ 916.07	\$ 946.62	\$ 964.89
	40"(1016mm)	S UF-1940-FRNNUC	859.23	881.46	906.71	933.35	959.99	997.08	1019.31
	46"(1168mm)	S UF-1946-FRNNUC	885.39	911.52	941.27	972.59	1003.91	1047.54	1073.73
	48"(1219mm)	S UF-1948-FRNNUC	894.11	921.54	952.79	985.67	1018.55	1064.36	1091.87
	52"(1321mm)	S UF-1952-FRNNUC	911.55	941.58	975.83	1011.83	1047.83	1098.00	1128.15
	54"(1372mm)	S UF-1954-FRNNUC	920.27	951.60	987.35	1024.91	1062.47	1114.82	1146.29
	58"(1473mm)	S UF-1958-FRNNUC	937.71	971.64	1010.39	1051.07	1091.75	1148.46	1182.57
	60"(1524mm)	S UF-1960-FRNNUC	946.43	981.66	1021.91	1064.15	1106.39	1165.28	1200.71
	64"(1626mm)	S UF-1964-FRNNUC	991.12	1028.95	1072.20	1117.56	1162.92	1226.17	1264.24
	66"(1676mm)	S UF-1966-FRNNUC	999.84	1038.97	1083.72	1130.64	1177.56	1242.99	1282.38
	70"(1778mm)	S UF-1970-FRNNUC	1017.28	1059.01	1106.76	1156.80	1206.84	1276.63	1318.66
	72"(1829mm)	S UF-1972-FRNNUC	1026.00	1069.03	1118.28	1169.88	1221.48	1293.45	1336.80
	76"(1930mm)	S UF-1976-FRNNUC	1326.84	1372.47	1424.72	1479.44	1534.16	1610.49	1656.48
	82"(2083mm)	S UF-1982-FRNNUC	1353.00	1402.53	1459.28	1518.68	1578.08	1660.95	1710.90
27"(686mm)	34"(864mm)	S UF-2734-FRNNUC	\$ 1012.92	\$ 1037.81	\$1065.92	\$1095.80	\$ 1125.60	\$ 1167.03	\$ 1191.86
	40"(1016mm)	S UF-2740-FRNNUC	1039.08	1067.87	1100.48	1135.04	1169.52	1217.49	1246.28
	46"(1168mm)	S UF-2746-FRNNUC	1065.24	1097.93	1135.04	1174.28	1213.44	1267.95	1300.70
	48"(1219mm)	S UF-2748-FRNNUC	1073.96	1107.95	1146.56	1187.36	1228.08	1284.77	1318.84
	52"(1321mm)	S UF-2752-FRNNUC	1091.40	1127.99	1169.60	1213.52	1257.36	1318.41	1355.12
	54"(1372mm)	S UF-2754-FRNNUC	1100.12	1138.01	1181.12	1226.60	1272.00	1335.23	1373.26
	58"(1473mm)	S UF-2758-FRNNUC	1117.56	1158.05	1204.16	1252.76	1301.28	1368.87	1409.54
	60"(1524mm)	S UF-2760-FRNNUC	1126.28	1168.07	1215.68	1265.84	1315.92	1385.69	1427.68
	64"(1626mm)	S UF-2764-FRNNUC	1170.97	1215.36	1265.97	1319.25	1372.45	1446.58	1491.21
	66"(1676mm)	S UF-2766-FRNNUC	1179.69	1225.38	1277.49	1332.33	1387.09	1463.40	1509.35
	70"(1778mm)	S UF-2770-FRNNUC	1197.13	1245.42	1300.53	1358.49	1416.37	1497.04	1545.63
	72"(1829mm)	S UF-2772-FRNNUC	1205.85	1255.44	1312.05	1371.57	1431.01	1513.86	1563.77
	76"(1930mm)	S UF-2776-FRNNUC	1506.69	1558.88	1618.49	1681.13	1743.69	1830.90	1883.45
	82"(2083mm)	S UF-2782-FRNNUC	1532.85	1588.94	1653.05	1720.37	1787.61	1881.36	1937.87

Compose Echo


Full Wrap Screen – Modesty or No Modesty

Height	Width	Number ①	Fabric A	B	C	D	E	F	G
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
27"(686mm)	34"(864mm)	S UF-2734-FRNMUB	\$ 993.30	\$ 1016.21	\$ 1042.10	\$1069.64	\$ 1097.10	\$ 1135.23	\$ 1158.14
	40"(1016mm)	S UF-2740-FRNMUB	1019.46	1046.27	1076.66	1108.88	1141.02	1185.69	1212.56
	46"(1168mm)	S UF-2746-FRNMUB	1045.62	1076.33	1111.22	1148.12	1184.94	1236.15	1266.98
	48"(1219mm)	S UF-2748-FRNMUB	1054.34	1086.35	1122.74	1161.20	1199.58	1252.97	1285.12
	52"(1321mm)	S UF-2752-FRNMUB	1071.78	1106.39	1145.78	1187.36	1228.86	1286.61	1321.40
	54"(1372mm)	S UF-2754-FRNMUB	1080.50	1116.41	1157.30	1200.44	1243.50	1303.43	1339.54
	58"(1473mm)	S UF-2758-FRNMUB	1097.94	1136.45	1180.34	1226.60	1272.78	1337.07	1375.82
	60"(1524mm)	S UF-2760-FRNMUB	1106.66	1146.47	1191.86	1239.68	1287.42	1353.89	1393.96
	64"(1626mm)	S UF-2764-FRNMUB	1151.35	1193.76	1242.15	1293.09	1343.95	1414.78	1457.49
	66"(1676mm)	S UF-2766-FRNMUB	1160.07	1203.78	1253.67	1306.17	1358.59	1431.60	1475.63
	70"(1778mm)	S UF-2770-FRNMUB	1177.51	1223.82	1276.71	1332.33	1387.87	1465.24	1511.91
	72"(1829mm)	S UF-2772-FRNMUB	1186.23	1233.84	1288.23	1345.41	1402.51	1482.06	1530.05
	76"(1930mm)	S UF-2776-FRNMUB	1487.07	1537.28	1594.67	1654.97	1715.19	1799.10	1849.73
	82"(2083mm)	S UF-2782-FRNMUB	1513.23	1567.34	1629.23	1694.21	1759.11	1849.56	1904.15
35"(889mm)	34"(864mm)	S UF-3534-FRNMUB	\$1036.90	\$1066.37	\$1099.62	\$ 1135.08	\$ 1170.38	\$ 1219.39	\$ 1248.86
	40"(1016mm)	S UF-3540-FRNMUB	1063.06	1096.43	1134.18	1174.32	1214.30	1269.85	1303.28
	46"(1168mm)	S UF-3546-FRNMUB	1089.22	1126.49	1168.74	1213.56	1258.22	1320.31	1357.70
	48"(1219mm)	S UF-3548-FRNMUB	1097.94	1136.51	1180.26	1226.64	1272.86	1337.13	1375.84
	52"(1321mm)	S UF-3552-FRNMUB	1115.38	1156.55	1203.30	1252.80	1302.14	1370.77	1412.12
	54"(1372mm)	S UF-3554-FRNMUB	1124.10	1166.57	1214.82	1265.88	1316.78	1387.59	1430.26
	58"(1473mm)	S UF-3558-FRNMUB	1141.54	1186.61	1237.86	1292.04	1346.06	1421.23	1466.54
	60"(1524mm)	S UF-3560-FRNMUB	1150.26	1196.63	1249.38	1305.12	1360.70	1438.05	1484.68
	64"(1626mm)	S UF-3564-FRNMUB	1194.95	1243.92	1299.67	1358.53	1417.23	1498.94	1548.21
	66"(1676mm)	S UF-3566-FRNMUB	1203.67	1253.94	1311.19	1371.61	1431.87	1515.76	1566.35
	70"(1778mm)	S UF-3570-FRNMUB	1221.11	1273.98	1334.23	1397.77	1461.15	1549.40	1602.63
	72"(1829mm)	S UF-3572-FRNMUB	1229.83	1284.00	1345.75	1410.85	1475.79	1566.22	1620.77
	76"(1930mm)	S UF-3576-FRNMUB	1530.67	1587.44	1652.19	1720.41	1788.47	1883.26	1940.45
	82"(2083mm)	S UF-3582-FRNMUB	1556.83	1617.50	1686.75	1759.65	1832.39	1933.72	1994.87
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
27"(686mm)	34"(864mm)	S UF-2734-FRNMUC	\$ 1012.92	\$ 1037.81	\$1065.92	\$1095.80	\$ 1125.60	\$ 1167.03	\$ 1191.86
	40"(1016mm)	S UF-2740-FRNMUC	1039.08	1067.87	1100.48	1135.04	1169.52	1217.49	1246.28
	46"(1168mm)	S UF-2746-FRNMUC	1065.24	1097.93	1135.04	1174.28	1213.44	1267.95	1300.70
	48"(1219mm)	S UF-2748-FRNMUC	1073.96	1107.95	1146.56	1187.36	1228.08	1284.77	1318.84
	52"(1321mm)	S UF-2752-FRNMUC	1091.40	1127.99	1169.60	1213.52	1257.36	1318.41	1355.12
	54"(1372mm)	S UF-2754-FRNMUC	1100.12	1138.01	1181.12	1226.60	1272.00	1335.23	1373.26
	58"(1473mm)	S UF-2758-FRNMUC	1117.56	1158.05	1204.16	1252.76	1301.28	1368.87	1409.54
	60"(1524mm)	S UF-2760-FRNMUC	1126.28	1168.07	1215.68	1265.84	1315.92	1385.69	1427.68
	64"(1626mm)	S UF-2764-FRNMUC	1170.97	1215.36	1265.97	1319.25	1372.45	1446.58	1491.21
	66"(1676mm)	S UF-2766-FRNMUC	1179.69	1225.38	1277.49	1332.33	1387.09	1463.40	1509.35
	70"(1778mm)	S UF-2770-FRNMUC	1197.13	1245.42	1300.53	1358.49	1416.37	1497.04	1545.63
	72"(1829mm)	S UF-2772-FRNMUC	1205.85	1255.44	1312.05	1371.57	1431.01	1513.86	1563.77
	76"(1930mm)	S UF-2776-FRNMUC	1506.69	1558.88	1618.49	1681.13	1743.69	1830.90	1883.45
	82"(2083mm)	S UF-2782-FRNMUC	1532.85	1588.94	1653.05	1720.37	1787.61	1881.36	1937.87
35"(889mm)	34"(864mm)	S UF-3534-FRNMUC	\$1056.52	\$ 1087.97	\$ 1123.44	\$ 1161.24	\$ 1198.88	\$ 1251.19	\$ 1282.58
	40"(1016mm)	S UF-3540-FRNMUC	1082.68	1118.03	1158.00	1200.48	1242.80	1301.65	1337.00
	46"(1168mm)	S UF-3546-FRNMUC	1108.84	1148.09	1192.56	1239.72	1286.72	1352.11	1391.42
	48"(1219mm)	S UF-3548-FRNMUC	1117.56	1158.11	1204.08	1252.80	1301.36	1368.93	1409.56
	52"(1321mm)	S UF-3552-FRNMUC	1135.00	1178.15	1227.12	1278.96	1330.64	1402.57	1445.84
	54"(1372mm)	S UF-3554-FRNMUC	1143.72	1188.17	1238.64	1292.04	1345.28	1419.39	1463.98
	58"(1473mm)	S UF-3558-FRNMUC	1161.16	1208.21	1261.68	1318.20	1374.56	1453.03	1500.26
	60"(1524mm)	S UF-3560-FRNMUC	1169.88	1218.23	1273.20	1331.28	1389.20	1469.85	1518.40
	64"(1626mm)	S UF-3564-FRNMUC	1214.57	1265.52	1323.49	1384.69	1445.73	1530.74	1581.93
	66"(1676mm)	S UF-3566-FRNMUC	1223.29	1275.54	1335.01	1397.77	1460.37	1547.56	1600.07
	70"(1778mm)	S UF-3570-FRNMUC	1240.73	1295.58	1358.05	1423.93	1489.65	1581.20	1636.35
	72"(1829mm)	S UF-3572-FRNMUC	1249.45	1305.60	1369.57	1437.01	1504.29	1598.02	1654.49
	76"(1930mm)	S UF-3576-FRNMUC	1550.29	1609.04	1676.01	1746.57	1816.97	1915.06	1974.17
	82"(2083mm)	S UF-3582-FRNMUC	1576.45	1639.10	1710.57	1785.81	1860.89	1965.52	2028.59

Compose Echo

Full Wrap Screen – Modesty or No Modesty

Rectangular Radius Corner Height Adjustable Table



STUF
Class TR01

Features

- Includes fabric screen, L brackets and attachment hardware.
- Fabric surface is tackable.
- Available with a modesty or no modesty.
- Square or rounded edge detail available on screen.
- Screen and brackets are field installed.
- Bracket location on screen is fixed.
- Depth and width shown in nominal dimensions.

Specification Tips

- Designed to be used with Compose Echo Height Adjustable Table - Rectangular Radius Corner or Worksurfaces with 6" (152mm) radius corner only.

–Not for use on Height Adjustable Benching or non-radius corners Worksurfaces.

- Compose Echo Height Adjustable Tables 46" (1168mm) and 54" (1372mm)W are mounted with a 0.5" (13mm) gap.
- Compose Echo Height Adjustable Tables 58" (1473mm), 64" (1626mm) and 70" (1778mm)W are mounted flush or with a 0.5" (13mm) gap.

–L bracket locations on the screen cannot be field modified.

- Refer to Specification Guide for bracket and screen dimensions.
- Not for use with screen rails.
- Cannot mount to the knife edge of a worksurface.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Full Wrap Screen for Rectangular Radius Corner is not designed for use with worksurface guard rail.
- Full Wrap Screen with modesty cannot be used with onboard storage.
- Screen specification:
 - Screen is designed to wrap fully around the depth and width of a rectangular worksurface. **Screen width must match table width. Screen cannot overhang component.**
 - Screen depth will not match worksurface depth:**
23" (584mm)/24" (610mm) is 16" (406mm)
29" (737mm)/30" (762mm) is 22" (559mm)
 - Ensure perimeter of height adjustable table and attached components when operated are at least 1" (25mm) from adjacent objects. See product specific Specification Guide/Product Application pages for guidelines on pinch points when Height Adjustable Table is surrounded by walls, panels and/or other worksurfaces.**
- Screen mounting for screens without modesty:
 - 19" (483mm)H: 12.31" (313mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
 - 27" (686mm)H: 20.31" (516mm) above worksurface; 5" (127mm) from bottom of worksurface to bottom of screen
- Screen mounting for screens with modesty:
 - 27" (686mm)H: 12.31" (313mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
 - 35" (889mm)H: 20.31" (516mm) above worksurface; 13" (330mm) from bottom of worksurface to bottom of screen
- Screen Thickness:
 - Fabric – 0.56" (14mm)
- Fabric application guidelines:
 - 54" (1372mm)W rolls require railroad on screens >52" (1321mm)
 - 60" (1524mm) and 66" (1676mm)W rolls require railroad on screens >60" (1524mm)

Note: Compose Echo screens without modesty are compatible with the onboard storage mounted on Compose Echo tables.

To Order, Specify:

- 1) Product number, including:

① Screen Edge Option:

T Round

S Square

- 2) Fabric color.

- 3) Trim color for bracket.

Note: **\$10.90** upcharge list for Grade B trim colors.

Compose Echo



Full Wrap Screen – Modesty or No Modesty

Height	Width	Number ①	Fabric A	B	C	D	E	F	G
No Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
19"(483mm)	46"(1168mm)	S UF-1946-FPNNUB	\$ 893.02	\$ 917.17	\$ 944.70	\$ 973.68	\$1002.66	\$1042.99	\$1067.26
	54"(1372mm)	S UF-1954-FPNNUB	927.90	957.25	990.78	1026.00	1061.22	1110.27	1139.82
	58"(1473mm)	S UF-1958-FPNNUB	945.34	977.29	1013.82	1052.16	1090.50	1143.91	1176.10
	64"(1626mm)	S UF-1964-FPNNUB	998.75	1034.60	1075.63	1118.65	1161.67	1221.62	1257.77
	70"(1778mm)	S UF-1970-FPNNUB	1024.91	1064.66	1110.19	1157.89	1205.59	1272.08	1312.19
27"(686mm)	46"(1168mm)	S UF-2746-FPNNUB	\$1072.87	\$ 1103.58	\$ 1138.47	\$ 1175.37	\$ 1212.19	\$1263.40	\$1294.23
	54"(1372mm)	S UF-2754-FPNNUB	1107.75	1143.66	1184.55	1227.69	1270.75	1330.68	1366.79
	58"(1473mm)	S UF-2758-FPNNUB	1125.19	1163.70	1207.59	1253.85	1300.03	1364.32	1403.07
	64"(1626mm)	S UF-2764-FPNNUB	1178.60	1221.01	1269.40	1320.34	1371.20	1442.03	1484.74
	70"(1778mm)	S UF-2770-FPNNUB	1204.76	1251.07	1303.96	1359.58	1415.12	1492.49	1539.16
No Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
19"(483mm)	46"(1168mm)	S UF-1946-FPNNUC	\$ 912.64	\$ 938.77	\$ 968.52	\$ 999.84	\$ 1031.16	\$ 1074.79	\$ 1100.98
	54"(1372mm)	S UF-1954-FPNNUC	947.52	978.85	1014.60	1052.16	1089.72	1142.07	1173.54
	58"(1473mm)	S UF-1958-FPNNUC	964.96	998.89	1037.64	1078.32	1119.00	1175.71	1209.82
	64"(1626mm)	S UF-1964-FPNNUC	1018.37	1056.20	1099.45	1144.81	1190.17	1253.42	1291.49
	70"(1778mm)	S UF-1970-FPNNUC	1044.53	1086.26	1134.01	1184.05	1234.09	1303.88	1345.91
27"(686mm)	46"(1168mm)	S UF-2746-FPNNUC	\$1092.49	\$ 1125.18	\$ 1162.29	\$ 1201.53	\$ 1240.69	\$1295.20	\$ 1327.95
	54"(1372mm)	S UF-2754-FPNNUC	1127.37	1165.26	1208.37	1253.85	1299.25	1362.48	1400.51
	58"(1473mm)	S UF-2758-FPNNUC	1144.81	1185.30	1231.41	1280.01	1328.53	1396.12	1436.79
	64"(1626mm)	S UF-2764-FPNNUC	1198.22	1242.61	1293.22	1346.50	1399.70	1473.83	1518.46
	70"(1778mm)	S UF-2770-FPNNUC	1224.38	1272.67	1327.78	1385.74	1443.62	1524.29	1572.88
Modesty for use with 23"(584mm) or 24"(610mm) Table Depth									
27"(686mm)	46"(1168mm)	S UF-2746-FPNMUB	\$1072.87	\$ 1103.58	\$ 1138.47	\$ 1175.37	\$ 1212.19	\$1263.40	\$1294.23
	54"(1372mm)	S UF-2754-FPNMUB	1107.75	1143.66	1184.55	1227.69	1270.75	1330.68	1366.79
	58"(1473mm)	S UF-2758-FPNMUB	1125.19	1163.70	1207.59	1253.85	1300.03	1364.32	1403.07
	64"(1626mm)	S UF-2764-FPNMUB	1178.60	1221.01	1269.40	1320.34	1371.20	1442.03	1484.74
	70"(1778mm)	S UF-2770-FPNMUB	1204.76	1251.07	1303.96	1359.58	1415.12	1492.49	1539.16
35"(889mm)	46"(1168mm)	S UF-3546-FPNMUB	\$ 1116.47	\$ 1153.74	\$ 1195.99	\$ 1240.81	\$ 1285.47	\$ 1347.56	\$1384.95
	54"(1372mm)	S UF-3554-FPNMUB	1151.35	1193.82	1242.07	1293.13	1344.03	1414.84	1457.51
	58"(1473mm)	S UF-3558-FPNMUB	1168.79	1213.86	1265.11	1319.29	1373.31	1448.48	1493.79
	64"(1626mm)	S UF-3564-FPNMUB	1222.20	1271.17	1326.92	1385.78	1444.48	1526.19	1575.46
	70"(1778mm)	S UF-3570-FPNMUB	1248.36	1301.23	1361.48	1425.02	1488.40	1576.65	1629.88
Modesty for use with 29"(737mm) or 30"(762mm) Table Depth									
27"(686mm)	46"(1168mm)	S UF-2746-FPNMUC	\$1092.49	\$ 1125.18	\$ 1162.29	\$ 1201.53	\$ 1240.69	\$1295.20	\$ 1327.95
	54"(1372mm)	S UF-2754-FPNMUC	1127.37	1165.26	1208.37	1253.85	1299.25	1362.48	1400.51
	58"(1473mm)	S UF-2758-FPNMUC	1144.81	1185.30	1231.41	1280.01	1328.53	1396.12	1436.79
	64"(1626mm)	S UF-2764-FPNMUC	1198.22	1242.61	1293.22	1346.50	1399.70	1473.83	1518.46
	70"(1778mm)	S UF-2770-FPNMUC	1224.38	1272.67	1327.78	1385.74	1443.62	1524.29	1572.88
35"(889mm)	46"(1168mm)	S UF-3546-FPNMUC	\$ 1136.09	\$ 1175.34	\$ 1219.81	\$ 1266.97	\$ 1313.97	\$ 1379.36	\$ 1418.67
	54"(1372mm)	S UF-3554-FPNMUC	1170.97	1215.42	1265.89	1319.29	1372.53	1446.64	1491.23
	58"(1473mm)	S UF-3558-FPNMUC	1188.41	1235.46	1288.93	1345.45	1401.81	1480.28	1527.51
	64"(1626mm)	S UF-3564-FPNMUC	1241.82	1292.77	1350.74	1411.94	1472.98	1557.99	1609.18
	70"(1778mm)	S UF-3570-FPNMUC	1267.98	1322.83	1385.30	1451.18	1516.90	1608.45	1663.60

Compose Echo

Territory Screen

Height Adjustable Benching and Tables, Intuity Benching, Adaptable WS, Private Office



STUD
SSUD
Class TR01

Features

- Includes fabric screen, screen channel, channel supports, end caps, double-sided tape and all necessary hardware.
- Fabric surface is tackable.
- Square or rounded corner edge detail available on screen.
- Channel is inset 2.125" (54mm) on each side of screen.
- Screens slides over vertical supports on the channel rail.
- Screen and components are field installed.

Specification Tips

- Screens are non-load bearing and non-structural elements designed to provide privacy and space division.
- Designed for use on Height Adjustable Benching and Tables, Intuity Benching with or without Access Hatch, Adaptable Worksurfaces and private office applications.
- When using on radius edged worksurfaces, screen must be inset 6" (152mm) from side edges of the worksurface.
- Screen width must match or be smaller than worksurface depth. Screen may not overhang surface.
- 20" (508mm) and 26" (660mm) W screens for use with Intuity Benching with Access Hatch only.
- 23" (584mm) and 29" (737mm) W screens for use with both Height Adjustable Benching and Tables.
- 24" (610mm) W and 30" (762mm) W screens for use with Height Adjustable Benching, Intuity with Access Hatch, Adaptable Worksurfaces and Private Office applications.
- Not for use with:
 - Belong work rail or work tools.
- Refer to Specification Guide for additional details and application guidelines.

To Order, Specify:

1) Product number, including:

1 Screen Edge Option:

- T** Rounded
S Square

2) Fabric color.

3) Trim color.


Note: \$10.90 list upcharge for Grade B trim colors.

Height	Nominal Width	Actual Width	Number	Fabric						
			①	A	B	C	D	E	F	G
12" (305mm)	20" (508mm)	21.68" (551mm)	S UD-1220-FSUN	\$ 346.41	\$ 378.46	\$ 412.87	\$ 459.77	\$ 506.67	\$ 569.22	\$ 608.31
	23" (584mm)	22.68" (576mm)	S UD-1223-FSUN	359.49	395.23	433.63	485.93	538.23	608.01	651.60
	24" (610mm)	23.68" (601mm)	S UD-1224-FSUN	363.85	400.82	440.55	494.65	548.75	620.94	666.03
	26" (660mm)	25.68" (652mm)	S UD-1226-FSUN	372.57	412.00	454.39	512.09	569.79	646.80	694.89
	29" (737mm)	28.68" (728mm)	S UD-1229-FSUN	385.65	428.77	475.15	538.25	601.35	685.59	738.18
	30" (762mm)	29.68" (754mm)	S UD-1230-FSUN	390.01	434.36	482.07	546.97	611.87	698.52	752.61
20" (508mm)	20" (508mm)	21.68" (551mm)	S UD-2020-FSUN	\$ 381.29	\$ 423.18	\$ 468.23	\$ 529.53	\$ 590.83	\$ 672.66	\$ 723.75
	23" (584mm)	22.68" (576mm)	S UD-2023-FSUN	394.37	439.95	488.99	555.69	622.39	711.45	767.04
	24" (610mm)	23.68" (601mm)	S UD-2024-FSUN	398.73	445.54	495.91	564.41	632.91	724.38	781.47
	26" (660mm)	25.68" (652mm)	S UD-2026-FSUN	407.45	456.72	509.75	581.85	653.95	750.24	810.33
	29" (737mm)	28.68" (728mm)	S UD-2029-FSUN	420.53	473.49	530.51	608.01	685.51	789.03	853.62
	30" (762mm)	29.68" (754mm)	S UD-2030-FSUN	424.89	479.08	537.43	616.73	696.03	801.96	868.05

Compose Echo

Screen Accessories

Compose Echo Screen Alignment Clip



SZAC-0000-P
Class TR01

Feature

- Includes one pack of 10 clear polycarbonate clips.

Specification Tips


- For use when aligning Compose Echo fabric screens.
- Recommended for in-line screen condition.
- Not for use with:
 - Compose Accessory Frame mounted screens.
 - Belong, Belong Plus and Active Components Screens.

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
SZAC-0000-P	\$49.50

Compose Echo Screen Alignment Saddle



SZAS-0000-S
Class TR01

Feature

- Includes one painted steel alignment saddle.

Specification Tips

- Used to align two screens together in an Upside Height Adjustable Benching application.
- Not for use with:
 - In-line conditions using a Top Feed Module.
 - Compose Accessory Frame mounted screens.
 - Belong, Belong Plus and Active Components Screens.

To Order, Specify:



- 1) Product number.
- 2) Trim color.

Number	Trim A	B
SZAS-0000-S	\$72.50	\$77.50

Active Components

Center Screen

Center Screen



AUSR
Class YA1 – GSA; Open Market

Features

- Includes one tackable fabric screen and mounting hardware.
- Mounting brackets and hardware are not visible.

Specification Tips

- Can be used with Inner Accessory Screen.
- Mounts to Intuity Rail or Compose work rail only.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- See Specification Guide for height alignment.

To Order, Specify:

- 1) Product number.
- 2) Fabric surface.


Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Number	Fabric	
			C	D
17"(432mm)	42"(1067mm)	AUSR-1742-FBN	\$2949.49	\$3030.95
	48"(1219mm)	AUSR-1748-FBN	3020.29	3111.47
	60"(1524mm)	AUSR-1760-FBN	3161.89	3272.51
	72"(1829mm)	AUSR-1772-FBN	3303.49	3433.55

Active Components

Corner Screen – No Modesty

Corner Screen



AUSC
Class YA1 – GSA; Open Market

Feature

- Includes one tackable fabric screen and attachment hardware.

Specification Tips

- Can be used with adaptable convergent worksurfaces and height adjustable tables.
- Mounts to worksurfaces with a minimum corner radius of 3"(76mm), not to exceed 6"(152mm).
- Not for use with knife edge.
- Standard screens are not compatible with the following products due to interference from the understructure and mounting brackets.
 - Fixed Height Tables
 - X Series Desks/Private Office
- Can be used with Inner Accessory Screen.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Refer to Specification Guide/Product Details to ensure brackets will not interfere with surface application.

Note: Screen will be visibly marked where attachment hardware is to be installed.

To Order, Specify:

1) Product number, including:

1 Handedness:

L Left-hand

R Right-hand

2) Fabric color.

3) Bracket trim.

Note: **\$9.56** upcharge list for Grade B trim colors.



Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Weight	Number	①	Fabric C	D
24"(610mm)	45"(1143mm)/22"(559mm)	17.2 lbs(7.8 kg)	AUSC-2444-FR		\$2820.22	\$2898.52

Active Components

Territory Screen

Adaptable Worksurfaces and Intuity Desking



AUST
Class YA1 – GSA; Open Market

Features

- Includes one tackable fabric screen, base tray and mounting hardware.
- Bottom of the screen sits in the base tray and is non-handed.

Specification Tips

- **Do not use with worksurfaces under 26”(660mm)D. Compatible with 30”(762mm) and 36”(914mm) worksurfaces.**
- Not designed to be used with other edge profiles.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- See product specific specification guide for worksurface support.

To Order, Specify:

1) Product number, including:

1 Edge Option:

- J** Edgeband
- U** Knife

2) Fabric surface.

3) Base tray trim color.



Note: Fabric selection choices are Class II and Maya II.

Nominal Height	Nominal Width	Weight	Number 1	Fabric C	D
Single-Sided/End-of-Run					
15.5”(394mm)	35”(889mm)	8.2lbs (3.7kg)	AUST-1835-F S	\$ 2721.22	\$2764.69
Double-Sided/Shared					
15.5”(394mm)	35”(889mm)	8.2lbs (3.7kg)	AUST-1835-F R	\$2760.86	\$2804.33

Active Components

Inner Accessory Screen

Adaptable
Worksurfaces,
Fixed Height
Tables, Height
Adjustable Tables,
Height Adjustable
Benching and
Intuity Benching



AUSA
Class YA1 – GSA; Open Market

Features

- Includes painted metal screen with attachment hardware.
- Handedness is for accessory slots.
- Handedness applies to worksurface mounted only - not rail mounted.
- Rail Mount is non-handed.

Specification Tips

- Height for both screens is 12"(305mm)H above worksurface.
- Accommodates Belong Work Tools.
- Can be used in conjunction with Belong Intuity Center Screen and Active Components corner and center screens.
- Not to be used with Territory screen.
- Rail Mount for use with Intuity and Compose 26"(660mm)H, Connections and Beam with work rail.
- Worksurface Mount for use with Adaptable worksurfaces, fixed height tables, height adjustable tables, and height adjustable benching.
- Accepts Belong Tools
 - Tool Cup
 - Mini Shelf


To Order, Specify:

- 1) Product number, including:
- 1 Handedness (WS mount only):**
- L** Left-hand
- R** Right-hand
- 2) Trim finish color.

Nominal Height	Nominal Width	Number	①	Trim	
				A	B
Rail Mount					
13"(330mm)	24"(610mm)	AUSA-1324-SRN		\$291.56	\$299.48
Worksurface Mount					
13"(330mm)	22"(559mm)	AUSA-1322-SW		\$297.52	\$ 301.48

Modesty Panel

Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns



TAOM
Class TA1

Features

- Includes modesty panel and attachment hardware.
- Modesty Panels are 11.59"(294mm)H (actual) and 0.56"(14mm) thick.
- Modesty Panels are mounted 1.4"(36mm) below the table top to allow for wire pass-through.
- Finish surface is non-tackable.
- Hinged bracket allows for table nesting without modesty panel removal.
- Modesty panel is removable; Modesty bracket snaps into table bracket. No tools required.
- High-Pressure Laminate – 1mm edgeband
- Screen and hardware are field installed.

Specification Tip

- Modesty Panels are available for use on Training Tables in shapes/sizes indicated. Refer to product specific Specification Guide for application guidelines.

To Order, Specify:

- 1) Product number, including:

1 Modesty Panel Options:

F Full width (add **\$70.33** list)

P Powered Table

- 2) Surface Color Options:

Fabric:

–Fabric Color

Laminate:

–Laminate Surface Color

–Edgeband Trim Color

Wood:

–Wood Finish Color

Note: Modesty Panel Options:

–(F) Full-width modesty panel will be width of the rectangular table and not for use with tables that are connected with 2-Circuit Modular Power or Quick Connect Two electrical components.

–(P) Must be ordered for tables with 2-Circuit Modular Power or Flip Top Units with Quick Connect Two Power base feed. Modesty Panels are inset 3"(76mm) from each end.

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Fabric A	B	C	D	E	F	G
Rectangle										
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-F	\$369.23	\$ 457.12	\$ 474.75	\$495.85	\$ 527.46	\$ 559.12	\$ 597.80
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-F	430.77	518.66	536.29	557.39	589.00	620.66	659.34
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-F	492.31	580.20	597.83	618.93	650.54	682.20	720.88
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F	553.85	641.74	659.37	680.47	712.08	743.74	782.42
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-F	615.39	703.28	720.91	742.01	773.62	805.28	843.96
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-F	676.93	764.82	782.45	803.55	835.16	866.82	905.50
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-F	738.47	826.36	843.99	865.09	896.70	928.36	967.04
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-F	800.01	887.90	905.53	926.63	958.24	989.90	1028.58
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-F	861.55	949.44	967.07	988.17	1019.78	1051.44	1090.12
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-F	923.09	1010.98	1028.61	1049.71	1081.32	1112.98	1151.66
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-F	984.63	1072.52	1090.15	1111.25	1142.86	1174.52	1213.20
Polygon										
55"(1397mm)	41.5"(1054mm)		TAOM-1348-FP	\$ 492.31	\$ 580.20	\$ 597.83	\$ 618.93	\$ 650.54	\$ 682.20	\$ 720.88
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-F	553.85	641.74	659.37	680.47	712.08	743.74	782.42
Trapezoid										
60"(1524mm)	28"(711mm)		TAOM-1360-FP	\$ 615.39	\$ 703.28	\$ 720.91	\$ 742.01	\$ 773.62	\$ 805.28	\$ 843.96
Half Round										
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-F	\$ 615.39	\$ 703.28	\$ 720.91	\$ 742.01	\$ 773.62	\$ 805.28	\$ 843.96

Modesty Panel


Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	HPL A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-L	\$ 197.78	\$ 207.78
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-L	228.65	241.15
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-L	259.52	274.52
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L	290.39	307.89
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-L	321.26	341.26
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-L	352.13	374.63
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-L	383.00	408.00
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-L	413.87	441.37
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-L	444.74	474.74
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-L	475.61	508.11
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-L	506.48	541.48
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-LP	\$ 259.52	\$ 274.52
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-L	290.39	307.89
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-LP	\$ 321.26	341.26
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1396-L	\$ 321.26	341.26

Table Width	Option (P) Modesty Actual Width	Option (F) Modesty Actual Width	Number ①	Wood A	B
Rectangle					
36"(914mm)	29.5"(749mm)	35.5"(902mm)	TAOM-1336-W	\$ 565.30	\$ 652.67
42"(1067mm)	35.5"(902mm)	41.5"(1054mm)	TAOM-1342-W	627.09	725.45
48"(1219mm)	41.5"(1064mm)	47.5"(1207mm)	TAOM-1348-W	688.88	798.23
54"(1372mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W	750.67	871.01
60"(1524mm)	53.5"(1369mm)	59.5"(1511mm)	TAOM-1360-W	812.46	943.79
66"(1676mm)	59.5"(1511mm)	65.5"(1664mm)	TAOM-1366-W	874.25	1016.57
72"(1829mm)	65.5"(1664mm)	71.5"(1816mm)	TAOM-1372-W	936.04	1089.35
78"(1981mm)	71.5"(1816mm)	77.5"(1969mm)	TAOM-1378-W	997.83	1162.13
84"(2134mm)	77.5"(1969mm)	83.5"(2121mm)	TAOM-1384-W	1059.62	1234.91
90"(2286mm)	83.5"(2121mm)	89.5"(2273mm)	TAOM-1390-W	1121.41	1307.69
96"(2438mm)	89.5"(2273mm)	95.5"(2426mm)	TAOM-1396-W	1183.20	1380.47
Polygon					
55"(1397mm)	41.5"(1054mm)		TAOM-1348-WP	\$ 688.88	\$ 798.23
66"(1676mm)	47.5"(1207mm)	53.5"(1359mm)	TAOM-1354-W	750.67	871.01
Trapezoid					
60"(1524mm)	28"(711mm)		TAOM-1360-WP	\$ 812.46	\$ 943.79
Half Round					
60"(1524mm)	53.5"(1359mm)	59.5"(1511mm)	TAOM-1360-W	\$ 812.46	\$ 943.79

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Universal Mount



Features

- Includes one or more laminate finished panel(s) with 1mm edgeband and attachment hardware.
- Glides provide 1.5"(38mm) leveling adjustment.
- Panel is 1.19"(30mm) thick.
- Attachment brackets are standard in black.
- Panel and brackets are field installed.**
- Wood grain laminate grain direction is horizontal. For wood grain laminate vertical grain direction see SUSM.**

Specification Tips

- Gallery End Panel Universal Mount are not pre-drilled for separately specified, application specific, support bracket hardware. Gallery End Panel Universal Mount must be supported by at least two separately specified application specific brackets and attached to a worksurface or bench frame. Gallery panels Universal Mount are not load supporting.**
- Adaptable Worksurfaces and ZUBW-0000-CN or ZUBW-0000-PN Bracket:**
 - Must use worksurface support legs and brackets to support Adaptable worksurface.
 - May be used on width or depth of worksurface.
 - A minimum of two Wall Brackets brackets must be field installed on Gallery End Panel and the free standing Adaptable Worksurfaces to support the Gallery End Panel.
 - Use Gallery Panel Compose or Compose Connections and Compose 26"(660mm)H Panel L-mount or T-mount when worksurface is attached to panel frame at the end of run.
- Upside, Planes and Planes LT Two-Sided Height Adjustable Benching and 120° Height Adjustable Benching with Gallery Panel Bracket (TA01-BRKT-E):**
 - Gallery Panel Universal Mount is not for use with Upside, Planes and Planes LT Single Sided Benching.
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Upside, Planes and Planes LT Two-Sided Height Adjustable Benching or 120° Height Adjustable Benching applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Do not use Gallery Panel Universal Mount when using a Height Adjustable Benching - Top Feed, End of Run (EAET-__00-__).
 - Clearance between Gallery Panel Universal Mount and Height Adjustable Benching worksurface allows 1"(25mm) pinch point. Surface mounting accessories adjacent to the Height Adjustable Bench is not allowed due to pinch point interference.
- Upside Benching Privacy In-Fill Panels may not be used in benching applications with Belong Gallery End Panels due to interference between the Gallery Panel Bracket and the In-Fill Panel.**
- Intuity Single or Double-Sided and 120° Double-Sided Three Pack Benching with Intuity Attachment Bracket ZBBG-0000-PN:**
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Intuity single- or double-sided applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Applications with or without utility hatch, angled or straight legs are compatible.
 - Not for use on back edge of Single Sided Intuity Benching.
 - Do not use Gallery Panel Universal Mount when using an Intuity Benching - Top Feed at the end of run (EKET-__00-__).
 - Use Intuity Attachment Brackets (ZBBG-0000-PN) when attaching Gallery Panel Universal Mount at the end of a Double-Sided Intuity Benching. Use two brackets per Gallery Panel Universal Mount section.
- Intuity Rectangular Return Worksurfaces with ZUBW-0000-P Bracket:**
 - Must use worksurface support legs and brackets to support return worksurface.
 - Use Wall Attachment Bracket (ZUBW-0000-N) when attaching Gallery Panel Universal Mount to an Intuity Rectangular Return Worksurface. Use two brackets per Gallery Panel Universal Mount per section.

To Order, Specify:

- Product number.
- Surface Color Options:
 - Laminate
 - Laminate color
 - Edge trim color

Note: Wood grain laminate grain direction is horizontal.

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Gallery End Panel Maximum Width Guidelines

A Gallery End Panel should not extend 18”(457mm) beyond the overall worksurface depth when unsupported.

PRODUCT APPLICATION			GALLERY END PANEL MAXIMUM WIDTH Nominal (Actual)
PRODUCT	CONFIGURATION	WORKSURFACE DEPTH Nominal (Actual)	
Intuity Benching	Single-Sided Application or Return Worksurface	24" (23.68")	54" (57.00") W
		30—" (29.68")	60" (63.00") W
	Double-Sided Application or Back-to-Back Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	78" (81.00") W
		60" (62.98") (2) 30"D Worksurfaces	90" (93.00") W
Height Adjustable Benching	Single-Sided Application	24" (23.68")	54" (57.00") W
		30" (29.68")	60" (63.00") W
	Dual-Sided Application	51" (51.00") (2) 24"D Worksurfaces	78" (81.00") W
		63" (63.00") (2) 30"" D Worksurfaces	90" (93.00") W
		75" (75.00") (2) 36" D Worksurfaces	102" (105.00") W

Belong Gallery End Panel


Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount

Height	Actual Width	Nominal Width	Number	HPL	
				A	B
29"(737mm)	27"(686mm)	24"(610mm)	SYSG-2924-DPUNNNN	\$344.37	\$366.09
	33"(838mm)	30"(762mm)	SYSG-2930-DPUNNNN	486.97	510.61
	39"(991mm)	36"(914mm)	SYSG-2936-DPUNNNN	511.69	537.25
	45"(1143mm)	42"(1067mm)	SYSG-2942-DPUNNNN	536.41	563.89
	51"(1295mm)	48"(1219mm)	SYSG-2948-DPUNNNN	634.80	664.20
	57"(1448mm)	54"(1372mm)	SYSG-2954-DPUNNNN	659.52	690.84
	63"(1600mm)	60"(1524mm)	SYSG-2960-DPUNNNN	684.24	717.48
	69"(1753mm)	66"(1676mm)	SYSG-2966-DPUNNNN	708.96	744.12
	75"(1905mm)	72"(1829mm)	SYSG-2972-DPUNNNN	733.68	770.76
	81"(2057mm)	78"(1981mm)	SYSG-2978-DPUNNNN	758.40	797.40
	87"(2210mm)	84"(2134mm)	SYSG-2984-DPUNNNN	783.12	824.04
	93"(2362mm)	90"(2286mm)	SYSG-2990-DPUNNNN	807.84	850.68
	99"(2515mm)	96"(2438mm)	SYSG-2996-DPUNNNN	832.56	877.32
42"(1067mm)	105"(2667mm)	102"(2591mm)	SYSG-29A2-DPUNNNN	857.28	903.96
	111"(2819mm)	108"(2743mm)	SYSG-29A8-DPUNNNN	882.00	930.60
	27"(686mm)	24"(610mm)	SYSG-4224-DPUNNNN	\$ 420.94	\$ 448.64
	33"(838mm)	30"(762mm)	SYSG-4230-DPUNNNN	563.54	593.16
	39"(991mm)	36"(914mm)	SYSG-4236-DPUNNNN	588.26	619.80
	45"(1143mm)	42"(1067mm)	SYSG-4242-DPUNNNN	612.98	646.44
	51"(1295mm)	48"(1219mm)	SYSG-4248-DPUNNNN	711.37	746.75
	57"(1448mm)	54"(1372mm)	SYSG-4254-DPUNNNN	736.09	773.39
	63"(1600mm)	60"(1524mm)	SYSG-4260-DPUNNNN	760.81	800.03
	69"(1753mm)	66"(1676mm)	SYSG-4266-DPUNNNN	785.53	826.67
	75"(1905mm)	72"(1829mm)	SYSG-4272-DPUNNNN	810.25	853.31
	81"(2057mm)	78"(1981mm)	SYSG-4278-DPUNNNN	834.97	879.95
	87"(2210mm)	84"(2134mm)	SYSG-4284-DPUNNNN	859.69	906.59
50"(1270mm)	93"(2362mm)	90"(2286mm)	SYSG-4290-DPUNNNN	884.41	933.23
	99"(2515mm)	96"(2438mm)	SYSG-4296-DPUNNNN	909.13	959.87
	105"(2667mm)	102"(2591mm)	SYSG-42A2-DPUNNNN	933.85	986.51
	111"(2819mm)	108"(2743mm)	SYSG-42A8-DPUNNNN	958.57	1013.15
	27"(686mm)	24"(610mm)	SYSG-5024-DPUNNNN	\$ 468.06	\$ 499.44
	33"(838mm)	30"(762mm)	SYSG-5030-DPUNNNN	610.66	643.96
	39"(991mm)	36"(914mm)	SYSG-5036-DPUNNNN	635.38	670.60
	45"(1143mm)	42"(1067mm)	SYSG-5042-DPUNNNN	660.10	697.24
	51"(1295mm)	48"(1219mm)	SYSG-5048-DPUNNNN	758.49	797.55
	57"(1448mm)	54"(1372mm)	SYSG-5054-DPUNNNN	783.21	824.19
	63"(1600mm)	60"(1524mm)	SYSG-5060-DPUNNNN	807.93	850.83
	69"(1753mm)	66"(1676mm)	SYSG-5066-DPUNNNN	832.65	877.47
	75"(1905mm)	72"(1829mm)	SYSG-5072-DPUNNNN	857.37	904.11
50"(1270mm)	81"(2057mm)	78"(1981mm)	SYSG-5078-DPUNNNN	882.09	930.75
	87"(2210mm)	84"(2134mm)	SYSG-5084-DPUNNNN	906.81	957.39
	93"(2362mm)	90"(2286mm)	SYSG-5090-DPUNNNN	931.53	984.03
	99"(2515mm)	96"(2438mm)	SYSG-5096-DPUNNNN	956.25	1010.67
	105"(2667mm)	102"(2591mm)	SYSG-50A2-DPUNNNN	980.97	1037.31
	111"(2819mm)	108"(2743mm)	SYSG-50A8-DPUNNNN	1005.69	1063.95

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Universal Mount



SYSM-DPUNNNN

Class YA1 - GSA; Open Market

Features

- Includes one or more laminate finished panel(s) with 1mm edgeband and attachment hardware.
- Panel is 1.19"(30mm) thick.
- Glides provide 1.5"(38mm) leveling adjustment.
- Attachment brackets are standard in black.
- Panel and brackets are field installed.**
- Wood grain laminate grain direction is vertical. For wood grain laminate horizontal grain direction see SUSG.**

Specification Tips

- Gallery End Panel Universal Mount are not pre-drilled for separately specified, application specific, support bracket hardware. Gallery End Panel Universal Mount with vertical laminate wood grain are available in 1, 2 or 3 panels and ship pre-drilled for panel assembly hardware. Each panel section of the Gallery End Panel Universal Mount must be supported by two separately specified application specific brackets and attached to a worksurface or bench frame. (i.e. a single panel requires at least 2 application specific brackets, two panels require at least 2 application specific bracket on each panel and three panels require at least 2 application specific brackets on each panel). Gallery panels Universal Mount are not load supporting.**
- Adaptable Worksurfaces and ZUBW-0000-CN or ZUBW-0000-PN Bracket:**
 - Must use worksurface support legs and brackets to support Adaptable worksurface.
 - May be used on width or depth of worksurface.
 - A minimum of two Wall Brackets brackets must be field installed on Gallery End Panel and the free standing Adaptable Worksurfaces to support the Gallery End Panel.
 - Use Gallery Panel Compose or Compose Connections and Compose 26"(660mm)H Panel L-mount or T-mount when worksurface is attached to panel frame at the end of run.
- Upside, Planes and Planes LT Two-Sided Height Adjustable Benching and 120° Height Adjustable Benching with Gallery Panel Bracket (TA01-BRKT-E):**
 - Gallery Panel Universal Mount is not for use with Upside, Planes and Planes LT Single Sided Benching.
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Upside, Planes and Planes LT Two-Sided Height Adjustable Benching or 120° Height Adjustable Bench applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Do not use Gallery Panel Universal Mount when using a Height Adjustable Benching - Top Feed, End of Run (EAET-__OO-__).
 - Clearance between Gallery Panel Universal Mount and Height Adjustable Benching worksurface allows 1"(25mm) pinch point. Surface mounting accessories adjacent to the Height Adjustable Bench is not allowed due to pinch point interference.
 - Upside Benching Privacy In-Fill Panels may not be used in benching applications with Belong Gallery End Panels due to interference between the Gallery Panel Bracket and the In-Fill Panel.
- Intuity Single or Double-Sided and 120° Double-Sided Three Pack Benching with Intuity Attachment Bracket ZBBG-0000-PN:**
 - Gallery Panel Universal Mount are approved to size 18"(457mm) per side larger than the Intuity single- or double-sided applications. Do not exceed 18"(457mm) beyond the overall worksurface depth.
 - Applications with or without utility hatch, angled or straight legs are compatible.
 - Not for use on back edge of Single Sided Intuity Benching.
 - Do not use Gallery Panel Universal Mount when using an Intuity Benching - Top Feed at the end of run (EKET-__OO-__).
 - Use Intuity Attachment Brackets (ZBBG-0000-PN) when attaching Gallery Panel Universal Mount at the end of a Double-Sided Intuity Benching. Use two brackets per Gallery Panel Universal Mount section.
- Intuity Rectangular Return Worksurfaces with ZUBW-0000-P Bracket:**
 - Must use worksurface support legs and brackets to support return worksurface.
 - Use Wall Attachment Bracket (ZUBW-0000-_N) when attaching Gallery Panel Universal Mount to an Intuity Rectangular Return Worksurface. Use two brackets per Gallery Panel Universal Mount per section.

To Order, Specify:

- Product number.
- Surface Color Options:
 - Laminate
 - Laminate color
 - Edge trim color

Note: Wood grain laminate grain direction is vertical.

Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Gallery End Panel Maximum Width Guidelines

A Gallery End Panel should not extend 18" (457mm) beyond the overall worksurface depth when unsupported.

PRODUCT APPLICATION			GALLERY END PANEL MAXIMUM WIDTH Nominal (Actual)		
PRODUCT	CONFIGURATION	WORKSURFACE DEPTH Nominal (Actual)	1-PIECE GALLERY END PANEL (24"-54" W)	2-PIECE GALLERY END PANEL (60"-108" W)	3-PIECE GALLERY END PANEL (120"-144" W)
Intuity Benching	Single-Sided Application or Return Worksurface	24" (23.68")	54" (57.00") W	Do Not Use	Do Not Use
		30" (29.68")	54" (57.00") W	60" (63.00") W	Do Not Use
	Double-Sided Application or Back-to-Back Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	78" (81.00") W	Do Not Use
		60" (62.98") (2) 30"D Worksurfaces	54" (57.00") W	96" (99.00") W	Do Not Use
	Single-Sided Application with one 48" or 54" Return Worksurface	24" (23.68")	54" (57.00") W	108" (111.00") W	Do Not Use
		30" (29.68")	54" (57.00") W	108" (111.00") W	Do Not Use
	Single-Sided Application with one 60" Return Worksurface	24" (23.68")	54" (57.00") W	108" (111.00") W	Do Not Use
		30" (29.68")	54" (57.00") W	108" (111.00") W	120" (123.00") W
	Double-Sided Application with one Return Worksurface	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	108" (111.00") W	132" (135.00") W
		60" (62.98") (2) 30" D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
	Double-Sided Application with two Return Worksurfaces	48" (50.98") (2) 24"D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
		60" (62.98") (2) 30" D Worksurfaces	54" (57.00") W	108" (111.00") W	144" (147.00") W
Height Adjustable Benching	Single-Sided Application	24" (23.68")	54" (57.00") W	Do Not Use	Do Not Use
		30" (29.68")	54" (57.00") W	60" (63.00") W	Do Not Use
	Dual-Sided Application	51" (51.00") (2) 24"D Worksurfaces	54" (57.00") W	78" (81.00") W	Do Not Use
		63" (63.00") (2) 30" D Worksurfaces	54" (57.00") W	90" (93.00") W	Do Not Use
		75" (75.00") (2) 36" D Worksurfaces	54" (57.00") W	102" (105.00") W	Do Not Use


Belong Gallery End Panel

Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount

Number of Panel(s)	Height	Actual Width	Nominal Width	Number	HPL	
					A	B
1	29"(737mm)	27"(686mm)	24"(610mm)	SYSM-2924-DPUNNNN	\$ 344.37	\$ 366.09
1		33"(838mm)	30"(762mm)	SYSM-2930-DPUNNNN	486.97	510.61
1		39"(991mm)	36"(914mm)	SYSM-2936-DPUNNNN	511.69	537.25
1		45"(1143mm)	42"(1067mm)	SYSM-2942-DPUNNNN	536.41	563.89
1		51"(1295mm)	48"(1219mm)	SYSM-2948-DPUNNNN	634.80	664.20
1		57"(1448mm)	54"(1372mm)	SYSM-2954-DPUNNNN	659.52	690.84
2		63"(1600mm)	60"(1524mm)	SYSM-2960-DPUNNNN	905.26	938.50
2		69"(1753mm)	66"(1676mm)	SYSM-2966-DPUNNNN	929.98	965.14
2		75"(1905mm)	72"(1829mm)	SYSM-2972-DPUNNNN	954.70	991.78
2		81"(2057mm)	78"(1981mm)	SYSM-2978-DPUNNNN	979.42	1018.42
2		87"(2210mm)	84"(2134mm)	SYSM-2984-DPUNNNN	1004.14	1045.06
2		93"(2362mm)	90"(2286mm)	SYSM-2990-DPUNNNN	1028.86	1071.70
2	42"(1067mm)	99"(2515mm)	96"(2438mm)	SYSM-2996-DPUNNNN	1053.58	1098.34
2		105"(2667mm)	102"(2591mm)	SYSM-29A2-DPUNNNN	1078.30	1124.98
2		111"(2819mm)	108"(2743mm)	SYSM-29A8-DPUNNNN	1103.02	1151.62
3		123"(3124mm)	120"(3048mm)	SYSM-29C0-DPUNNNN	1444.98	1497.42
3		135"(3429mm)	132"(3353mm)	SYSM-29D2-DPUNNNN	1494.42	1550.70
3		147"(3734mm)	144"(3658mm)	SYSM-29E4-DPUNNNN	1543.86	1603.98
1		27"(686mm)	24"(610mm)	SYSM-4224-DPUNNNN	\$ 420.94	\$ 448.64
1		33"(838mm)	30"(762mm)	SYSM-4230-DPUNNNN	563.54	593.16
1		39"(991mm)	36"(914mm)	SYSM-4236-DPUNNNN	588.26	619.80
1		45"(1143mm)	42"(1067mm)	SYSM-4242-DPUNNNN	612.98	646.44
1		51"(1295mm)	48"(1219mm)	SYSM-4248-DPUNNNN	711.37	746.75
1		57"(1448mm)	54"(1372mm)	SYSM-4254-DPUNNNN	736.09	773.39
2	50"(1270mm)	63"(1600mm)	60"(1524mm)	SYSM-4260-DPUNNNN	981.83	1021.05
2		69"(1753mm)	66"(1676mm)	SYSM-4266-DPUNNNN	1006.55	1047.69
2		75"(1905mm)	72"(1829mm)	SYSM-4272-DPUNNNN	1031.27	1074.33
2		81"(2057mm)	78"(1981mm)	SYSM-4278-DPUNNNN	1055.99	1100.97
2		87"(2210mm)	84"(2134mm)	SYSM-4284-DPUNNNN	1080.71	1127.61
2		93"(2362mm)	90"(2286mm)	SYSM-4290-DPUNNNN	1105.43	1154.25
2		99"(2515mm)	96"(2438mm)	SYSM-4296-DPUNNNN	1130.15	1180.89
2		105"(2667mm)	102"(2591mm)	SYSM-42A2-DPUNNNN	1154.87	1207.53
2		111"(2819mm)	108"(2743mm)	SYSM-42A8-DPUNNNN	1179.59	1234.17
3		123"(3124mm)	120"(3048mm)	SYSM-42C0-DPUNNNN	1521.55	1579.97
3		135"(3429mm)	132"(3353mm)	SYSM-42D2-DPUNNNN	1570.99	1633.25
3		147"(3734mm)	144"(3658mm)	SYSM-42E4-DPUNNNN	1620.43	1686.53
1	50"(1270mm)	27"(686mm)	24"(610mm)	SYSM-5024-DPUNNNN	\$ 468.06	\$ 499.44
1		33"(838mm)	30"(762mm)	SYSM-5030-DPUNNNN	610.66	643.96
1		39"(991mm)	36"(914mm)	SYSM-5036-DPUNNNN	635.38	670.60
1		45"(1143mm)	42"(1067mm)	SYSM-5042-DPUNNNN	660.10	697.24
1		51"(1295mm)	48"(1219mm)	SYSM-5048-DPUNNNN	758.49	797.55
1		57"(1448mm)	54"(1372mm)	SYSM-5054-DPUNNNN	783.21	824.19
2		63"(1600mm)	60"(1524mm)	SYSM-5060-DPUNNNN	1028.95	1071.85
2		69"(1753mm)	66"(1676mm)	SYSM-5066-DPUNNNN	1053.67	1098.49
2		75"(1905mm)	72"(1829mm)	SYSM-5072-DPUNNNN	1078.39	1125.13
2		81"(2057mm)	78"(1981mm)	SYSM-5078-DPUNNNN	1103.11	1151.77
2		87"(2210mm)	84"(2134mm)	SYSM-5084-DPUNNNN	1127.83	1178.41
2		93"(2362mm)	90"(2286mm)	SYSM-5090-DPUNNNN	1152.55	1205.05
2	50"(1270mm)	99"(2515mm)	96"(2438mm)	SYSM-5096-DPUNNNN	1177.27	1231.69
2		105"(2667mm)	102"(2591mm)	SYSM-50A2-DPUNNNN	1201.99	1258.33
2		111"(2819mm)	108"(2743mm)	SYSM-50A8-DPUNNNN	1226.71	1284.97
3		123"(3124mm)	120"(3048mm)	SYSM-50C0-DPUNNNN	1568.67	1630.77
3		135"(3429mm)	132"(3353mm)	SYSM-50D2-DPUNNNN	1618.11	1684.05
3		147"(3734mm)	144"(3658mm)	SYSM-50E4-DPUNNNN	1667.55	1737.33

Belong Gallery Screens

Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return



SYSM
Class YA1

Features

- Includes one laminate screen.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Separately specify attachment brackets.**
- **Not designed to support horizontal surfaces.**
- Not for use with Height Adjustable Tables.
- Specify screen width to allow 12" (305mm) clearance for top feed applications.
- Screens are non-load-bearing and non-structural elements designed to provide privacy and space division.
- Gap between screen and horizontal surface allows installation of edge mounted accessories.
- Gallery Back Screen above/below horizontal surface top/bottom measurements:
 - 42" (1067mm) H: 12.25" (311mm) above/28" (711mm) below
 - 50" (1270mm) H: 20.25" (514mm) above/28" (711mm) below
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:


- 1) Product number.
- 2) Surface Color Options:
 - Laminate:
 - Laminate Surface Color
 - Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Width	Number	HPL	
			A	B
42"(1067mm)	24"(610mm)	SYSM-4224-DDUNNNN	\$408.58	\$ 435.32
	30"(762mm)	SYSM-4230-DDUNNNN	433.30	461.96
	36"(914mm)	SYSM-4236-DDUNNNN	575.90	606.48
	42"(1067mm)	SYSM-4242-DDUNNNN	600.62	633.12
	48"(1219mm)	SYSM-4248-DDUNNNN	625.34	659.76
50"(1270mm)	24"(610mm)	SYSM-5024-DDUNNNN	\$ 455.70	\$ 486.12
	30"(762mm)	SYSM-5030-DDUNNNN	480.42	512.76
	36"(914mm)	SYSM-5036-DDUNNNN	623.02	657.28
	42"(1067mm)	SYSM-5042-DDUNNNN	647.74	683.92
	48"(1219mm)	SYSM-5048-DDUNNNN	672.46	710.56

Belong Gallery Screens

Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return



SYSM
Class YA1

Features

- Includes one laminate screen and attachment hardware for attaching to the Gallery Return Screen; Adaptable Worksurface attachment hardware is separately specified.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Must be specified with Gallery Return Screen.**
- **Designed to be used in place of Adaptable Worksurface legs or supports.**
- Not for use on Height Adjustable Tables.
- For top feed applications, specify screen width to allow 12" (305mm) clearance.
- Gap between Gallery Back Screen for Return and Adaptable Worksurface allows for installation of C-Clamp or Thru-Mount Belong Tool Rail options only. (Under Worksurface L-Bracket Belong Tool Rail cannot be used due to alignment issues with Gallery Return Screen.)
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:

- 1) Product number.
- 2) Surface Color Options:


Laminate:
–Laminate Surface Color
–Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Width	Number	HPL	
			A	B
42"(1067mm)	24"(610mm)	SYSM-4224-DDUNRNN	\$430.02	\$456.76
	30"(762mm)	SYSM-4230-DDUNRNN	454.74	483.40
	36"(914mm)	SYSM-4236-DDUNRNN	597.34	627.92
	42"(1067mm)	SYSM-4242-DDUNRNN	622.06	654.56
	48"(1219mm)	SYSM-4248-DDUNRNN	646.78	681.20
50"(1270mm)	24"(610mm)	SYSM-5024-DDUNRNN	\$ 477.14	\$ 507.56
	30"(762mm)	SYSM-5030-DDUNRNN	501.86	534.20
	36"(914mm)	SYSM-5036-DDUNRNN	644.46	678.72
	42"(1067mm)	SYSM-5042-DDUNRNN	669.18	705.36
	48"(1219mm)	SYSM-5048-DDUNRNN	693.90	732.00

Belong Gallery Screens

Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return



SYRM
Class YA1

Features

- Includes one laminate screen and attachment hardware for attaching to the Gallery Back Screen for Return; Adaptable Worksurface worksurface to wall bracket is separately specified.
- Screen is 1.18" (30mm) thick.
- Laminate surface is high pressure laminate (HPL) with 1mm edgeband.
- Available with Optional Right or Left-hand mount.
- Glides provide 1.5" (38mm) leveling adjustment.
- Screen and brackets are field installed.

Specification Tips

- **Must be specified with Gallery Back Screen for Return.**
- **Designed to be used in place of Adaptable Worksurface legs or supports.**
- Not for use on Height Adjustable Tables.
- Specify screen width to allow 12" (305mm) clearance for top feed applications.
- Return Screen will be flush to horizontal surface end and have a 1" (25mm) gap on back **or** if return screen flush to back it will have a 1" (25mm) overhang on horizontal end.
- No clearance between Desking worksurface end and screen face.
- Cannot change handedness in field.
- Refer to Specification Guide for bracket and screen dimensions.
- Refer to product specific Specification Guide for additional guidelines.

To Order, Specify:

1) Product number, including:

1 Handedness Option:

R Right

L Left

2) Surface Color Options:

Laminate:

–Laminate Surface Color


–Edgeband Trim Color

Note: Laminate wood grain direction is vertical.

Height	Depth	Number ①	HPL	
			A	B
42" (1067mm)	24" (610mm)	SY ■ M-4224-DRUNSNN	\$373.90	\$ 401.28
	30" (762mm)	SY ■ M-4230-DRUNSNN	516.50	545.80
	36" (914mm)	SY ■ M-4236-DRUNSNN	541.22	572.44
50" (1270mm)	24" (610mm)	SY ■ M-5024-DRUNSNN	\$ 421.02	\$452.08
	30" (762mm)	SY ■ M-5030-DRUNSNN	563.62	596.60
	36" (914mm)	SY ■ M-5036-DRUNSNN	588.34	623.24

Belong Gallery Screens

Structural Screen Tile



KUTB
Class YA1

Features

- Includes one steel Structural Screen Tile with or without slats and attachment hardware.
- Supports maximum weights of:
 - 18" (457mm) - 10 pounds (4.5kg)
 - 22.5" (572mm) - 10 pounds (4.5kg)
 - 27" (686mm) - 15 pounds (6.8kg)
 - 31.5" (800mm) - 17 pounds (7.7kg)
 - 36" (914mm) - 20 pounds (9.0kg)
- Non-writable, magnetic surface.

Specification Tips

- Designed for use on Belong Structural Screen (defaces screen) or structural building wall.
- May be wall mounted to structural building wall if properly mounted;
 - Anchors are not provided, must be field supplied.
- Cords cannot be passed behind the Structural Screen Tile.
- Not for use with Wall Track.
- For use with separately specified Belong or Jump Stuff work tools.


To Order, Specify:

- Product number.
- Trim color.


Actual Height	Actual Depth	Actual Width	Weight Pounds	Number	Trim A	B
With Slots						
12"(305mm)	0.67"(17mm)	18"(457mm)	7.1 (3.2kg)	KUTB-1218-S	\$263.38	\$269.64
		22.5"(572mm)	8.9 (4.0kg)	KUTB-1222-S	277.94	292.52
		27"(686mm)	10.6 (4.8kg)	KUTB-1227-S	296.14	321.12
		31.5"(800mm)	12.5 (5.7kg)	KUTB-1232-S	314.34	349.72
		36"(914mm)	14.2 (6.4kg)	KUTB-1236-S	328.90	372.60
Without Slots						
12"(305mm)	0.67"(17mm)	18"(457mm)	7.5 (3.4kg)	KUTB-1218-N	\$ 175.62	\$ 181.88
		22.5"(572mm)	9.4 (4.3kg)	KUTB-1222-N	190.18	204.76
		27"(686mm)	11.2 (5.1kg)	KUTB-1227-N	208.38	233.36
		31.5"(800mm)	13.1 (5.9kg)	KUTB-1232-N	226.58	261.96
		36"(914mm)	15.0 (6.8kg)	KUTB-1236-N	241.14	284.84

Screen Rails

Belong Screen Rail



Double Sided



Single Sided

KUSR
Class YA1

Features

- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19"(208mm) and 12.94"(329mm).
- Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg)
 - Double Sided: 5 pounds (2.3kg) each side
- Non-writable, magnetic surface.

Specification Tips


- For use with separately specified Belong or Jump Stuff work tools.
- For use on top of fabric or laminate Belong Screens only.
- Not for use on Belong Glass Screens or Territory Screens.
- Not for use on Belong Plus screens.

To Order, Specify:


- 1) Product number.
- 2) Trim color.

Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
2.19"(56mm)	23.75"(603mm)	2.8 (1.3kg)	Single Sided	KUSR-0224-S	\$ 106.11	\$125.40
		2.8 (1.3kg)	Double Sided	KUSR-0224-D	125.40	144.69

Belong Plus Screen Rail



Single Sided



Double Sided

SURS
Class YA1

Features

- Includes one steel Screen Rail; single sided with row of two slots or double sided with two slots on each side.
- Slot Widths: 8.19"(208mm) and 12.94"(329mm).
- Supports maximum weight of:
 - Single Sided: 5 pounds (2.3kg)
 - Double Sided: 5 pounds (2.3kg) each side
- Non-writable, magnetic surface.

Specification Tips

- Not for use with Belong Plus Territory Screen and Center Screen for Height Adjustable Benches.
- For use with separately specified Belong or Jump Stuff work tools.
- For use on top of fabric, Belong Plus Screens.
- Not for use on Belong Screens.


To Order, Specify:

- 1) Product number.
- 2) Trim color.

Actual Height	Actual Width	Weight Pounds	Description	Number	Trim A	B
2.19"(56mm)	23.75"(603mm)	2.8(1.3kg)	Single Sided	SURS-0224-S	\$ 97.16	\$100.92
		2.8(1.3kg)	Double Sided	SURS-0224-D	114.82	118.58

Screen Alignment Clips

Belong Screen Alignment Clip



VBSF-0000
Class IN – GSA; Open Market


- Feature**
- Includes one pack of 10 clear polycarbonate clips.
- Specification Tips**
- For use when aligning two Belong fabric or hardsurface screens.
 - **Not for use with glass screens.**
 - Recommended for in-line screen condition.

To Order, Specify:

1) Product number.
(No finish specification required.)

Number	Price
VBSF-0000	\$63.48

Belong Plus Screen Alignment Clip



SUSF-0000
Class IN – GSA; Open Market

- Feature**
- Includes one pack of 10 clear polycarbonate clips.
- Specification Tips**
- For use when aligning Belong Plus fabric screens.
 - **Not for use on hard surfaces.**
 - Recommended for use with Belong Plus Center Screens when mounted on:
 - Compose
 - Compose Beam
 - Compose Connections
 - Intuity Benching


To Order, Specify:

1) Product number.
(No finish specification required.)


Number	Price
SUSF-0000	\$68.21

Attachment Brackets

Gallery Panel Attachment Bracket



ZUBW-0000-PN
ZUBW-0000-CN



ZBBG-0000-PN
Class BD

Feature

- Includes: one steel non-handed bracket and hardware.

Specification Tips

- Use ZUBW-0000-PN brackets (standard in Black) or ZUBW-0000-CN (requires trim color specification) with Adaptable Worksurfaces.
- Use ZUBW-0000-PN or ZUBW-0000-CN between a Gallery Back Screen and a Return Screen.
- Intuity bracket (ZBBG-0000-PN) attaches Gallery End Panel to worksurface and must be used in conjunction with support legs. Not for use on the back edge of a single sided Intuity Benching.
- Refer to product specific Specification Guide for planning information.

To Order, Specify:

- Product number.
- Trim color (if applicable).

Product

Application

Number


Trim

A

B

Worksurface to Wall Bracket (Black)	ZUBW-0000-PN	\$ 43.91	N/A
Worksurface to Wall Bracket (trim color required)	ZUBW-0000-CN	50.91	\$59.80
Intuity	ZBBG-0000-PN	63.06	71.37

Gallery Panel Bracket



TA01-BRKT-E
Class TA

Feature

- Includes one pair of painted brackets and attachment hardware.

Specification Tips

- Designed to attach Planes Two-Sided Height Adjustable Benching, Planes LT Benching or 120° Height Adjustable Benching to Gallery panels.**
- Not for use on Planes Single Sided.
- Mounts to cross beam at the end of a benching run.
- Not for use in between benches.
- Cannot use end of run top feed with Gallery Panel.

To Order, Specify:

- Product number.
 - Trim color.
- Note: \$17.83** upcharge list for Grade B trim colors.


Number

Price

TA01-BRKT-E	\$366.29
-------------	----------

Attachment Brackets

Tie Plate



ZBBP-0000-PN
Class IN – Discount Group XXIII

Features

- Includes painted tie plate and attachment hardware.
- Tie plate is used to connect a single sided kit to a double sided kit.
- Standard in Black.

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Number	Price
ZBBP-0000-PN	\$30.62

Information Display

Planes Easels

Standard Easel



KAIE-0029
Class TA

Features

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **One information board can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface/center board is 0.54"(14mm) thick with 1mm bright white edgeband and has a 31"(787mm)W x 43"(1092mm)H writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 30"(762mm)W x 1.375"(35mm)H x 3"(76mm)D. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with:
Light platinum or fog hub with graphite tread, or
black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:


- 1) Product number, including:
 - 1 Base Option:**
 - C** Caster
 - G** Glide (add **\$119.23** list)
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
 - TR-F Black
 - TR-7 Fog
 - TR-LPL Light Platinum

Height	Depth	Width	Number	1	Trim	
					A	B
75"(1905mm)	28"(711mm)	45"(1143mm)	KAIE-0029-LJS	B	\$2448.98	\$2518.96

Information Display

Planes Easels

Large Easel



KAIE-0072
Class TA

Features

- Includes frame, and attached, two-sided laminate writing surface/center board with attached marker tray.
- Markers and erasers separately specified.
- **Two information boards can be hung from each side of easel; specify separately.**
- Center board has pins to allow hanging of standard size easel paper pads.
- Writable surface/center board is 0.64"(16mm) thick with 1mm bright white edgeband and has a 74"(1880mm)W x 43"(1092mm)H writing surface.
- Aluminum frame available in metallic trim colors only.
- Easel marker tray is 73"(1854mm)W x 1.375"(35mm)H x 3"(76mm)D. Accessible from one side only.
- Optional casters or glides are field interchangeable:
 - Casters (two locking/two non-locking) are available with: Light platinum or fog hub with graphite tread, or black hub with black tread.
- Optional glides (four) are available in light platinum, fog or black with 0.5"(13mm) height adjustment.
 - Glide stem is painted to match base; glide base disc color must be specified.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78"(1981mm).
- Ships unassembled.

Specification Tips

- Only Planes information boards can be hung off the Planes easel.
- The following Planes products are separately specified:
 - Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:


- 1) Product number, including:
 - 1 Base Option:**
 - C** Caster
 - G** Glide (add **\$119.23** list)
- 2) Frame trim color.
- 3) Caster/Glide base disc trim color:
 - TR-F Black
 - TR-7 Fog
 - TR-LPL Light Platinum

Height	Depth	Width	Number	①	Trim	
					A	B
75"(1905mm)	28"(711mm)	88"(2235mm)	KAIE-0072-LJS	B	\$3482.42	\$3552.40

Information Display

Planes Boards and Accessories

Information Boards



KAIB-0040
Class TA

Features

- Includes one information board and attachment cleats.
- Markers and erasers separately specified.
- Laminate writable surface/information boards are 0.64"(16mm) thick with one usable side and 1mm bright white edgeband.
- Safety interlock prevents dislodgement from easels and horizontal wall rail.
- Lightweight construction – each board is approximately 19 pounds.
- Information board cleats and bumpers are light platinum.
- Ships assembled.

Specification Tips


- **Planes information boards add 3"(76mm) to overall easel height.**
- Information board back cleats (2) fit over top rail of easel and lower bumpers (2) allow vertical alignment.
- The following Planes products are separately specified:
 - Standard Easel
 - Large Easel
 - Horizontal Wall Rail for Information Boards
- The following products are recommended to maintain the markerboard appearance:
 - Dry erase marker kit (includes holder, six markers and eraser), order part# 7062-8001
 - Markerboard cleaner and conditioner, order part# 7031-7001
 - Markerboard spray cleaner, order part# 7031-7002

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Height	Width	Number	Price
42"(1067mm)	40"(1016mm)	KAIB-0040-LJSNA	\$761.34

Horizontal Wall Rail for Information Boards



KAIW-0096
Class TA

Features

- Includes upper and lower rails, four wall cleats, two end caps and hardware.
- Lower rail also functions as a 2.25"(57mm) x 96"(2438mm) marker tray.
- 96"(2438mm) horizontal wall rail accommodates two information boards side-by-side.
- Rails can be cut down to accommodate desired width.
- Rail end caps and cleats are light platinum.
- Wall rails are mounted horizontally.
- Ships unassembled.

Specification Tips


- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**
- The following Planes products are separately specified:
 - Information Boards

To Order, Specify:

- 1) Product number.
- 2) Trim color for rail.

Width	Number	Trim A	B
96"(2438mm)	KAIW-0096	\$1745.10	\$1811.89

Wall Cleat for Information Boards



KAIH-0000
Class TA

Features

- Includes two cleats in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

Specification Tip

- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**

To Order, Specify:


- 1) Product number.
(No finish specification required.)

Height	Depth	Width	Number	Price
3.5"(89mm)	1.5"(38mm)	1.75"(44mm)	KAIH-0000	\$124.84

Information Display

Planes Boards and Accessories

Horizontal Wall Rail End Caps



KAIC-0000
Class TA

Features

- Includes two end caps in light platinum.
- For use with the Planes information board horizontal wall rail in field modified application.

Specification Tip


- **Planes horizontal wall rail requires proper structural wall backing for support. Mounting hardware is field supplied.**

To Order, Specify:

- 1) Product number.
(No finish specification required.)

Number	Price
KAIC-0000	\$22.12

Y-Leg Bumper



TA01-0214
Class TA

Feature

- Includes 4 bumpers in light platinum, for easel Y-leg.

Specification Tip

- Protects Y-leg tables when nested.

To Order, Specify:

- 1) Product number.
(No color specification required.)

Description	Number	Price
For use on 30"(762mm)D top	TA01-0214	\$12.57



HAWORTH

Screens and Space Division

Surfaces Materials

Index

Warranty

Surface Materials

Finish Color Legend

Wood

Grade A

Double Cut

2P-RL	Applegate
CQ-HKL	Auburn
CQ-HBF	Clove
WE-RD	Dune
WJ-RE	Ebony
2N-RL	Echo
W3-HR	Harbor
WE-RT	Melba
WR-PB	Pebble
CQ-WG	Walnut Grove

Grade B

Cherry

VC-CA1	Amber
VC-W23	American
VC-CPK	Bourbon
VC-HKF	Burgundy
VC-W33	Caramel
VC-W30	Heritage
VC-W32	Pacific
VC-HKA	Toffee

Maple

VP-LM	Light
VP-N	Natural

Maple Quarter Cut

NM-N	Natural
------	---------

Oak

VJ-HKC	Urban
--------	-------

Rift Cut White Oak

TR-W15	Espresso
NR-W40	Mocha

Walnut

VR-HKG	Colombian
VR-W31	Retro

Walnut Quarter Cut

NW-W35	Clear
NW-W15	Espresso
NW-W31	Retro

HPL

Grade A

Solid Color

H-34	Beige
H-AK	Chalk
H-8J	Charcoal
H-3J	Graphite
H-62	Gray Tone
H-WL	Linen
H-3P	Platinum
H-AA	Putty
H-3E	Smoke

Patterned

H-P1	Linen Casual
H-P2	Linen Classic
H-P3	Linen Crisp
H-P4	Linen Flax

Wood

H-B06	Brazilwood
H-E79	Colombian Walnut
H-AE	Maple
H-DYP	New Age Oak
H-E15	River Cherry
H-C09	Williamsburg Cherry

Grade B

Wood Grain

H-C8	Blonde Modern
	Cherry
H-D1	Daintree
H-KP	Field Elm
H-KN	Grey Elm
H-KM	Landmark Wood
H-D2	Mocha Modern
	Cherry
H-KL	Neo Walnut
H-KR	Phantom Ecu
H-KS	Phantom Pearl
H-C9	Spiced Modern
	Cherry

Edgeband

Solid Color

HP-34	Beige
HP-AK	Chalk
HP-8J	Charcoal
HP-3J	Graphite
HP-62	Gray Tone
HP-WL	Linen
HP-3P	Platinum
HP-AA	Putty
HP-3E	Smoke

Patterned Edgeband

HP-P1	Linen Casual
HP-P2	Linen Classic
HP-P3	Linen Crisp
HP-P4	Linen Flax

Wood Grain

HP-C8	Blonde Modern
	Cherry
HP-B06	Brazilwood
HP-E79	Colombian Walnut
HP-D1	Daintree
HP-KP	Field Elm
HP-KN	Grey Elm
HP-KM	Landmark Wood
HP-AE	Maple
HP-D2	Mocha Modern
	Cherry
HP-KL	Neo Walnut
HP-DYP	New Age Oak
HP-KR	Phantom Ecu
HP-KS	Phantom Pearl
HP-E15	River Cherry
HP-C9	Spiced Modern
	Cherry
HP-C09	Williamsburg Cherry

Ply-Edge

HP-PW	Ply-Edge
-------	----------

Trim

Grade A

Smooth

TR-R	Beige
TR-AK	Chalk
TR-K	Charcoal
TR-C1	Cocoa
TR-J	Graphite
TR-G	Gray Tone
TR-AA	Putty
TR-E	Smoke
TR-PLS	Smooth Plaster
TR-FM	Snow

Textured

TR-TG	Grout
TR-TF	Pitch
TR-TW	Plaster

Grade B

Smooth

TR-IC	Accent Blue
TR-IE	Accent Orange
TR-IG	Blue Jay
TR-IR	Brownstone
TR-IN	Night
TR-IQ	Park
TR-RR	Rusty Red
TR-IM	Sable
TR-IJ	Sky Blue
TR-IK	Wren

Smooth Metallic

TR-BN	Bronze
TR-DM	Dark Bronze Metallic
TR-BG	Light Bronze
TR-MC	Metallic Champagne
TR-MG	Metallic Gunmetal
TR-LE	Metallic Silver

Textured Metallic

TR-AR	Argent
TR-HE	Hellenic

Tempered Glass

1G-1C	Clear
1G-E21	Satin Etched

ALERT: These materials are current, however they are being considered for future obsolescence due to low volume.

Wood	HPL	Edgeband	Trim
VJ-W42 Brindle	H-AM Amber Cherry	HP-AM Cherry	TR-1F Accent Red
2R-RL Butternut	H-AD Medium Cherry	HP-AD Medium Cherry	TR-CTS Chartreuse
VR-W15 Espresso			TR-1H Terra
NP-W08 Golden			
NP-W07 Light			
NX-U Medium			
VR-W12 Naturally Walnut			
WC-RW Wenge			

* For most current finish and fabric availability please reference surfaces.haworth.com.

Haworth+

For information on the Haworth+ alliance program, including images and product availability, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > Haworth+ Library

Customer's Own Material (COM)

For general Customer's Own Material (COM) information including processes and forms, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > Resources > COM

For information on approved COM's, please refer to: [Haworth.com](https://surfaces.haworth.com) > Surface Collection > COM Library

Forest Stewardship Council® (FSC®) Statement:

In our continuing support of sustainable forestry and responsible purchasing, Haworth North America is offering FSC certified wood products at no up-charge. By providing FSC certified material, Haworth is supporting our client's green building goals and demonstrating our collective commitment to source materials more sustainably. Haworth will provide to you the necessary FSC certified paperwork with your shipment. For more information, FAQs, and a complete FSC product list (including product exceptions), go to the Library and search FSC. Haworth FSC Trademark License #FSC-C002821

Surface Materials

Fabrics/Color Legend

Vertical Fabrics

Grade A

(36)	Aerial
(6X)	Chevron
(35)	Etch
(L6)	Highlands
(C1)	Striae
(PY)	Tailored
(J3A)	Tellure

Grade B

(4HV)	Blanket
(33)	Camp
(L5)	Classic
(34)	Fields
(3JV)	Hobson
(6)	Hue
(S3V)	Kaleidoscope
(3LV)	Novelty
(32)	Peca
(4V)	Ramie
(PV)	Ritz
(WS)	Shimmer

Grade C

(SW)	Sisal
------	-------

Grade D

(6KV)	Dots
(3SV)	Scapes

Grade G

(JBV)	Cotswold
-------	----------

Index

Products are listed alphabetically in this index by alpha-numeric prefix/suffix codes.

Product Code	Product Description	Page
AUSA	Active Components – Inner Accessory Screen — Adaptable Worksurfaces, Fixed Height Tables, Height Adjustable Tables, Height Adjustable Benching and Intuity Benching	77
AUSC	Active Components – Corner Screen – No Modesty — Corner Screen	75
AUSR	Active Components – Center Screen	74
AUST	Active Components – Territory Screen — Adaptable Worksurfaces and Intuity Desking	76
KAIB-0040	Information Display – Planes Boards and Accessories — Information Boards	96
KAIC-0000	Information Display – Planes Boards and Accessories — Horizontal Wall Rail End Caps	97
KAIE-0029	Information Display – Planes Easels — Standard Easel	94
KAIE-0072	Information Display – Planes Easels — Large Easel	95
KAIH-0000	Information Display – Planes Boards and Accessories — Wall Cleat for Information Boards	96
KAIW-0096	Information Display – Planes Boards and Accessories — Horizontal Wall Rail for Information Boards	96
KUSR	Screen Rails – Belong Screen Rail	90
KUTB	Belong Gallery Screens – Structural Screen Tile	89
KUTS-E	Belong – Territory Screen — End-of-Run for Adaptable Worksurfaces	32
KUTS-L	Belong – Territory Screen — L-Screen for Adaptable Worksurfaces	34
KUTS-S	Belong – Territory Screen — Shared for Adaptable Worksurfaces	33
SSUC	Compose Echo – Center Screen — Compose Top Trim Channel Mount	56
SSUC	Compose Echo – Center Screen — Gallery and Gallerie Panels	58
SSUC	Compose Echo – Center Screen — Upside Height Adjustable Benching	60
SSUD	Compose Echo – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching, Adaptable WS, Private Office	72
STUB	Compose Echo – Back Screen – Modesty or No Modesty — Height Adjustable Tables or Adaptable Worksurfaces	54
STUC	Compose Echo – Accessory Frame – Fabric — For use with Gallery Panels	52
STUC	Compose Echo – Center Screen — Compose Top Trim Channel Mount	56
STUC	Compose Echo – Center Screen — Gallery and Gallerie Panels	58
STUC	Compose Echo – Center Screen — Upside Height Adjustable Benching	60
STUC-F	Compose Echo – Accessory Frame – Fabric	48
STUC-P	Compose Echo – Accessory Frame – Open	47
STUD	Compose Echo – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching, Adaptable WS, Private Office	72
STUE-FRNNUN	Compose Echo – End Screen — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	66
STUF	Compose Echo – Full Wrap Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables	67
STUF	Compose Echo – Full Wrap Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Table	70
STUP	Compose Echo – Corner Screen – Modesty or No Modesty — Rectangular Height Adjustable Tables or Adaptable Convergent Worksurfaces	61
STUP	Compose Echo – Corner Screen – Modesty or No Modesty — Rectangular Radius Corner Height Adjustable Tables	64
SUFB	Belong – Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces	13
SUFB	Belong – Back Screen – Modesty — Height Adjustable Tables	17
SUFB	Belong – Back Screen – No Modesty — Height Adjustable Tables and Benching	20
SUPC	Belong – Center Screen – Markerboard — Gallery Panel Mount	23
SUPC	Belong – Center Screen — Upside Benching	30
SUPC	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	25
SUPC-FB	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	25
SUPC-MB	Belong – Center Screens — Rail Mount — Compose Work Rail Top Trim and Intuity Benching	25
SURS	Screen Rails – Belong Plus Screen Rail	90
SUSB-FNUHNNN	Belong Plus – Back Screen – No Modesty — Height Adjustable Tables and Benching	37
SUSB-FNUUNNN	Belong Plus – Back Screen – Modesty — Adaptable Convergent and Intuity Return Worksurfaces, and Height Adjustable Tables	35
SUSC	Belong Plus – Center Screen — Upside Benching	41
SUSC-FNAHNND	Belong Plus – Center Screen — Planes and Planes LT Benching	40

Index

Product Code	Product Description	Page
SUSC-FNAHNNS	Belong Plus – Center Screen — Planes and Planes LT Benching	.40
SUSC-FNBUNNN	Belong Plus – Center Screen — Rail Mount — Intuity Benching	.39
SUSC-FNGUNNN	Belong Plus – Center Screen — Rail Mount — Compose Work Rail Top Trim Mount	.38
SUSE-FNUHNNN	Belong Plus – End Screen – No Modesty — Height Adjustable Tables and Height Adjustable Benching	.43
SUSE-FNUUNNN	Belong Plus – End Screen – Modesty — Adaptable Worksurfaces, Height Adjustable Benching and Height Adjustable Tables	.42
SUSF-0000	Screen Alignment Clips – Belong Plus Screen Alignment Clip	.91
SUST-FNO	Belong Plus – Territory Screen — Intuity Benching with Access Hatch	.46
SUST-FN6	Belong Plus – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	.44
SUST-FN6	Belong Plus – Territory Screen — Intuity Benching with Access Hatch	.46
SUST-FNO	Belong Plus – Territory Screen — Height Adjustable Benching and Tables, Intuity Benching without Access Hatch, Adaptable WS	.44
SUTM	Belong – Territory Screen — Adaptable Worksurfaces	.31
SYRM	Belong Gallery Screens – Gallery Return Screen — For use with Adaptable Convergent WS and Intuity Return	.88
SYSG-DPUNNNN	Belong Gallery End Panel – Intuity, Height Adjustable Benching, Adaptable Worksurfaces with Universal Mount — Universal Mount	.80
SYSM	Belong Gallery Screens – Gallery Back Screen for Return — For use with Adaptable Convergent WS and Intuity Return	.87
SYSM	Belong Gallery Screens – Gallery Back Screen — For use with Adaptable Convergent WS and Intuity Return	.86
SYSM-DPUNNNN	Belong Gallery End Panel – Intuity, Height Adjustable Benching, Adaptable Worksurfaces with 1, 2 or 3 Piece Universal Mount — Universal Mount	.83
SZAC-0000-P	Compose Echo – Screen Accessories — Compose Echo Screen Alignment Clip	.73
SZAS-0000-S	Compose Echo – Screen Accessories — Compose Echo Screen Alignment Saddle	.73
TA01-0214	Information Display – Planes Boards and Accessories — Y-Leg Bumper	.97
TA01-BRKT-E	Attachment Brackets – Gallery Panel Bracket	.92
TA0M	Modesty Panel – Convergent Adaptable Worksurfaces, Fixed Height Tables and Intuity Returns	.78
TASC	Belong – Center Screen — Planes and Planes LT Benching	.28
VBSF-0000	Screen Alignment Clips – Belong Screen Alignment Clip	.91
VZST	Belong – Center Screen – Markerboard Topper Kit — For use with Gallery Panels	.24
ZBBG-0000-PN	Attachment Brackets – Gallery Panel Attachment Bracket	.92
ZBBP-0000-PN	Attachment Brackets – Tie Plate	.93
ZUBW-0000-CN	Attachment Brackets – Gallery Panel Attachment Bracket	.92
ZUBW-0000-PN	Attachment Brackets – Gallery Panel Attachment Bracket	.92

Product Compatibility and Limited Warranty Policy

Great Expectations

You have them as a Haworth customer and so do we. And because we value our customers, we cover our products with the Haworth North America Product Compatibility and Limited Warranty Policy.

Our Commitment To Product Compatibility – Integrated Product Platforms

As a market leader in the design and manufacture of workspaces that adapt to change, we strive to maintain product compatibility within our various generations of integrated product platforms. This benefits the customer who desires to update or modify their work environment. It also benefits the customer needing to replace a product due to damage or other reasons but which is no longer manufactured or is otherwise unavailable, such as a fabric or finish that is discontinued because of changing market preferences. In both circumstances, we often can provide products with comparable function and performance.

Our Commitment To Product Quality – The Haworth North America Limited Warranty

To ensure customer satisfaction and peace of mind, we stand behind our products with the Haworth North America Limited Warranty. To review the current version of the limited warranty including its terms and conditions, please go to:

www.haworth.com/warranty or contact OneTouch@Haworth.com or 1 877 429 6784.

Warranty Requests or Questions

For questions or service requests pertaining to the Haworth Limited Warranty, please contact your Haworth dealer.

If you are unsure who your dealer is, please contact **OneTouch@Haworth.com or 1 877 429 6784.**

Terms of Sale

The Terms of Sale apply to all products in the North America Price Lists. To review the current version of the North American Terms of Sale, please go to:

www.haworth.com/terms-of-sale or contact OneTouch@Haworth.com or 1 877 429 6784.

